STT 465 HW1



Question 1. In population I $\theta = 0.9$, compute and report the prevalence of disease in this population.

Solution.

$$P(D = 1) = P(D = 1|G = AA)P(G = AA) + P(D = 1|G = AB)P(AB) + P(D = 1|G = BB)P(BB)$$

$$= (0.0)\theta^{2} + (0.1)(2)\theta(1 - \theta) + 0.9(1 - \theta)^{2}$$

$$= (0.1)(2)(0.9)(1 - 0.9) + 0.9(1 - 0.9)^{2}$$

$$P(D = 1) = 0.027$$

Question 2. An individual in population I has developed the disease, what is the probability that the genotype of that individual is AA, AB, or BB?

Solution.

1. AA

$$P(G_i = AA|D = 1) = \frac{P(D = 1 \& G_i = AA)}{P(D = 1)} = \frac{P(D = 1|G_i = AA)P(G_i = AA)}{P(D = 1)} = \frac{0(0.9)}{0.027} = 0$$

2. AB

$$P(G_i = AB|D = 1) = \frac{P(D = 1 \& G_i = AB)}{P(D = 1)} = \frac{P(D = 1|G_i = AB)P(G_i = AB)}{P(D = 1)} = \frac{0.1(2 * 0.9 * (1 - 0.9))}{0.027} = \frac{2}{3}$$

3. BB

$$P(G_i = BB|D = 1) = \frac{P(D = 1 \& G_i = BB)}{P(D = 1)} = \frac{P(D = 1|G_i = BB)P(G_i = BB)}{P(D = 1)} = \frac{0.9(1 - 0.9)^2}{0.027} = \frac{1}{3}$$

Question 3. In population II the frequency of allele A is 0.95. An individual is healthy, what is the probability that this individual comes from population I (assume that, a priori, individuals are equally likely to come from population 1 or 2).

Solution. Let N be the population that the individual comes from P(N = II) = P(N = I) = 0.5. From question 1,

$$P(D=1|N=I) = 0.027$$

For population II,

$$P(D = 1|N = II) = P(D = 1|G = AA)P(G = AA) + P(D = 1|G = AB)P(AB) + P(D = 1|G = BB)P(BB)$$

$$= (0.0)\theta^{2} + (0.1)(2)\theta(1 - \theta) + 0.9(1 - \theta)^{2}$$

$$= (0.1)(2)(0.95)(1 - 0.95) + 0.9(1 - 0.95)^{2}$$

$$P(D = 1|N = II) = 0.01175$$

Therefore,

$$P(N = I | D = 0) = \frac{P(N = I \& D = 0)}{P(D = 0)} = \frac{P(D = 0 | N = I)P(N = I)}{P(D = 0 | N = I)P(N = I) + P(D = 0 | N = II)P(N = II)}$$

$$P(N = I | D = 0) = \frac{(1 - P(D = 1 | N = I))P(N = I)}{(1 - P(D = 1 | N = I))P(N = I) + (1 - P(D = 1 | N = II))P(N = II)}$$

$$P(N = I | D = 0) = \frac{(1 - 0.027) * 0.5}{(1 - 0.027) * 0.5 + (1 - 0.01175) * 0.5} = 0.496112$$

Question 4. Provide frequencies for the joint distribution of the two Bernoulli random variables (i.e., probabilities in a 2x2 contingency table) that:

- 1. satisfy IID (identically and independently distributed),
- 2. satisfy exchangibility but not IID
- 3. do no satisfy IID and are not exchangable

Explain your reasoning.

Solution.

1. The below table satisfies IID.

	X						
Y		0	1	P(Y=y)			
	0	0.25	0.25	0.5			
	1	0.25	0.25	0.5			
	P(X=x)	0.5	0.5				

This satisfies IID because (1) both X and Y have the same marginal distribution and (2) their joint distribution is the product of their marginal distributions.

(1)
$$P(X = 1) = P(Y = 1) = 0.5$$

 $P(X = 0) = P(Y = 0) = 0.5$
(2) $P(X = 1, Y = 1) = P(Y = 1)P(X = 1) = 0.5(0.5) = 0.25$
 $P(X = 0, Y = 1) = P(Y = 1)P(X = 0) = 0.5(0.5) = 0.25$
 $P(X = 0, Y = 0) = P(Y = 0)P(X = 0) = 0.5(0.5) = 0.25$
 $P(X = 1, Y = 0) = P(Y = 0)P(X = 1) = 0.5(0.5) = 0.25$

2. The below table satisfies exchangeability but not IID.

This does not satisfy IID because:

$$P(X = 0, Y = 0) \neq P(X = 0)P(Y = 0)$$
$$0.1 \neq 0.4(0.4) = 0.16$$

This does satisfy exchangeability becasue:

(1)
$$P(X = 0, Y = 0) = P(X = 0, Y = 0) = 0.1$$

(2)
$$P(X = 1, Y = 0) = P(X = 0, Y = 1) = 0.3$$

(3)
$$P(X = 0, Y = 1) = P(X = 1, Y = 0) = 0.3$$

(4)
$$P(X = 1, Y = 1) = P(X = 1, Y = 1) = 0.3$$

3. The below table does not satisfy either exchangeability or IID.

	X						
Y		0	1	P(Y=y)			
	0	0.05	0.25	0.3			
	1	0.35	0.35	0.7			
	P(X=x)	0.4	0.6				

This does not satisfy IID because:

$$P(X = 0, Y = 0) \neq P(X = 0)P(Y = 0)$$

 $0.1 \neq 0.4(0.3) = 0.12$

This does not satisfy exchangeability because:

$$P(X = 1, Y = 0) \neq P(X = 0, Y = 1)$$
$$0.25 \neq 0.35$$

Question 5. Consider a system of three Bernoulli random variables (X,Y,Z). P(Z=1)=0.6. The following tables give the conditional distributions P(X,Y|Z)

P(X,Y Z=0)			P(X, Y Z=1)		
	Y=0	Y=1		Y=0	Y=1
X=0	0.06	0.24	X=0	0.12	0.28
X=1	0.14	0.56	X=1	0.18	0.42

- 5.a) Are (X,Y) conditionally independent?
- 5.b) Are (X,Y) independent?
- 5.c) Are (X,Y) exchangeable?

Solution. First I compute the conditional distributions of X and Y on Z

P(X,Y Z=0)		P(X,Y Z=1)					
	Y=0	Y=1	P(X = x Z = 0)		Y=0	Y=1	P(X = x Z = 1)
X=0	0.06	0.24	0.3	X=0	0.12	0.28	0.4
X=1	0.14	0.56	0.7	X=1	0.18	0.42	0.6
P(Y=y Z=0)	0.2	0.8		P(Y = y Z = 1)	0.3	0.7	

5.a) (X,Y) are conditionally independent if P(X=x,Y=y|Z=x)=P(X=x|Z=z)P(Y=y|Z=z) for all $x,y,z\in\{0,1\}$. For Z=0,

$$\begin{split} P(X=0,Y=0) &= 0.06 = (0.3)(0.2) = P(X=0|Z=0)P(Y=0|Z=0) \; \checkmark \\ P(X=0|X=1) &= 0.24 = (0.3)(0.8) = P(X=0|Z=0)P(Y=1|Z=0) \; \checkmark \\ P(X=1,Y=0) &= 0.14 = (0.7)(0.2) = P(X=1|Z=0)P(Y=0|Z=0) \; \checkmark \\ P(X=1,Y=1) &= 0.56 = (0.7)(0.8) = P(X=1|Z=0)P(Y=1|Z=0) \; \checkmark \end{split}$$

For Z=1,

$$P(X = 0, Y = 0) = 0.12 = (0.4)(0.3) = P(X = 0|Z = 1)P(Y = 0|Z = 1) \checkmark$$

 $P(X = 0, Y = 1) = 0.28 = (0.4)(0.7) = P(X = 0|Z = 1)P(Y = 1|Z = 1) \checkmark$
 $P(X = 1, Y = 0) = 0.18 = (0.6)(0.3) = P(X = 1|Z = 1)P(Y = 0|Z = 1) \checkmark$
 $P(X = 1, Y = 0) = 0.42 = (0.6)(0.7) = P(X = 1|Z = 1)P(Y = 1|Z = 1) \checkmark$

Therefore, (X,Y) are conditionally independent because P(X=x,Y=y|Z=x)=P(X=x|Z=z)P(Y=y|Z=z) for all $x,y,z\in\{0,1\}$.

5.b) To find if (X,Y) are independent, we must first compute the joint distribution of X,Y:

$$\begin{split} P(X=0,Y=0) &= P(X=0,Y=0|Z=0)P(Z=0) + P(X=0,Y=0|Z=1)P(Z=1) \\ &= (0.06)(1-0.6) + (0.12)(0.6) = 0.096 \\ P(X=0,Y=1) &= P(X=0,Y=1|Z=0)P(Z=0) + P(X=0,Y=1|Z=1)P(Z=1) \\ &= (0.24)(1-0.6) + (0.28)(0.6) = 0.264 \\ P(X=1,X=0) &= P(X=1,Y=0|Z=0)P(Z=0) + P(X=1,Y=0|Z=1)P(Z=1) \\ &= (0.14)(1-0.6) + (0.18)(0.6) = 0.164 \\ P(X=1,Y=1) &= P(X=1,Y=1|Z=0)P(Z=0) + P(X=1,Y=1|Z=1)P(Z=1) \\ &= (0.56)(1-0.6) + (0.42)(0.6) = 0.476 \end{split}$$

	Y=0	Y=1	P(X=x)
X=0	0.096	0.264	0.36
X=1	0.164	0.476	0.64
P(Y=y)	0.26	0.74	

For X,Y to be independent P(X,Y)=P(X)P(Y) for all X,Y.

$$P(X = 0, Y = 0) = 0.096$$

$$P(X = 0)P(Y = 0) = (0.36)(0.26) = 0.936 \neq 0.096 = P(X = 0, Y = 0)$$

Since $P(X = 0, Y = 0) \neq P(X = 0)P(Y = 0)$, (X,Y) are not independent.

5.c) For X,Y to be exchangeable P(X=i,Y=j)=P(X=j,Y=i) for all $i,j\in\{0,1\}$.

$$P(X = 0, Y = 1) = 0.264$$

$$P(X = 1, Y = 0) = 0.164 \neq 0.264$$

Since $P(X=0,Y=1) \neq P(X=1,Y=0)$, X and Y are not exchangeable.