

# Problem Set #4

Econ 103

## Part I – Problems from the Textbook

Chapter 3: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29

## Part II – Additional Problems

1. Suppose you flip a fair coin twice.
  - (a) List all the basic outcomes in the sample space.
  - (b) Let  $A$  be the event that you get at least one head. List all the basic outcomes in  $A$ .
  - (c) What is the probability of  $A$ ?
  - (d) List all the basic outcomes in  $A^c$ .
  - (e) What is the probability of  $A^c$ ?
2. Suppose I deal two cards at random from a well-shuffled deck of 52 playing cards. What is the probability that I get a pair of aces?
3. Suppose everyone in a class of one hundred students flips a fair coin five times.
  - (a) What is the probability that John Smith, a particular student in the class, gets five heads in a row?
  - (b) What is the probability that at least one person gets five heads in a row?
4. (Adapted from Mosteller, 1965) A jury has three members: the first flips a coin for each decision, and each of the remaining two independently has probability  $p$  of reaching the correct decision. Call these two the “serious” jurors and the other the “flippant” juror (pun intended).
  - (a) What is the probability that the serious jurors both reach the same decision?
  - (b) What is the probability that the serious jurors each reach different decisions?
  - (c) What is the probability that the jury reaches the correct decision? Majority rules.

5. This question refers to the prediction market example from lecture. Imagine it is October 2012. Let  $O$  be a contract paying \$10 if Obama wins the election, zero otherwise, and  $R$  be a contract paying \$10 if Romney wins the election, zero otherwise. Let  $\text{Price}(O)$  and  $\text{Price}(R)$  be the respective prices of these contracts.
  - (a) Suppose you *buy* one of each contract. What is your profit?
  - (b) Suppose you *sell* one of each contract. What is your profit?
  - (c) What must be true about  $\text{Price}(O)$  and  $\text{Price}(R)$ , to prevent an opportunity for statistical arbitrage?
  - (d) How is your answer to part (c) related to the Complement Rule?
  - (e) What is the implicit assumption needed for your answers to parts (a)–(c) to be correct? How would your answers change if we were to relax this assumption?
6. “Odd Question” # 6, from Hacking (2001):

You are a physician. You think it is quite likely that one of your patients has strep throat, but you aren’t sure. You take some swabs from the throat and send them to a lab for testing. The test is (like nearly all lab tests) not perfect. If the patient has strep throat, then 70% of the time the lab says yes. But 30% of the time it says NO. If the patient does not have strep throat, then 90% of the time the lab says NO. But 10% of the time it says YES. You send five successive swabs to the lab, from the same patient. and get back these results in order: YES, NO, YES, NO, YES.

Let  $S$  be the event that the patient has strep throat, and  $S^c$  be the event that she does not. Let  $Y$  be the event that a given test says YES and  $N = Y^c$  be the event that a given test says NO. You may assume that the tests are independent.

- (a) Calculate the probability that your patient has strep throat. (Hint, there is a missing piece of information and you should express your answer *in terms of it*.)
- (b) Based on your answer to part (a) do you think the patient has strep throat? Explain.

## Part III – “Challenge” Problems

These are optional. If you’re up for a challenge you’ll learn quite a bit from these.

7. (Adapted from Mosteller, 1965) “What is the least number of persons required if the probability exceeds  $1/2$  that two or more of them have the same birthday? (Year of birth need not match).” [Hint: Use the Complement Rule.]

8. Formally prove the Addition Rule:  $P(A \cup B) = P(A) + P(B) - P(A \cap B)$  using the basic notions of set theory we learned in class and the axioms of probability. [Hint: Try to translate the intuition from the Venn diagram into an equation.]
9. Weren't stumped by the Monte Hall problem? Try this example from Mosteller (1965):

Three prisoners,  $A$ ,  $B$ , and  $C$ , with apparently equally good records have applied for parole. The parole board has decided to release two of the three, and the prisoners know this but not which two. A warder friend of prisoner  $A$  knows who are to be released. Prisoner  $A$  realizes that it would be unethical to ask the warder if he,  $A$ , is to be released, but thinks of asking for the name of *one* prisoner *other than himself* who is to be released. He thinks that before he asks, his chances of release are  $2/3$ . He thinks that if the warder says " $B$  will be released," his own chances have now gone down to  $1/2$ , because either  $A$  and  $B$  or  $B$  and  $C$  are to be released. And so  $A$  decides not to reduce his chances by asking. However,  $A$  is mistaken in his calculations. Explain.