

# Working with WMS Data

QGIS Tutorials and Tips

**Ujaval Gandhi** [ujaval@spatialthoughts.com](mailto:ujaval@spatialthoughts.com)

# Working with WMS Data


Often you need reference data layers for your basemap or to display your results in the context of other datasets. Many organizations publish datasets online that can be readily used in GIS. A popular standard for publishing maps online is called WMS (Web Map Service). This is a better choice for using reference layers as you get access to rich datasets in your GIS without the hassle of downloading or styling the data.

## Overview of the task


In this tutorial, we will load layers of [Mineral Resources](#) published by USGS.

## Procedure

1. Open QGIS and go to on Layer › Add WMS Layer....



2. In the Layers tab, click on New.



Name your connection. This is not the name of the layer but the name of service which is offering WMS layer. A single service usually offers multiple layers that can be added to your project. The URL you need to access a WMS layer is called GetCapabilities. When you access a WMS server with parameter in the URL, it returns a list of layers available along with various metadata. In this case, name the connection as *MRDATA USGS* and the GetCapabilities URL <http://mrdata.usgs.gov/services/ca?request=getcapabilities&service=WMS&version=1.1.0>. Click OK.

**Create a new WMS connection**

Connection details

Name:

URL:

If the service requires basic authentication, enter a user name and optional password

User name:

Password:

Referer:

☐ Ignore GetMap URI reported in capabilities

☐ Ignore GetFeatureInfo URI reported in capabilities

☐ Ignore axis orientation (WMS 1.3/WMTS)

☐ Invert axis orientation

☐ Smooth pixmap transform

OK Cancel Help

4. Next, click on the Connect button to fetch the list of layers available. You will notice different IDs listed next to the layers. ID 0 means you get a map of all the layers. If you do not want all the layers, you can expand the list by clicking on + icon and selecting the layer of interest. Select the layer 0 for this tutorial.

**Add Layer(s) from a Server**

Layers Layer Order Tilesets Server Search

MRDATA USGS

Connect New Edit Delete Load Save Add default servers

ID	Name	Title	Abstract
0	California_Geology	California_Geology	California_Geology
1	California_Lithology	California_Lithology	California_Lithology
9	California_Contacts	California_Contacts	California_Contacts
15	California_Age	California_Age	California_Age
21	California_Faults	California_Faults	California_Faults

Image encoding

☒ PNG ☐ PNG8 ☐ JPEG ☐ GIF ☐ TIFF

Options (0 coordinate reference systems available)

Layer name:

Tile size:

Feature limit for GetFeatureInfo:

Change ...


Add Close Help

Select layer(s)


5. In the Image encoding section, you need to choose an image format. Image formats matter a great deal and which one you choose depends on your use case. Here are some pointers

- Quality: PNG is a lossless compressed image format. JPEG is lossy compressed format. TIFF can be either. That means the quality of PNG images will be better compared to JPEG. If your main purpose is to print a map, use PNG.
- Speed: Since PNG images are uncompressed and thus larger in size, they will take longer to load. If you are using the layer in your project as a reference layer and need to zoom/pan a lot, use JPEG.
- Client Support: QGIS supports most of the formats, but if you are developing web applications, browsers usually do not support TIFF, so you should choose another format.
- Type of data: If your layers are primarily vector, PNG will give better results. For imagery layers, JPEG is usually a better choice.


For this tutorial, choose JPEG as the format. Change the Layer name if you wish and click Add.



6. You will see the layer loaded in the QGIS canvas. You can zoom/pan around just like any other layer. The way WMS service works is that every time you zoom/pan, it sends your viewport coordinates to the server and the server creates an image for that viewport and return it to the client. So there will be some delay before you see the image for the area after you have zoomed in. Also, since the data you see is an image, there is no way to query for attributes like in a regular vector/imagery layer.



7. You can, however, see some metadata about the layer. Right-click the layer and choose Properties.



8. You will notice that the Properties dialog looks different and has fewer tabs. You can go to the Metadata tab to learn more about the WMS service and the layers.

Layer Properties - California\_Geology

General

Style

Transparency

Metadata

▼ Description

Title

Abstract

Keyword list

Format

▼ Attribution

Title

Url

▼ MetadataUrl

Url

Type

Format

▼ Properties

Server Properties

Property	Value
WMS Version	1.1.1
Title	California_Geology
Abstract	
Keywords	
Online Resource	-
Contact Person	Peter M. Schweitzer

Restore Default Style

Save As Default

Load Style ...

Save Style ...

OK

Cancel

Apply

Help