

# Importing Spreadsheets or CSV files

QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://google.com/+UjavalGandhi>

Translations by


Whyjay Zheng

□ □ □ □ □ □ CSV □

□ □ □ □

signif.txt - Notepad

STATE	LOCATION_NAME	LATITUDE	LONGITUDE	REGION_CODE	DEATHS	DEATHS_DESCRIPTION
10	ISRAEL	ISRAEL: ARIHA (JERICHO)	31.500	35.300	140	
		9713	Tsu	-480	9	29
		1				2
103.900	30					
SANSU PROVINCE:	LONGXI	34.900	104.700	30	3	
3		41	23			
						51
		UKRAINE	UKRAINE: BLACK SEA	44.700		57
		1			67	155
		3	1001	4		
						79
						340
350	10					
	2					
438						
119		477	9	25		
		139	Tsu	551	7	9
				147		558
					12	25
549	9	12				5.5
	715					
175		745	6	5		7.9
2		3	187		778	
	199		811			
844	9	18				
	219		853			
857	4					



3. `LONGITUDE` `LATITUDE` `X` `Y` `:guilabel:` `Tab`

### Note

`X` `Y` `Y` `X`

**Create a Layer from a Delimited Text File**

File Name:  

Layer name:  Encoding:

File format: ☐ CSV (comma separated values) ☒ Custom delimiters ☐ Regular expression delimiter

☐ Comma ☒ Tab ☐ Space ☐ Colon ☐ Semicolon

Other delimiters:  Quote:  Escape:

Record options: Number of header lines to discard:  ☒ First record has field names

Field options: ☐ Trim fields ☐ Discard empty fields ☐ Decimal separator is comma

Geometry definition: ☒ Point coordinates ☐ Well known text (WKT) ☐ No geometry (attribute only table)

X field:  Y field:  ☐ DMS coordinates

Layer settings: ☒ Use spatial index ☐ Use subset index ☐ Watch file

	I_D	FLAG_TSUNAMI	YEAR	MONTH	DAY	HOUR	MINUTE	SECOND	FOCAL_DEPTH	EQ_MAG_MW	EQ_MAG
1	1		-2150								
2	3		-2000						18		7.1
3	2	Tsu	-2000								
4	8		-1566								
5	11		-1450								



6. □□□□□□□□□□□□□□□□ QGIS □□□□□

