

Creating Heatmaps

QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://google.com/+UjavalGandhi>

Translations by

SongHyun Choi



What are the two main types of spatial analysis? *cluster analysis* and *hotspot analysis*.



What is the name of the 2011 census data for Surrey?




Where can you find raw data from the Police.uk crime mapping website <<http://data.london.gov.uk/datastore/package/policeuk-crime-data>>?

Download the Surrey data.



- What are the steps to import a CSV file into QGIS?



2. `police-uk-crime-data-surrey.txt` `CSV (comma separated values)` `*Easting*` `*Northing*` `X` `Y` `Use spatial index` `OK`.

Create a Layer from a Delimited Text File

File Name: `C:/Users/ujaval/Downloads/police-uk-crime-data-surrey/police-uk-crime-data-surrey.txt` Browse...

Layer name: `police-uk-crime-data-surrey` Encoding: `UTF-8`

File format: ☒ `CSV (comma separated values)` ☐ `Custom delimiters` ☐ `Regular expression delimiter`

Record options: Number of header lines to discard: `0` ☒ `First record has field names`

Field options: ☐ `Trim fields` ☐ `Discard empty fields` ☐ `Decimal separator is comma`

Geometry definition: ☒ `Point coordinates` ☐ `Well known text (WKT)` ☐ `No geometry (attribute only table)`

X field: `Easting` Y field: `Northing` ☐ `DMS coordinates`

Layer settings: ☒ `Use spatial index` ☐ `Use subset index` ☐ `Watch file`

	ID	Month	Reported by	Falls within	Easting	Northing	Location	Crime type	Conte:
1	480097	2010-12	Surrey Police	Surrey Police	532773.00	156680.00	On or near Addison Road	Burglary	
2	480098	2010-12	Surrey Police	Surrey Police	498361.00	149806.00	On or near The Oval	Burglary	
3	480099	2010-12	Surrey Police	Surrey Police	498205.00	165251.00	On or near Albury Close	Burglary	
4	480100	2010-12	Surrey Police	Surrey Police	507437.00	174069.00	On or near Sanctuary Road	Burglary	
5	480101	2010-12	Surrey Police	Surrey Police	498205.00	165251.00	On or near Albury Close	Burglary	

OK Cancel Help

3. `Close`.



7. ■■■■■ ■■■■ ■■■■ `Heatmap`■■■■■ ■■■■ ■■■■■■ ■■■■■■. ■■■■ ■■■■■■ ■■■■■■■■ ■■■■
:doc:`using_plugins`■ ■■■■■. ■■■■ ■■■■■■ ■■■■■■ ■■■■ ■■■■ --> ■■■■ --> ■■■■
:menuselection:`Raster --> Heatmap --> Heatmap`■ ■■■■■.



8. `Heatmap Plugin` `Output raster` `sms` `crime_heatmap`. `Radius` `1000`. `heat` `Advanced` `Cell Size X` `Cell Size Y` `100`. `OK`.



10. `guiabel: Properties``



11. `Style` `:guilabel:Render type` `:guilabel:Singleband pseudocolor` `:guilabel:Load min/max values` `:guilabel:Accuracy` `:guilabel:Actual (slower)` `:guilabel:Load` `:guilabel:Generate new color map` `:guilabel:YlOrRd (Yellow-Orange-Red)` `:guilabel:Classify` `:guilabel:OK`




15. QGIS ■■■■ ■■■■ ■■■■ ■■■■. ■■■■ ■■■■ 0 ■■ 1 ■■ ■■■■. ■■■■ 5 ■■ ■■■■ ■■■■ 1 ■■ ■■ ■■■■ 0 ■■■■. ■■ ■■■■ --> ■■ --> ■■■■ /■■■■ ■■■■ :menuselection: `Raster --> Conversion --> Polygonize (Raster to Vector)` ■■■■.



16. `crime_hotspots_vector` `:guilabel:Field name` `:guilabel:Load into canvas when finished` `:guilabel:OK`



17. ■■■ ■■■■ ■■■■ ■■■■ ■■■■ QGIS ■■■■ ■■■■. ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■. ■■■■ ■■■■ 0 ■■■■ 1 ■■■■ ■■■■ ■■■■ ■■■■ ■■■■. 0 ■■■■ ■■■■ ■■■■ ■■■■. ■■■■ ■■■■ ■■■■ ■■■■. ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ :guilabel:`Open Attribute Table` ■■■■ ■■■■.



18. ■■■ ■■■■ :guilabel:`Attribute table` ■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ :guilabel:`Select feature using an expression` ■■■ ■■■■.



19. `DN = 1` :guilabel: `Select` . `Close` .



20. QGIS **Save Selection As...** dialog box. The **Save Selection As...** dialog box is used to save the selected features as a new layer. The dialog box has several options, including the ability to save the selection as a new layer, a new shapefile, or a new table. The **Save Selection As...** dialog box is a `:guiabel:` widget.



21. `crime_clusters` :guilabel:`Add saved file to map` :guilabel:`OK`



22. ■■■■■■■■. ■■ ■■■■ ■■■■■■ ■■■■ `hotspots` ■■■■ ■■■■. ■ ■■■■■■ ■■■■■■
 ■■■■ *intelligence* ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■ ■■■■.

