

Basic Raster Styling and Analysis

QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://google.com/+UjavalGandhi>

Translations by

Marina Pavlova Ilya Trofimov Fayçal Fatihi

Population density is a measure of the number of people living in a particular area. It is calculated by dividing the total population by the total area. Population density can be measured in different ways, such as per square kilometer or per square mile. It is an important indicator of human development and can be used to identify areas of high and low population density.

Population density is a measure of the number of people living in a particular area. It is calculated by dividing the total population by the total area. Population density can be measured in different ways, such as per square kilometer or per square mile. It is an important indicator of human development and can be used to identify areas of high and low population density. In QGIS, you can use the *Raster Calculator* to perform calculations on raster data. For example, you can calculate the population density of a region by dividing the population data by the area data. The *Raster Calculator* is a powerful tool for analyzing spatial data in QGIS.

Population density is a measure of the number of people living in a particular area.

We will use population density grid data to find and visualize areas of the world that have seen dramatic population density change between year 1990 and 2000.

Population density is a measure of the number of people living in a particular area.

- Population density is a measure of the number of people living in a particular area. QGIS

Population density is a measure of the number of people living in a particular area.

We will use the [Gridded Population of the World \(GPW\) v3](#) dataset from Columbia University. Specifically, we need the Population Density Grid for the entire globe in ASCII format and for the year 1990 and 2000.

Here is how to search and download the relevant data.

1. Go to the [Population Density Grid, v3 download page](#). Select the *Data Attributes* as *.ascii format*, *1° resolution* and *1990 year*. Click *Download*. At this point, you may create a free account and login, or use the *Guest Download* button at the bottom to immediately download the data. Repeat the process for *2000 year* data.

Downloads

Recommended Citation:

Center for International Earth Science Information Network - CIESIN - Columbia University, and Centro Internacional de Agricultura Tropical - CIAT. 2005. Gridded Population of the World, Version 3 (GPWv3): Population Density Grid. NY: NASA Socioeconomic Data and Applications Center (SEDAC). <http://sedac.ciesin.columbia.edu/data/set/gpw-density>. Accessed DAY MONTH YEAR.

Download this Citation:

Please check the Research Note field for issues pertaining to importing authors that are organizations.

ENW

Use this format for EndNote and RefWorks software.

RIS

Use this format for ProCite, Reference Manager and Zotero software.

Data:

Geography:

Region
Global

Data Set:

Population Density Grid

Data Attributes:

.ascii
1°
1990

Download

 [feedback and support](#)

You will now have 2 zip files downloaded.

■■■■■■■■■■ ■■■■■■■■: [GPW3]

■■■■■■■■■■

2. Open QGIS and go to *Layer* ■ *Add Raster Layer...*



3. Locate the downloaded zip files. Hold down the Ctrl key and click on both the zip files to select them. This way you are able to load both the files in a single step.



4. Each zip file contain 2 grid files. The a in the filename suggests that the population counts were adjusted to match the UN totals. We will use the adjusted grids for this tutorial. Select `glds00ag60.asc` as the layer to add. Click OK.




5. The layer doesn't have a CRS defined, and since the grids are in lat/long, choose *EPSG:4326* as the coordinate reference system.



6. Since we selected both the zip files, you will see similar dialogs once again. Repeat the process and select `glds90ag60.asc` grid as the layer to add.



7. Once again, choose *EPSG:4326* as the CRS.



8. Now you will see both the rasters loaded in QGIS. The raster is rendered as in grayscale, where darker pixels indicate lower values and lighter pixels indicate higher values.



9. Each pixel in the raster has a value assigned. This value is the population density for that grid. Click on *Identify Features* button to select the tool and click anywhere on the raster to see the value of that pixel.



10. To better visualize the pattern of population density, we would need to style it. Right-click on the layer name and select *Properties*. You can also double-click on the layer name in the TOC to bring up the Layer Properties dialog.



11. Under the *Style* tab, change the *Render type* to *Singleband pseudocolor*. Next, click *Classify* under *Generate a new color map*. You will see 5 new color values created. Click *OK*.



12. Back in the QGIS Canvas, you will see a heatmap-like rendering of the raster. Repeat the same process for the other raster as well.



13. For our analysis, we would like to find areas with largest population change between 1990 and 2000. The way to accomplish this is by finding the difference between each grid's pixel value in both the layers. Select **Raster** ■ **Raster calculator**.



14. In the *Raster bands* section, you can select the layer by double-clicking on them. The bands are named after the raster name followed by @ and band number. Since each of our rasters have only 1 band, you will see only 1 entry per raster. The raster calculator can apply mathematical operations on the raster pixels. In this case we want to enter a simple formula to subtract the 1990 population density from 2000. Enter `glds00ag60@1 - glds90ag60@1` as the formula. Name your output layer as `pop_density_change_2000_1990.tif` and check the box next to *Add result to project*. Click OK.



15. Once the operation is complete, you will see the new layer load in QGIS.



16. This grayscale visualization is useful, but we can create a much more informative output. Right-click on the `pop_density_change_2000_1990` layer and select *Properties*.



17. We want to style the layer so pixel values in certain ranges get the same color. Before we dive in to that, go to the *Metadata* tab and look at the properties of the raster. Note the minimum and maximum values of this layer.

Layer Properties - pop_density_change_2000_1990

Metadata

▼ Description

Title

Abstract

Keyword list Format

▼ Attribution

Title

Url

▼ MetadataUrl

Url

Type Format

▼ Properties

STATISTICS_MAXIMUM=5775.919921875
 STATISTICS_MEAN=6.695636351893
 STATISTICS_MINIMUM=-1840.7290039063
 STATISTICS_STDDEV=57.298162727804

Restore Default Style Save As Default Load Style ... Save Style ...

OK Cancel Apply Help

18. Now go to the *Style* tab. Select *Singleband pseudocolor* as the *Render type* under *Band Rendering*. Set the *Color interpolation* to *Discrete*. Click the *Add entry* button 4 times to create 4 unique classes. Click on an entry to change the values. The way color map works is that all values lower than the value entered will be given the color of that entry. Since the minimum value in our raster is just above -2000, we choose -2000 as the first entry. This will be for the No Data values. Enter the values and Labels for other entries as below and click *OK*.



- Now you will see a much more powerful visualization where you can see areas which has seen positive and negative population density changes. Click on *Zoom In* button and draw a rectangle around Europe to explore the region in more detail.



20. Select the *Identify* tool and click on the Red and Blue regions to verify that your styling rules worked as intended.



21. Now let's take this analysis one-step further and find areas with only *negative* population density change. Open **Raster** ■ **Raster calculator**.



22. Enter the expression `pop_density_change_2000_1990@1 < -10`. What this expression will do is set the value of the pixel to 1 if it matches the expression and 0 if it doesn't. So we will get a raster with pixel value of 1 where there was negative change and 0 where there wasn't. Name the output layer as `negative_pop_change_2000_1990` and check the box next to *Add result to project*. Click OK.



23. Once the new layer is loaded, right-click on it and select *Properties*. In the *Transparency* tab, add 0 as the *Additional no data value*. This setting will make the pixels with 0 values also transparent. Click OK.



24. Now you will see the areas of negative population density change as gray pixels.

