Rajalakshmi Engineering College

Name: Atchaya R

Email: 241501026@rajalakshmi.edu.in

Roll no: 241501026 Phone: 6379572960

Branch: REC

Department: I AIML AD

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 3_COD_Question 5

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Milton is a diligent clerk at a school who has been assigned the task of managing class schedules. The school has various sections, and Milton needs to keep track of the class schedules for each section using a stack-based system.

He uses a program that allows him to push, pop, and display class schedules for each section. Milton's program uses a stack data structure, and each class schedule is represented as a character. Help him write a program using a linked list.

Input Format

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the class schedule to be pushed onto the stack.

Choice 2: Pop class schedule from the stack

Choice 3: Display the class schedules in the stack.

Choice 4: Exit the program.

Output Format

The output displays messages according to the choice and the status of the stack:

- If the choice is 1, push the given class schedule to the stack and display the following: "Adding Section: [class schedule]"
- If the choice is 2, pop the class schedule from the stack and display the following: "Removing Section: [class schedule]"
- If the choice is 2, and if the stack is empty without any class schedules, print "Stack is empty. Cannot pop."
- If the choice is 3, print the class schedules in the stack in the following:
- "Enrolled Sections: " followed by the class schedules separated by space.
- If the choice is 3, and there are no class schedules in the stack, print "Stack is empty"
- If the choice is 4, exit the program and display the following: "Exiting the program"
 - If any other choice is entered, print "Invalid choice"

Refer to the sample output for the exact format.

Sample Test Case

Input: 1 d

1 h

3

2

```
241501026
                                                    247507026
Output: Adding Section: d
Adding Section: h
Enrolled 6
    Removing Section: h
    Enrolled Sections: d
    Exiting program
    Answer
    #include <stdio.h>
    #include <stdlib.h>
                                                                              247507026
    struct Node {
    char data;
      struct Node* next;
    struct Node* top = NULL;
    void push(char value) {
      //Type your code here
      struct Node* newnode=(struct Node*)malloc(sizeof(struct Node));
      if (newnode!=NULL)
        newnode->data=value;
        newnode->next=top;
        top=newnode;
      printf("Adding Section: %c\n",value);
    void pop() {
      //Type your code here
      struct Node* temp=top;
      if (temp==NULL)
         printf("Stack is empty. Cannot pop.");
      else{
top=top->next;
                                                                              241501026
      printf("Removing Section: %c\n",temp->data);
```

```
24,150,1026
void displayStack() {
      //Type your code here
      struct Node* temp=top;
      if (temp==NULL)
        printf("Stack is empty");
      else
        printf("Enrolled Sections: ");
        while(temp!=NULL)
           printf("%c ",temp->data);
         temp=temp->next;
      printf("\n");
    int main() {
      int choice;
      char value;
      do {
        scanf("%d", &choice);
        switch (choice) {
           case 1:
             scanf(" %c", &value);
             push(value);
             break;
           case 2:
             pop();
             break;
           case 3:
             displayStack();
             break;
           case 4:
             printf("Exiting program\n");
             break;
           default:
                                                     247507026
             printf("Invalid choice\n");
while (choice != 4);
```

24,150,1026

241501026

247501026