

A PROJECT REPORT ON

**Astronomical Image colorization and super-resolution
using GANs**

**SUBMITTED TOWARDS THE
PARTIAL FULFILMENT OF THE REQUIREMENTS OF**

BACHELOR OF ENGINEERING (Computer Engineering)

BY

Shreyas Kalvankar

Exam No:

Hrushikesh Pandit

Exam No:

Pranav Parwate

Exam No:

Atharva Patil

Exam No:

Under The Guidance of

Prof. Dr. S.M. Kamalapur



**Department of Computer Engineering
K. K. Wagh Institute of Engineering Education & Research
Hirabai Haridas Vidyanagari, Amrutdham, Panchavati,
Nashik-422003
Savitribai Phule Pune University
A. Y. 2020-21 Sem I**



K. K. Wagh Institute of Engineering Education and Research
Department of Computer Engineering

CERTIFICATE

This is to certify that the Project Titled

Astronomical Image colorization and super-resolution using GANs

Submitted by

Shreyas Kalvankar

Exam No:

Hrushikesh Pandit

Exam No:

Pranav Parwate

Exam No:

Atharva Patil

Exam No:

is a bonafide work carried out by Students under the supervision of Prof. Dr. S.M. Kamalapur and it is submitted towards the partial fulfilment of the requirement of Bachelor of Engineering (Computer Engineering) Project during academic year 2020-21.

Prof. Dr. S.M. Kamalapur
Internal Guide
Department of Computer Engineering

Prof. Dr. S. S. Sane
Head
Department of Computer Engineering

Abstract

Automated colorization of black and white images has been subject to much research within the computer vision and machine learning communities. Beyond simply being fascinating from an aesthetic and artificial intelligence perspective, such capability has broad practical applications. It is an area of research that possesses great potentials in applications: from black and white photo reconstruction, image augmentation, video restoration to image enhancement for improved interpretability.

Image downscaling is an innately lossy process. The principal objective of super resolution imaging is to reconstruct a low resolution image into a high resolution one based on a set of low-resolution images to rectify the limitations that existed while the procurement of the original low-resolution images. This is to insure better visualization and recognition for either scientific or non-scientific purposes. No matter how good an upscaling algorithm is, there will always be some amount of high frequency data lost from a downscale-upscale function performed on the image. Ultimately, even the best upscaling algorithms cannot effectively reconstruct data that does not exist. Traditional methods for image upsampling rely on low-information, smooth interpolation between known pixels. Such methods can be treated as a convolution with a kernel encoding no information about the original image. A solution to the problem is by using Generative Adversarial Networks (GANs) to hallucinate high-frequency data in a super-resolved image that does not exist in the smaller image. Although they increase the resolution of an image, they fail to produce the clarity desired in the super-resolution task. By using the above mentioned method, not a perfect reconstruction can be obtained albeit instead a rather plausible guess can be made at what the lost data might be, constrained to reality by a loss function penalizing deviations from the ground truth image. A huge number of raw images lie unprocessed and unseen in the Hubble Legacy Archives. These raw images are typically low-resolution, black and white and unfit to be shared with the world. It takes huge amounts of hours to process them. This processing is necessary because astronomers often struggle to distinguish objects from the raw images. Random and synthetic noise from the sensors in the telescope, changing optical characteristics in

the system and noise from other bodies in the universe all make the processing further necessary. Furthermore, colorization is needed to help highlight small features that ordinarily wouldn't be able to be picked out against noise of the image. The processing of the images is so time consuming that the images are rarely seen by human eyes. The problem is only likely to get worse. Not only is new data being continuously produced by Hubble Telescope, but new telescopes are soon to come online. A simplification of image processing by using artificial image colorization and super-resolution can be done in an automated fashion to make it easier for astronomers to visually identify and analyze objects in Hubble dataset.

Acknowledgments

please enter text here.

Shreyas Kalvankar
Hrushikesh Pandit
Pranav Parwate
Atharva Patil
(B.E. Computer Engg.)

INDEX

| | | |
|----------|--|----------|
| 1 | Introduction | 1 |
| 1.1 | Project Idea | 2 |
| 1.2 | Motivation of the Project | 2 |
| 1.3 | Literature Survey | 2 |
| 2 | Problem Definition and scope | 3 |
| 2.1 | Problem Statement | 4 |
| 2.1.1 | Goals and objectives | 4 |
| 2.1.2 | Statement of scope | 5 |
| 2.2 | Major Constraints | 5 |
| 2.3 | Methodologies of Problem solving and efficiency issues | 6 |
| 2.4 | Scenario in which multi-core, Embedded and Distributed Computing used | 6 |
| 2.5 | Outcome | 6 |
| 2.6 | Applications | 6 |
| 2.7 | Hardware Resources Required | 6 |
| 2.8 | Software Resources Required | 6 |
| 3 | Project Plan | 8 |
| 3.1 | Project Estimates | 9 |
| 3.1.1 | Reconciled Estimates | 9 |
| 3.1.2 | Project Resources | 9 |
| 3.2 | Risk Management | 9 |
| 3.2.1 | Risk Identification | 9 |

| | | |
|----------|---|-----------|
| 3.2.2 | Risk Analysis | 10 |
| 3.2.3 | Overview of Risk Mitigation, Monitoring, Management . . | 11 |
| 3.3 | Project Schedule | 11 |
| 3.3.1 | Project task set | 11 |
| 3.3.2 | Task network | 12 |
| 3.3.3 | Timeline Chart | 12 |
| 3.4 | Team Organization | 12 |
| 3.4.1 | Team structure | 12 |
| 3.4.2 | Management reporting and communication | 12 |
| 4 | Software requirement specification | 13 |
| 4.1 | Introduction | 14 |
| 4.1.1 | Purpose and Scope of Document | 14 |
| 4.1.2 | Overview of responsibilities of Developer | 14 |
| 4.2 | Usage Scenario | 14 |
| 4.2.1 | User profiles | 14 |
| 4.2.2 | Use-cases | 14 |
| 4.2.3 | Use Case View | 14 |
| 4.3 | Data Model and Description | 15 |
| 4.3.1 | Data Description | 15 |
| 4.3.2 | Data objects and Relationships | 15 |
| 4.4 | Functional Model and Description | 15 |
| 4.4.1 | Data Flow Diagram | 16 |
| 4.4.2 | Description of functions | 16 |
| 4.4.3 | Activity Diagram: | 17 |
| 4.4.4 | Non Functional Requirements: | 17 |
| 4.4.5 | State Diagram: | 17 |
| 4.4.6 | Design Constraints | 17 |
| 4.4.7 | Software Interface Description | 17 |
| 5 | Detailed Design Document | 19 |
| 5.1 | Introduction | 20 |

| | | |
|-------------------|--|-----------|
| 5.2 | Architectural Design | 20 |
| 5.3 | Data design | 20 |
| 5.3.1 | Internal software data structure | 20 |
| 5.3.2 | Global data structure | 21 |
| 5.3.3 | Temporary data structure | 21 |
| 5.3.4 | Database description | 21 |
| 6 | Dataset and Experimental setup | 22 |
| 7 | Summary and Conclusion | 23 |
| Annexure A | Mathematical Model | 25 |
| Annexure B | Plagiarism Report | 26 |
| Annexure C | Paper Published (if any) | 27 |
| Annexure D | Sponsorship detail (if any) | 28 |

List of Figures

| | | |
|-----|------------------------------------|----|
| 4.1 | Use case diagram | 15 |
| 4.2 | Activity diagram | 16 |
| 4.3 | State transition diagram | 18 |
| 5.1 | Architecture diagram | 20 |

List of Tables

| | | |
|-----|--|----|
| 2.1 | Hardware Requirements | 6 |
| 3.1 | Risk Table | 10 |
| 3.2 | Risk Probability definitions [?] | 10 |
| 3.3 | Risk Impact definitions [?] | 10 |
| 4.1 | Use Cases | 14 |

CHAPTER 1

INTRODUCTION

1.1 PROJECT IDEA

- The idea of the project is to create a efficient mathematical model for image colorization and super resolution using Generative Adversarial Networks (GANs)

1.2 MOTIVATION OF THE PROJECT

- A large number of images lie dormant in most of the space survey data archives which never go through any kind of processing and are low resolution and black & white. These images could be processed automatically by an algorithm that will colorize and super-resolve the images which can make it easier for astronomers to visually inspect the images

1.3 LITERATURE SURVEY

- Review of the papers, Description , Mathematical Terms

CHAPTER 2

PROBLEM DEFINITION AND SCOPE

2.1 PROBLEM STATEMENT

The problem can be divided into two sub-problems:

- Create an efficient model to colorize grayscale images
- Take a colorized image and upscale it n times the original size

2.1.1 Goals and objectives

Goal and Objectives:

- Auto-Colorization:
 - The first model will be given input a grayscale, low resolution image of dimensions $(64 \times 64 \times 1)$
 - The model will perform a series of mathematical operations that will increase the channel width of the image from 1 (single channel grayscale image) to 3 (RGB)
 - The output of the model will be a colorized version of the input image with dimensions $(64 \times 64 \times 3)$
- Upscaling/super-resolution:
 - The input to the model will be a colorized image of shape $(64 \times 64 \times 3)$
 - The model will increase the dimensions of the image from (64×64) to $((64 \cdot n) \times (64 \cdot n))$ by performing a series of upscaling operations and predicting information that may be lost while downscaling
 - The output of the model will be an upscaled RGB image with dimensions $((64 \cdot n) \times (64 \cdot n) \times 3)$
- The models may be combined to form a single model that will take a low resolution, grayscale image as its input and produce a high resolution, colorized image as its output

2.1.2 Statement of scope

- The model will consist of neural networks implemented using deep learning frameworks that will accept images of input format *JPEG*
- The input will be grayscale images of size 64×64
- Input bounds:
 - Lower bound: $64 \times 64 \times 1$
 - Upper bound: no limit
- The output will be produced in two phases:
 - A colorized output of model 1 with shape $64 \times 64 \times 3$
 - A upscaled output of model 2 from the colorized output of model 1 with shape $(64 \cdot n) \times (64 \cdot n) \times 3$
- The model will:
 - take input black & white images
 - produce colorized images of the same size
 - produce upscaled images of size n times the input size (currently 64)
- The model will **not**:
 - take a colorized image as an input
 - take an image of size less than (64×64) in size
 - produce accurate upscaling or coloring albeit merely make a guess at what the lost values might be

2.2 MAJOR CONSTRAINTS

- Any constraints that will impact the manner in which the software is to be specified, designed, implemented or tested are noted here.

2.3 METHODOLOGIES OF PROBLEM SOLVING AND EFFICIENCY ISSUES

- The single problem can be solved by different solutions. This considers the performance parameters for each approach. Thus considers the efficiency issues.

2.4 SCENARIO IN WHICH MULTI-CORE, EMBEDDED AND DISTRIBUTED COMPUTING USED

Explain the scenario in which multi-core, embedded and distributed computing methodology can be applied.

2.5 OUTCOME

- Outcome of the project

2.6 APPLICATIONS

- Applications of Project

2.7 HARDWARE RESOURCES REQUIRED

| Sr. No. | Parameter | Minimum Requirement | Justification |
|---------|-----------|---------------------|-----------------|
| 1 | CPU Speed | 2 GHz | Remark Required |
| 2 | RAM | 3 GB | Remark Required |

Table 2.1: Hardware Requirements

2.8 SOFTWARE RESOURCES REQUIRED

Platform :

1. Operating System:
2. IDE:

3. Programming Language

CHAPTER 3

PROJECT PLAN

3.1 PROJECT ESTIMATES

Use Waterfall model and associated streams derived from assignments 1,2, 3, 4 and 5(Annex A and B) for estimation.

3.1.1 Reconciled Estimates

3.1.1.1 Cost Estimate

3.1.1.2 Time Estimates

3.1.2 Project Resources

Project resources [People, Hardware, Software, Tools and other resources] based on Memory Sharing, IPC, and Concurrency derived using appendices to be referred.

3.2 RISK MANAGEMENT

This section discusses Project risks and the approach to managing them.

3.2.1 Risk Identification

For risks identification, review of scope document, requirements specifications and schedule is done. Answers to questionnaire revealed some risks. Each risk is categorized as per the categories mentioned in [?]. Please refer table 3.1 for all the risks. You can refered following risk identification questionnaire.

1. Have top software and customer managers formally committed to support the project?
2. Are end-users enthusiastically committed to the project and the system/product to be built?
3. Are requirements fully understood by the software engineering team and its customers?
4. Have customers been involved fully in the definition of requirements?
5. Do end-users have realistic expectations?

6. Does the software engineering team have the right mix of skills?
7. Are project requirements stable?
8. Is the number of people on the project team adequate to do the job?
9. Do all customer/user constituencies agree on the importance of the project and on the requirements for the system/product to be built?

3.2.2 Risk Analysis

The risks for the Project can be analyzed within the constraints of time and quality

| ID | Risk Description | Probability | Impact | | |
|----|------------------|-------------|----------|---------|---------|
| | | | Schedule | Quality | Overall |
| 1 | Description 1 | Low | Low | High | High |
| 2 | Description 2 | Low | Low | High | High |

Table 3.1: Risk Table

| Probability | Value | Description |
|-------------|------------------------------|-------------|
| High | Probability of occurrence is | > 75% |
| Medium | Probability of occurrence is | 26 – 75% |
| Low | Probability of occurrence is | < 25% |

Table 3.2: Risk Probability definitions [?]

| Impact | Value | Description |
|-----------|---------|--|
| Very high | > 10% | Schedule impact or Unacceptable quality |
| High | 5 – 10% | Schedule impact or Some parts of the project have low quality |
| Medium | < 5% | Schedule impact or Barely noticeable degradation in quality Low Impact on schedule or Quality can be incorporated |

Table 3.3: Risk Impact definitions [?]

3.2.3 Overview of Risk Mitigation, Monitoring, Management

Following are the details for each risk.

| | |
|------------------|--|
| Risk ID | 1 |
| Risk Description | Description 1 |
| Category | Development Environment. |
| Source | Software requirement Specification document. |
| Probability | Low |
| Impact | High |
| Response | Mitigate |
| Strategy | Strategy |
| Risk Status | Occurred |

| | |
|------------------|---|
| Risk ID | 2 |
| Risk Description | Description 2 |
| Category | Requirements |
| Source | Software Design Specification documentation review. |
| Probability | Low |
| Impact | High |
| Response | Mitigate |
| Strategy | Better testing will resolve this issue. |
| Risk Status | Identified |

3.3 PROJECT SCHEDULE

3.3.1 Project task set

Major Tasks in the Project stages are:

- Task 1:
- Task 2:
- Task 3:

| | |
|------------------|---|
| Risk ID | 3 |
| Risk Description | Description 3 |
| Category | Technology |
| Source | This was identified during early development and testing. |
| Probability | Low |
| Impact | Very High |
| Response | Accept |
| Strategy | Example Running Service Registry behind proxy balancer |
| Risk Status | Identified |

- Task 4:
- Task 5:

3.3.2 Task network

Project tasks and their dependencies are noted in this diagrammatic form.

3.3.3 Timeline Chart

A project timeline chart is presented. This may include a time line for the entire project. Above points should be covered in Project Planner as Annex C and you can mention here Please refer Annex C for the planner

3.4 TEAM ORGANIZATION

The manner in which staff is organized and the mechanisms for reporting are noted.

3.4.1 Team structure

The team structure for the project is identified. Roles are defined.

3.4.2 Management reporting and communication

Mechanisms for progress reporting and inter/intra team communication are identified as per assessment sheet and lab time table.

CHAPTER 4

SOFTWARE REQUIREMENT

SPECIFICATION

4.1 INTRODUCTION

4.1.1 Purpose and Scope of Document

The purpose of SRS and what it covers is to be stated

4.1.2 Overview of responsibilities of Developer

What all activities carried out by developer?

4.2 USAGE SCENARIO

This section provides various usage scenarios for the system to be developed.

4.2.1 User profiles

The profiles of all user categories are described here.(Actors and their Description)

4.2.2 Use-cases

All use-cases for the software are presented. Description of all main Use cases using use case template is to be provided.

| Sr No. | Use Case | Description | Actors | Assumptions |
|--------|------------|-------------|--------|-------------|
| 1 | Use Case 1 | Description | Actors | Assumption |

Table 4.1: Use Cases

4.2.3 Use Case View

Use Case Diagram. Example is given below




Figure 4.1: Use case diagram

4.3 DATA MODEL AND DESCRIPTION

4.3.1 Data Description

Data objects that will be managed/manipulated by the software are described in this section. The database entities or files or data structures required to be described. For data objects details can be given as below

4.3.2 Data objects and Relationships

Data objects and their major attributes and relationships among data objects are described using an ERD- like form.

4.4 FUNCTIONAL MODEL AND DESCRIPTION

A description of each major software function, along with data flow (structured analysis) or class hierarchy (Analysis Class diagram with class description for object oriented system) is presented.

4.4.1 Data Flow Diagram

4.4.1.1 Level 0 Data Flow Diagram

4.4.1.2 Level 1 Data Flow Diagram

4.4.2 Description of functions

A description of each software function is presented. A processing narrative for function n is presented.(Steps)/ Activity Diagrams. For Example Refer 4.2




Figure 4.2: Activity diagram

4.4.3 Activity Diagram:

- The Activity diagram represents the steps taken.

4.4.4 Non Functional Requirements:

- Interface Requirements
- Performance Requirements
- Software quality attributes such as availability [related to Reliability], modifiability [includes portability, reusability, scalability] , performance, security, testability and usability[includes self adaptability and user adaptability]

4.4.5 State Diagram:

State Transition Diagram

Fig.4.3 example shows the state transition diagram of Cloud SDK. The states are represented in ovals and state of system gets changed when certain events occur. The transitions from one state to the other are represented by arrows. The Figure shows important states and events that occur while creating new project.

4.4.6 Design Constraints

Any design constraints that will impact the subsystem are noted.

4.4.7 Software Interface Description

The software interface(s) to the outside world is(are) described. The requirements for interfaces to other devices/systems/networks/human are stated.




Figure 4.3: State transition diagram

CHAPTER 5

DETAILED DESIGN DOCUMENT

5.1 INTRODUCTION

This document specifies the design that is used to solve the problem of Product.

5.2 ARCHITECTURAL DESIGN

A description of the program architecture is presented. Subsystem design or Block diagram,Package Diagram,Deployment diagram with description is to be presented.




Figure 5.1: Architecture diagram

5.3 DATA DESIGN

A description of all data structures including internal, global, and temporary data structures, database design (tables), file formats.

5.3.1 Internal software data structure

Data structures that are passed among components the software are described.

5.3.2 Global data structure

Data structured that are available to major portions of the architecture are described.

5.3.3 Temporary data structure

Files created for interim use are described.

5.3.4 Database description

Database(s) / Files created/used as part of the application is(are) described.

CHAPTER 6

DATASET AND EXPERIMENTAL SETUP

CHAPTER 7

SUMMARY AND CONCLUSION

Write one page summary and conclusion

ANNEXURE A

MATHEMATICAL MODEL

ANNEXURE B

PLAGIARISM REPORT

ANNEXURE C

PAPER PUBLISHED (IF ANY)

ANNEXURE D

SPONSORSHIP DETAIL (IF ANY)