

Congratulations! You passed!

TO PASS 80% or higher

Keep Learning

GRADE
100%

Practice Quiz: Functions

TOTAL POINTS 5

1. This function converts miles to kilometers (km).

1 / 1 point

1. Complete the function to return the result of the conversion
2. Call the function to convert the trip distance from miles to kilometers
3. Fill in the blank to print the result of the conversion
4. Calculate the round-trip in kilometers by doubling the result, and fill in the blank to print the result

```
1  # 1) Complete the function to return the result of the conversion
2  def convert_distance(miles):
3      km = miles * 1.6  # approximately 1.6 km in 1 mile
4      return km
5  my_trip_miles = 55
6
7  # 2) Convert my_trip_miles to kilometers by calling the function above
8  my_trip_km = convert_distance(my_trip_miles)
9
10 # 3) Fill in the blank to print the result of the conversion
11 print("The distance in kilometers is " + str(my_trip_km))
12
13 # 4) Calculate the round-trip in kilometers by doubling the result,
14 #    and fill in the blank to print the result
15 print("The round-trip in kilometers is " + str(2*my_trip_km))
```

Run

Reset

The distance in kilometers is 88.0
The round-trip in kilometers is 176.0



Correct

Woohoo! You've figured out how to make the functions do what they need to do, and remembered some things from the previous lessons. Way to go!.

2.

1 / 1 point

This function compares two numbers and returns them in increasing order.

1. Fill in the blanks, so the print statement displays the result of the function call in order.

Hint: if a function returns multiple values, don't forget to store these values in multiple variables

```
1  # This function compares two numbers and returns them
2  # in increasing order.
3  def order_numbers(number1, number2):
4      if number2 > number1:
5          return number1, number2
6      else:
7          return number2, number1
8
9  # 1) Fill in the blanks so the print statement displays the result
10 #   of the function call
11 smaller, bigger = order_numbers(100, 99)
12 print(smaller, bigger)
```

[Run](#)[Reset](#)

99 100



Correct

Nice! You remembered how to accept multiple return values from a function. You're ready for the next lesson!

3. What are the values passed into functions as input called?

1 / 1 point

- ☐ Variables
- ☐ Return values
- ☒ Parameters
- ☐ Data types



Correct

Nice job! A parameter, also sometimes called an argument, is a value passed into a function for use within the function.

4. Let's revisit our lucky_number function. We want to change it, so that instead of printing the message, it returns the message. This way, the calling line can print the message, or do something else with it if needed. Fill in the blanks to complete the code to make it work.

1 / 1 point

```
1  def lucky_number(name):
```

```
1 def lucky_number(name):  
2     number = len(name) * 9  
3     message = "Hello " + name + ". Your lucky number is " + str(number)  
4     return message  
5  
6 print(lucky_number("Kay"))  
7 print(lucky_number("Cameron"))
```

[Run](#)[Reset](#)

Hello Kay. Your lucky number is 27
Hello Cameron. Your lucky number is 63

**Correct**

Way to go! The function now returns the message, for the calling line to use it in any way it wants to.

5. What is the purpose of the def keyword?

1 / 1 point

- ☒ Used to define a new function
- ☐ Used to define a return value
- ☐ Used to define a new variable
- ☐ Used to define a new parameter

**Correct**

Awesome! When defining a new function, we must use the def keyword followed by the function name and properly indented body.