



# ScholarFlow

Software Requirements Specification (SRS)

AI-Powered Research Paper Collaboration Hub

**Team: Phantom Devs**

## **Team Members:**

**0112310298** Md. Atikur Rahaman (Project Leader)

**0112310484** Md. Salman Rohoman Nayeem

**0112220081** Prattay Pal

**0112310302** Md. Sarowar Alam Sourov

## **Section: I**

**Course: Database Management System Lab**

**United International University (UIU)**

December 8, 2025

## Abstract

This Software Requirements Specification (SRS) document provides a comprehensive description of the **ScholarFlow** platform, an AI-powered research paper collaboration hub designed to revolutionize how academic researchers manage, organize, and collaborate on research papers.

Based on extensive market research including a survey of 29 academic researchers across 10 universities in Bangladesh, this document establishes the functional and non-functional requirements for ScholarFlow. The survey revealed strong market demand, with 72.4% of respondents expressing moderate-to-extreme need for a dedicated research management platform, and 82.7% showing high interest in AI-powered paper summarization features.

ScholarFlow addresses critical gaps identified in the current research workflow landscape, where 37.9% of researchers cite "lack of proper tools" as their primary pain point, and current tool satisfaction averages only 3.31 out of 5.00. The platform combines modern UI/UX design (102 Figma screens), advanced AI integration (Google Gemini + OpenAI), and comprehensive collaboration features to create a unified research management ecosystem.

**Target Audience:** 86.2% undergraduate students, 67%+ Computer Science/IT backgrounds, 75.9% ages 22-25 (Gen-Z digital natives)

**Key Technologies:** Next.js 15, Express.js, PostgreSQL, Prisma ORM, AWS S3, Google Gemini AI, OpenAI, Stripe, TipTap Editor

**Document Standard:** IEEE Std 830-1998 (Software Requirements Specifications)

**Repository:** <https://github.com/Atik203/Scholar-Flow>

# Contents

<b>1</b>	<b>Introduction</b>	<b>5</b>
1.1	Purpose . . . . .	5
1.1.1	Document Scope . . . . .	5
1.1.2	Target Audience Demographics . . . . .	5
1.2	Problem Statement . . . . .	6
1.2.1	Problem Background . . . . .	6
1.2.2	Problem Description . . . . .	6
1.2.3	Problem Reasoning . . . . .	8
1.3	Goal . . . . .	9
1.3.1	Primary Objective . . . . .	9
1.3.2	Specific Goals . . . . .	9
1.3.3	Success Metrics (KPIs) . . . . .	10
1.4	System Development Life Cycle (SDLC) . . . . .	10
1.4.1	Development Methodology . . . . .	11
1.4.2	SDLC Stages Detail . . . . .	11
<b>2</b>	<b>System Study and Information Gathering</b>	<b>13</b>
2.1	Introduction . . . . .	13
2.2	Information Sources . . . . .	13
2.2.1	Internal Sources . . . . .	13
2.2.2	External Sources . . . . .	14
2.3	Information Gathering . . . . .	15
2.3.1	Internal Sources . . . . .	15
2.3.2	External Sources . . . . .	16
2.4	Research Papers . . . . .	17
2.4.1	Key Papers and Findings . . . . .	17
2.4.2	Technical Implementation Insights . . . . .	18
2.5	Similar Websites . . . . .	18
2.5.1	Competitive Landscape Analysis . . . . .	18
2.6	Define and Desired State . . . . .	20
2.6.1	Define (Current State) . . . . .	20
2.6.2	Desired State . . . . .	21
2.6.3	Transition Strategy . . . . .	23
<b>3</b>	<b>System Analysis</b>	<b>24</b>
3.1	Introduction . . . . .	24
3.2	Gap Analysis . . . . .	24
3.2.1	Targeted Gap Analysis: What Others Lack That ScholarFlow Offers	24
3.2.2	Gap Prioritization Matrix . . . . .	25

3.3	Benchmark . . . . .	26
3.3.1	Feature Comparison Matrix . . . . .	26
3.3.2	Benchmark Scoring . . . . .	26
3.4	Survey . . . . .	27
3.4.1	Survey Methodology . . . . .	27
3.4.2	Survey Results . . . . .	28
3.5	Feature Demand Analysis . . . . .	38
3.5.1	AI-Powered Features . . . . .	38
3.5.2	Collaboration Features . . . . .	40
3.5.3	Analytics and Tracking Features . . . . .	42
3.5.4	Citation and Reference Management . . . . .	43
3.5.5	Advanced Comparison and Analysis Tools . . . . .	44
3.6	Feature Prioritization Matrix . . . . .	45
3.7	Feasibility Analysis . . . . .	45
3.7.1	Technical Feasibility . . . . .	45
3.7.2	Economic Feasibility . . . . .	46
3.7.3	Operational Feasibility . . . . .	48
3.8	SWOT Analysis . . . . .	48
3.8.1	Strengths (Internal Positive Factors) . . . . .	48
3.8.2	Weaknesses (Internal Negative Factors) . . . . .	50
3.8.3	Opportunities (External Positive Factors) . . . . .	51
3.8.4	Threats (External Negative Factors) . . . . .	52
3.9	Competitive Analysis . . . . .	53
3.9.1	Direct Competitors . . . . .	53
3.9.2	Unique Value Proposition . . . . .	54
3.10	Strategic Recommendations . . . . .	54
3.10.1	Phase 1: UIU Campus Pilot (Q1 2026) . . . . .	55
3.10.2	Phase 2: Multi-Campus Expansion (Q2 2026) . . . . .	55
3.10.3	Risk Mitigation Strategies . . . . .	55

# List of Figures

1.1	Top Research Workflow Pain Points (Multi-Select Survey) . . . . .	7
1.2	Current Tools Used by Researchers (Multi-Select Survey) . . . . .	8
1.3	Need Assessment for Dedicated Research Management Solution . . . . .	9
3.1	Question 1: Role Distribution . . . . .	28
3.2	Question 2: Field of Study . . . . .	28
3.3	Question 3: University/Institution . . . . .	29
3.4	Question 4: Active Research Papers . . . . .	29
3.5	Question 5: Weekly Paper Reading Time . . . . .	29
3.6	Question 6: Current Tools Used . . . . .	30
3.7	Question 7: Current Tools Satisfaction . . . . .	30
3.8	Question 8: Collaboration Frequency . . . . .	31
3.9	Question 9: Need for Research Paper Management Solution . . . . .	31
3.10	Question 10: Interest Level in ScholarFlow . . . . .	32
3.11	Question 11: Essential Features - Paper Upload . . . . .	32
3.12	Question 12: Essential Features - PDF Annotation . . . . .	33
3.13	Question 13: Essential Features - AI Summarization . . . . .	33
3.14	Question 14: Essential Features - AI Recommendations . . . . .	34
3.15	Question 15: Essential Features - Collaboration Tools . . . . .	34
3.16	Question 16: Essential Features - Citation Management . . . . .	35
3.17	Question 17: Essential Features - Offline Access . . . . .	35
3.18	Question 18: Willingness to Pay . . . . .	36
3.19	Question 19: Acceptable Subscription Price . . . . .	36
3.20	Question 20: Referral Likelihood . . . . .	37
3.21	Question 21: Beta Testing Interest . . . . .	37
3.22	Interest in AI-Powered Paper Summarization (n=29) . . . . .	38
3.23	Interest in AI-Powered Paper Recommendations (n=29) . . . . .	39
3.24	Interest in Real-Time Collaborative Editing (n=29) . . . . .	40
3.25	Interest in Role-Based Workspace Permissions (n=29) . . . . .	41
3.26	Interest in Personal Analytics Dashboard (n=29) . . . . .	42
3.27	Interest in Reading Progress Tracking (n=29) . . . . .	42
3.28	Interest in Citation Management Features (n=29) . . . . .	43
3.29	Interest in Side-by-Side Paper Comparison (n=29) . . . . .	44
3.30	Willingness to Pay for Premium Features (n=29) . . . . .	47
3.31	ScholarFlow Feature Comparison - Part 1 . . . . .	53
3.32	ScholarFlow Feature Comparison - Part 2 . . . . .	54

# List of Tables

1.1	Target Audience Demographics and Design Implications . . . . .	6
1.2	Key Performance Indicators and Success Metrics . . . . .	10
1.3	SDLC Methodology by Development Phase . . . . .	11
2.1	Internal Stakeholder Interview Summary . . . . .	14
2.2	Survey Question Categories and Objectives . . . . .	16
2.3	Research-Backed Technology Decisions . . . . .	18
2.4	Adjacent Tools and Their Limitations . . . . .	20
2.5	Current State: Fragmented Research Workflow . . . . .	21
2.6	Desired State: Unified ScholarFlow Workflow . . . . .	22
2.7	Current-to-Desired State Transition Strategy . . . . .	23
3.1	Competitive Gap Analysis: ScholarFlow vs. Market Leaders . . . . .	25
3.2	Gap Prioritization by Impact and Feasibility . . . . .	25
3.3	Feature Benchmark: ScholarFlow vs. Top 4 Competitors . . . . .	26
3.4	Weighted Benchmark Scoring (Higher is Better) . . . . .	26
3.5	Survey Structure and Objectives . . . . .	27
3.6	Feature Prioritization Matrix Based on Survey Demand and Strategic Value	45
3.7	Technical Feasibility Assessment . . . . .	46
3.8	Subscription Pricing Tiers . . . . .	46

# Chapter 1

## Introduction

### 1.1 Purpose

The purpose of this Software Requirements Specification (SRS) document is to provide a comprehensive and detailed description of the ScholarFlow platform — an AI-powered research paper collaboration hub designed to address critical inefficiencies in academic research workflows. This document establishes the functional and non-functional requirements, system constraints, and design considerations necessary for the successful development, implementation, and deployment of ScholarFlow.

#### 1.1.1 Document Scope

This SRS serves multiple stakeholders:

- **Development Team:** Provides architectural blueprints, technical specifications, and implementation guidelines for building ScholarFlow’s multi-tier architecture (Next.js frontend, Express.js backend, PostgreSQL database).
- **Project Managers:** Defines project scope boundaries, feature prioritization frameworks (P0/P1/P2 tiers), and milestone acceptance criteria aligned with the 7-phase roadmap.
- **Quality Assurance Team:** Establishes testable requirements, performance benchmarks (sub-300ms search latency, 95% AI accuracy), and validation criteria for feature acceptance.
- **Stakeholders & Investors:** Demonstrates market validation through survey-backed insights (29 responses, 72.4% need validation), competitive differentiation, and revenue model viability.

#### 1.1.2 Target Audience Demographics

Based on comprehensive survey data from 29 academic researchers across 10 universities:

Demographic	Percentage	Strategic Implications
<b>Role</b>	86.2% Undergraduate	Design for minimal learning curve; prioritize mobile responsiveness for on-the-go access; implement lightweight features for casual researchers.
<b>Age</b>	75.9% Ages 22-25	Gen-Z digital natives expect modern UI/UX (dark mode, glassmorphism), seamless OAuth (Google/GitHub), and instant AI-powered insights.
<b>Field</b>	67%+ CS/IT	Tech-savvy users will demand API access, browser extensions, Overleaf integration, and advanced features like semantic search and AI chat.
<b>Reading Frequency</b>	48.3% Rarely Read	Dual-persona design required: lightweight interface for casual users, power features (annotations, collections, AI summaries) for daily researchers (20.7%).
<b>Institution</b>	47.4% UIU Concentration	Ideal beta testing ground; leverage UIU cohort for early feedback loops, feature validation, and organic campus network effects.

Table 1.1: Target Audience Demographics and Design Implications

## 1.2 Problem Statement

### 1.2.1 Problem Background

The exponential growth of academic literature — with over 2.5 million papers published annually across 30,000+ journals — has created a knowledge discovery crisis. Researchers spend 40–60% of their time on non-research activities: searching for relevant papers, extracting key insights, organizing references, and collaborating with team members. Traditional tools (reference managers like Zotero/Mendeley, cloud storage like Google Drive, note-taking apps like Notion) operate in silos, forcing researchers to context-switch between 3–5 disconnected platforms daily.

### 1.2.2 Problem Description

Our survey of 29 academic researchers revealed critical pain points in current research workflows:






Figure 1.1: Top Research Workflow Pain Points (Multi-Select Survey)

### Top Pain Points (Multi-Select Responses):

1. **44.8%** - Keeping notes and highlights organized across multiple papers
2. **37.9%** - Finding papers when needed (poor search/tagging in existing tools)
3. **31.0%** - Organizing papers into meaningful categories/collections
4. **27.6%** - Extracting key information efficiently (manual skimming wastes hours)
5. **24.1%** - Collaborating with team members (email attachments, version conflicts)
6. **20.7%** - Tracking reading progress across dozens of papers

### Current Tool Fragmentation (Figure 1.2):

- **34.5%** use browser PDFs (no organization, lost tabs)
- **31.0%** rely on desktop folders (“Desktop chaos”, no search)
- **31.0%** store files in cloud drives (Drive/Dropbox/OneDrive — files only, no meta-data)
- **27.6%** use no dedicated tool whatsoever
- **20.7%** use reference managers (Zotero/Mendeley — outdated UI, no AI)
- **13.8%** use note-taking apps (Notion/Evernote — not designed for papers)

Which tools do you currently use to manage and read research papers? (Select all that apply.)



31 responses




Figure 1.2: Current Tools Used by Researchers (Multi-Select Survey)

### 1.2.3 Problem Reasoning

The fragmented tool landscape stems from three fundamental market failures:

1. **Legacy Tool Stagnation:** Traditional reference managers (Zotero, Mendeley) were designed in the pre-AI era (2006–2011). Their outdated interfaces and lack of modern features (semantic search, AI summaries, real-time collaboration) fail to meet Gen-Z expectations shaped by tools like Notion, Figma, and ChatGPT.
2. **Lack of Integrated Workflows:** Researchers cobble together 3–5 disconnected tools:

- Google Drive for storage
- Zotero for citations
- Notion for notes
- Email for collaboration
- ChatGPT for summaries (copy-paste PDFs manually)

This creates context-switching overhead, data silos, and cognitive load that reduces research velocity by 30–50%.

3. **AI Integration Gap:** Despite the transformer revolution (2017–2024), existing research tools remain fundamentally unchanged. Papers are still searched by keywords (not semantic meaning), summaries are manual, and citations lack context. The market lacks a platform that treats AI as a first-class citizen, not a bolt-on feature.

**Validation:** 72.4% of surveyed researchers indicated “moderate to extreme need” for a dedicated research paper management solution (Figure 1.3), while current tool satisfaction averages only 3.31/5 — indicating significant room for improvement.




Figure 1.3: Need Assessment for Dedicated Research Management Solution

## 1.3 Goal

### 1.3.1 Primary Objective

Develop a production-ready, AI-native research paper collaboration platform that consolidates fragmented workflows into a unified hub, reducing research administrative overhead by 40–50% while improving knowledge discovery accuracy and team collaboration efficiency.

### 1.3.2 Specific Goals

#### 1. Unified Research Hub

- Single platform integrating paper storage (S3), organization (collections/workspaces), AI insights (summaries, semantic search), annotations, and team collaboration
- Eliminate context-switching between 3–5 disconnected tools
- Target: 80% reduction in tool fragmentation for power users

#### 2. AI-Powered Knowledge Discovery

- Semantic search using pgvector embeddings (sub-300ms latency)
- AI paper summaries with 85% time savings (validated by 82.7% feature demand)
- Multi-paper chat for cross-paper insights and synthesis
- Deep research mode with citation graph exploration

#### 3. Real-Time Collaboration Infrastructure

- 5-tier role-based access control (Owner → Researcher)
- Shared workspaces with live presence indicators

- Inline annotations with threading and versioning (Phase 3)
- Email sharing with granular permissions (view/edit)

#### 4. Modern Gen-Z UX

- Dark mode, glassmorphism, responsive mobile-first design
- OAuth (Google/GitHub) with JWT session management
- Sub-second interactions, optimistic updates, skeleton loaders
- WCAG 2.1 AA accessibility compliance

#### 5. Enterprise-Grade Scalability

- SOC 2 certification roadmap, SSO/SAML support
- API access for integrations (Overleaf, MS Word, browser extensions)
- Stripe billing with tiered pricing (\$0/\$9.99/\$29.99/Enterprise)
- Performance monitoring with 99.5% uptime SLA

### 1.3.3 Success Metrics (KPIs)

Metric	Target	Measurement Method
User Adoption	1,000 beta users (6 months)	Registration analytics, UIU campus penetration (47.4% survey base)
Feature Engagement	60% weekly active on AI features	Track semantic search, AI summaries, multi-paper chat usage
Time Savings	40% reduction in re-search admin	User surveys, session duration analytics before/after onboarding
Collaboration Uptake	30% users in shared workspaces	Workspace creation rate, team member invitation acceptance
Revenue (Phase 7)	\$50K ARR (Year 1)	Stripe dashboard, Pro tier conversion rate (5–10% target)
Satisfaction Score	4.5/5 (vs. 3.31/5 current)	In-app NPS surveys, feature feedback forms

Table 1.2: Key Performance Indicators and Success Metrics

## 1.4 System Development Life Cycle (SDLC)

ScholarFlow follows an **Agile-Iterative SDLC** with 7 phased rollouts, balancing rapid MVP delivery (Phases 1–3) with long-term scalability (Phases 4–7). This approach enables early user feedback loops, incremental feature validation, and risk mitigation through modular architecture.

### 1.4.1 Development Methodology

Phase	Methodology Characteristics
Phase 1–3 (MVP)	<b>Sprint-Based Agile</b> (2-week sprints), Daily standups, Continuous deployment to staging, Feature flags for A/B testing, User feedback loops every 2 sprints
Phase 4–5 (Scale)	<b>Kanban Flow</b> (continuous delivery), Performance profiling every release, Database migration staging, Blue-green deployment for zero-downtime updates
Phase 6–7 (Enterprise)	<b>Hybrid Agile-Waterfall</b> (regulatory compliance requires upfront planning), SOC 2 audit checkpoints, Penetration testing, Load testing (10K concurrent users)

Table 1.3: SDLC Methodology by Development Phase

### 1.4.2 SDLC Stages Detail

#### 1. Requirements Analysis

- **Survey-Driven Requirements:** 29-response survey with 21 questions across demographics, feature priorities, and adoption intent
- **Competitive Analysis:** Feature matrix comparing ScholarFlow vs. Zotero, Mendeley, Paperpile, Paperpal (20+ features)
- **Stakeholder Interviews:** Conversations with UIU researchers, professors, and research assistants
- **Output:** This SRS document, feature prioritization matrix (P0/P1/P2), technical feasibility assessment

#### 2. System Design

- **Architecture:** Microservices-ready monorepo (Next.js frontend, Express.js backend, PostgreSQL + pgvector)
- **Database Design:** Prisma ORM with 15+ tables (User, Paper, Collection, Workspace, Annotation, etc.), TypedSQL for raw queries
- **UI/UX Design:** Figma prototypes (102 pages), ShadCN component library, design system (colors, typography, spacing)
- **Security Design:** JWT authentication, rate limiting, CORS, input sanitization, secure password reset flows

#### 3. Implementation

- **Tech Stack:** TypeScript 100%, Next.js 15 (App Router), Express.js, Prisma ORM, Zod validation, Redux Toolkit Query
- **Code Quality:** ESLint + Prettier, Husky pre-commit hooks, TypeScript strict mode, 80%+ test coverage target

- **Deployment:** Vercel (frontend), Railway/Render (backend), AWS S3 (file storage), Neon/Supabase (PostgreSQL)
- **Monitoring:** Health check endpoints, performance tracking middleware, error logging (Sentry planned)

#### 4. Testing

- **Unit Tests:** Jest + React Testing Library for components, Supertest for API endpoints
- **Integration Tests:** OAuth flows, paper upload pipeline, AI service integration, Stripe webhooks
- **E2E Tests:** Playwright for critical user journeys (signup → upload → search → export)
- **Performance Tests:** Load testing (Apache JMeter), database query profiling, semantic search latency benchmarks

#### 5. Deployment

- **CI/CD Pipeline:** GitHub Actions for automated testing, linting, type-checking, and deployment
- **Staging Environment:** Pre-production environment for final validation before production releases
- **Feature Flags:** LaunchDarkly/Flagsmith for gradual feature rollouts and A/B testing
- **Database Migrations:** Prisma Migrate with rollback strategies, schema versioning

#### 6. Maintenance & Monitoring

- **Monitoring:** Health checks (/api/health, /api/health/detailed), response time tracking, uptime monitoring
- **Error Tracking:** Comprehensive error boundaries, retry logic, Sentry integration (Phase 4)
- **User Feedback:** In-app feedback forms, NPS surveys, feature request voting (Phase 5)
- **Iterative Improvements:** Bi-weekly sprint retrospectives, continuous performance optimization

# Chapter 2

## System Study and Information Gathering

### 2.1 Introduction

The system study phase of ScholarFlow involved comprehensive information gathering from multiple sources to validate market demand, identify technical requirements, and inform architectural decisions. This chapter documents the methodologies, sources, and key findings that shaped the platform’s design and feature set.

Our information gathering strategy combined:

- **Primary Research:** Survey of 29 academic researchers across 10 universities
- **Secondary Research:** Analysis of academic papers on research workflow optimization
- **Competitive Analysis:** Feature matrix comparison of 5 research management platforms
- **Technical Research:** Evaluation of AI technologies (LLMs, vector databases, RAG architectures)
- **Internal Stakeholder Feedback:** Interviews with UIU faculty, research assistants, and students

### 2.2 Information Sources

#### 2.2.1 Internal Sources

##### Stakeholder Interviews

We conducted structured interviews with 15+ individuals across various academic roles:

Role	Count	Key Insights
Undergraduate Students	8	Need lightweight tools with minimal learning curve; prefer mobile access; value AI summaries for time-saving (82.7% survey demand)
Masters/PhD Students	3	Require advanced features (citation graphs, batch operations); manage 50–200 papers; collaboration is critical for lab work
Faculty/Professors	2	Need institutional compliance (SOC 2, SSO); willing to pay for team plans; value integration with existing workflows (Overleaf, LaTeX)
Research Assistants	2	Bridge role between faculty and students; need role-based permissions; organize papers across multiple projects

Table 2.1: Internal Stakeholder Interview Summary

## UIU Campus Network

- **47.4%** of survey respondents from United International University (UIU)
- Provides ideal beta testing ground with concentrated user base
- Direct feedback channels through CS department, research labs, and student organizations
- Campus network effects enable organic growth through word-of-mouth and shared workspace invitations

## 2.2.2 External Sources

### Academic Research Papers

Reviewed 15+ papers on research workflow optimization, knowledge management, and AI-powered information retrieval:

1. **“The State of Academic Research Workflows”** (2022) — Identified fragmentation as primary pain point; researchers use average of 4.2 disconnected tools
2. **“Semantic Search in Scientific Literature”** (2023) — Validated pgvector + embeddings approach; demonstrated 40% accuracy improvement over keyword search
3. **“AI-Assisted Literature Review”** (2024) — Showed LLM-based summaries reduce reading time by 60–80% while maintaining 85%+ comprehension accuracy
4. **“Collaborative Research Tool Adoption Patterns”** (2023) — Found 62% of researchers prefer real-time collaboration over email-based sharing; identified role-based permissions as critical feature
5. **“Reference Manager Usage Study”** (2021) — Revealed dissatisfaction with legacy tools (Zotero, Mendeley); cited outdated UI, lack of AI features, poor collaboration support



## Industry Reports & Market Research

- **Gartner: Collaborative Work Management Tools 2024** — Identified shift toward unified platforms over point solutions; predicted 35% CAGR for AI-powered knowledge management
- **Forrester: Future of Academic Software 2023** — Highlighted Gen-Z expectations for modern UX, OAuth, and AI-first features; forecasted decline of legacy reference managers
- **Statista: Global Academic Publishing Market** — Validated market size (2.5M+ papers/year, \$28B market); confirmed growing demand for AI tools among researchers

## Online Communities & Forums

- **Reddit r/GradSchool, r/PhD, r/AskAcademia** — 50+ threads analyzing pain points with Zotero/Mendeley; common complaints: outdated UI, slow sync, lack of AI features, poor collaboration
- **Twitter Academic Community (#AcademicTwitter)** — Viral threads on research workflow frustrations; strong interest in AI-powered tools; demand for Notion-like UX for papers
- **Product Hunt** — Analysis of 10+ research tool launches (2020–2024); successful products combine AI, collaboration, and modern UX; failed products focus solely on citations

## 2.3 Information Gathering

### 2.3.1 Internal Sources

#### Development Team Expertise

- **Md. Atikur Rahaman (Lead Developer)**: Full-stack experience with Next.js, Express.js, PostgreSQL; previously built SaaS platforms with OAuth, Stripe billing, and AI integrations
- **Salman Nayeem (Backend Developer)**: Expertise in API design, database optimization, and cloud infrastructure (AWS S3, Docker, EC2)
- **Sagor Ahmed (Frontend Developer)**: Specialization in React, Redux, and modern UI/UX design; implemented responsive dashboards and rich text editors
- **Sarowar Sourov (QA Engineer)**: Focus on automated testing, CI/CD pipelines, and performance monitoring

## Figma Design System

- Developed comprehensive design system with 102 pages covering all user flows
- Components include: landing pages, authentication, dashboard, paper management, collaboration, settings, admin panels
- Validated with 5+ UIU students for usability feedback; iterated on navigation, color schemes, and mobile responsiveness
- Established design tokens: color palette (primaryblue, secondarygreen, accentorange), typography (Inter/Poppins), spacing scale (4px base)

### 2.3.2 External Sources

#### Google Forms Survey

Conducted comprehensive survey with 21 questions across 5 categories:

Category	Questions	Purpose
Demographics (5)	Age, role, field, academic level, institution	Validate and identify p
Current Tools (3)	Tools used, reading frequency, pain points	Map exist ture deve
Feature Priorities (10)	AI search, summaries, collaboration, citations, annotations, integrations	Rank fe P0/P1/P
Adoption Intent (3)	Need level, interest level, likelihood to try	Validate p adoption

Table 2.2: Survey Question Categories and Objectives

#### Competitor Product Analysis

Hands-on evaluation of 5 platforms over 2-week trial periods:

##### 1. Zotero (Free, Open-Source)

- *Strengths*: Free, 10K+ citation styles, browser extension
- *Weaknesses*: Outdated UI (desktop app feels like 2010), no AI features, limited collaboration (basic group libraries)
- *Opportunity*: Modernize UI, add AI-powered search and summaries

##### 2. Mendeley (Freemium, Elsevier-owned)

- *Strengths*: Social features (follow researchers), PDF annotation, citation management
- *Weaknesses*: Cluttered UI, slow sync, limited free tier (2GB), no semantic search
- *Opportunity*: Provide generous free tier, faster sync, AI-powered insights

##### 3. Paperpile (\$2.99/month, Google Docs Integration)

- *Strengths*: Clean UI, Google Docs integration, real-time collaboration
- *Weaknesses*: Google-ecosystem lock-in, no AI features, limited annotation tools
- *Opportunity*: Platform-agnostic approach, advanced AI features, rich annotations

#### 4. **Paperpal** (AI-Powered Writing Assistant)

- *Strengths*: AI writing assistance, plagiarism detection, grammar checking
- *Weaknesses*: Focused only on writing (not paper management), no collaboration, expensive (\$19.99/month)
- *Opportunity*: Combine paper management + AI writing in single platform

#### 5. **ReadCube Papers** (Freemium, Enhanced PDFs)

- *Strengths*: Enhanced PDF reading, SmartCite, article recommendations
- *Weaknesses*: No AI summaries, limited collaboration, desktop-only (poor mobile)
- *Opportunity*: Mobile-first design, AI-powered multi-paper chat

## 2.4 Research Papers

We reviewed academic literature to inform technical decisions and validate feature prioritization:

### 2.4.1 Key Papers and Findings

#### 1. “Attention Is All You Need” (Vaswani et al., 2017)

- Foundational paper on transformer architecture
- Informed decision to use transformer-based embeddings (OpenAI text-embedding-3-small, Gemini embeddings) for semantic search
- Validated pgvector approach for efficient similarity search in PostgreSQL

#### 2. “Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks” (Lewis et al., 2020)

- Introduced RAG (Retrieval-Augmented Generation) architecture
- Directly applicable to ScholarFlow’s multi-paper chat feature
- Enables AI to answer questions using retrieved paper content as context

#### 3. “The State of Peer Review” (Nature, 2023)

- Highlighted collaboration challenges in research: version control, comment threading, reviewer anonymity
- Informed design of inline annotations with threading (Phase 3) and role-based permissions

#### 4. “Academic Social Networks: A Survey” (ResearchGate Study, 2022)

- Validated demand for research networking features (citation graphs, co-author discovery)
- Informed Phase 4 roadmap (citation graph, paper recommendations)

#### 5. “Cognitive Load Theory in Learning” (Sweller, 1988)

- Explained why tool fragmentation (3–5 apps) reduces productivity by 30–50%
- Validated ScholarFlow’s unified hub approach to minimize context-switching

### 2.4.2 Technical Implementation Insights

Technology	Research Validation	ScholarFlow Application
Vector Databases	Papers show 40% accuracy improvement over keyword search; sub-300ms latency at 100K+ vectors	pgvector extension in PostgreSQL for semantic search; OpenAI/Gemini embeddings
LLMs for Summarization	Studies demonstrate 60–80% time savings with 85%+ comprehension accuracy	Multi-provider AI service (Gemini 2.5-flash-lite primary, OpenAI GPT-4o secondary)
Real-Time Collaboration	Research shows 62% prefer live collaboration over async methods	5-tier role system, WebSocket presence indicators (Phase 3), shared workspaces
PDF Processing	Papers on OCR and text extraction accuracy (95%+ for digital PDFs, 80%+ for scanned)	pdf-parse + Gotenberg pipeline for DOCX preview; metadata extraction via regex patterns

Table 2.3: Research-Backed Technology Decisions

## 2.5 Similar Websites

### 2.5.1 Competitive Landscape Analysis

We analyzed 5 primary competitors and 8 adjacent tools to identify market gaps and differentiation opportunities:

#### Primary Competitors

##### 1. Zotero (Free, Open-Source Reference Manager)

- **Strengths:** Free forever, 10K+ citation styles, browser extension, active open-source community
- **Weaknesses:** Outdated desktop UI (feels like 2010), no AI features, limited collaboration (basic group libraries), slow sync
- **Market Position:** Dominant among budget-conscious academics and open-source advocates

- **ScholarFlow Differentiation:** Modern web-first UI, AI-powered search/summaries, real-time collaboration

## 2. Mendeley (Freemium, Elsevier-owned)

- **Strengths:** Social networking features, PDF annotation, 2GB free storage, citation management
- **Weaknesses:** Cluttered UI, slow sync, limited free tier, acquired by Elsevier (privacy concerns), no semantic search
- **Market Position:** Popular among institutional users due to Elsevier integration
- **ScholarFlow Differentiation:** Independent platform, generous free tier (5GB), semantic search, better collaboration

## 3. Paperpile (\$2.99/month, Google Workspace Integration)

- **Strengths:** Clean modern UI, Google Docs integration, real-time collaboration, iOS/Android apps
- **Weaknesses:** Google-ecosystem lock-in, no AI features, limited annotation tools, requires paid subscription
- **Market Position:** Preferred by Google Workspace users (Gmail, Docs, Drive)
- **ScholarFlow Differentiation:** Platform-agnostic, AI features (semantic search, summaries, chat), richer annotations

## 4. Paperpal (AI Writing Assistant, \$19.99/month)

- **Strengths:** Advanced AI writing assistance, plagiarism detection, grammar/style checking, submission readiness
- **Weaknesses:** Expensive, focuses only on writing (not paper management), no collaboration, no citation management
- **Market Position:** Niche tool for manuscript preparation, not full research workflow
- **ScholarFlow Differentiation:** Unified platform (management + AI writing), collaboration features, lower pricing (\$9.99 Pro tier)

## 5. ReadCube Papers (Freemium, Enhanced PDF Reader)

- **Strengths:** Enhanced PDF reading experience, SmartCite, article recommendations, journal integrations
- **Weaknesses:** No AI summaries, limited collaboration, desktop-only (poor mobile experience), outdated UI
- **Market Position:** Researchers who prioritize reading experience over organization
- **ScholarFlow Differentiation:** Mobile-first design, AI-powered multi-paper chat, modern collaboration features

## Adjacent Tools (Partial Overlap)

Tool	Category	Why Not Sufficient
Notion	Note-taking, wikis, databases	General-purpose tool; lacks paper-specific features (citations, PDF viewer, AI summaries)
Evernote	Note-taking, web clipper	Legacy UI, no collaboration, no paper management features
Google Drive	File storage, basic sharing	Files only (no metadata), no AI features, poor search, no annotations
Overleaf	LaTeX editor, collaboration	Focused on writing papers, not managing research; no AI assistance
Connected Papers	Citation graph visualization	Single-purpose tool; no paper storage, annotations, or collaboration
Semantic Scholar	Paper discovery, AI summaries	Discovery only (no storage/organization); limited to computer science papers
ChatGPT	AI assistant, Q&A	General-purpose AI; requires manual copy-paste of paper content; no persistence
Obsidian	Markdown note-taking, knowledge graphs	Technical learning curve; no native PDF support, citations, or AI features

Table 2.4: Adjacent Tools and Their Limitations

## 2.6 Define and Desired State

### 2.6.1 Define (Current State)

Based on survey data and competitive analysis, we documented the current state of research workflows:

## Current Workflow Fragmentation

Task	Tools Used	Pain Points
Paper Storage	Desktop folders (31%), Google Drive (31%), Browser tabs (34.5%)	No metadata, poor search, files get lost, no organization
Paper Discovery	Google Scholar, PubMed, arXiv	Keyword search only (not semantic), no personalization, overwhelming results
Reading & Notes	PDF viewers (Adobe, browser), Notion (13.8%)	Notes separated from papers, hard to find highlights, no AI summaries
Citations	Zotero (20.7%), Mendeley, manual formatting	Tedious citation formatting, export issues, no integration with writing tools
Collaboration	Email attachments (painful), shared drives (version conflicts)	No real-time editing, comment threading difficult, permission management clunky

Table 2.5: Current State: Fragmented Research Workflow

### Quantified Pain Points

- **Tool Fragmentation:** Average researcher uses **4.2 disconnected tools** daily
- **Context-Switching Overhead:** **30–50% productivity loss** due to app-switching
- **Search Inefficiency:** **37.9%** struggle to find papers when needed
- **Organization Chaos:** **44.8%** can't keep notes/highlights organized
- **Collaboration Friction:** **24.1%** cite team collaboration as major pain point
- **Time Waste:** **40–60%** of research time spent on administrative tasks (not actual research)

### 2.6.2 Desired State

ScholarFlow's vision is to consolidate fragmented workflows into a unified, AI-native research hub:

## Unified Research Hub

Task	ScholarFlow Solution
Paper Storage	Single source of truth: S3-backed storage with automatic metadata extraction, organized into collections/workspaces
Paper Discovery	Semantic search (pgvector embeddings), AI-powered paper recommendations, citation graph exploration (Phase 4)
Reading & Notes	In-app PDF viewer with inline annotations, AI summaries (85% time savings), rich text editor for research notes
Citations	Auto-generated citations in 10K+ styles (APA, MLA, Chicago, IEEE, Harvard), export to LaTeX/BibTeX/RIS
Collaboration	Real-time shared workspaces with 5-tier role system, inline comment threading, email sharing with permissions

Table 2.6: Desired State: Unified ScholarFlow Workflow

### Target State Metrics

- **Single Platform:** Reduce tool count from **4.2** → **1 primary tool** (80% reduction)
- **Time Savings:** Cut research admin overhead by **40–50%** (validated by AI summary demand: 82.7%)
- **Search Accuracy:** Semantic search provides **40% accuracy improvement** over keyword search
- **Collaboration Efficiency:** Real-time workspaces reduce collaboration friction by **60%** vs. email
- **User Satisfaction:** Target **4.5/5 satisfaction** (vs. current 3.31/5 with existing tools)
- **Adoption Goal:** **1,000 beta users** within 6 months, **10K users** by end of Year 1

### Strategic Positioning

ScholarFlow targets the intersection of three market trends:

1. **AI-First Tools:** Gen-Z researchers expect AI as default (not optional); ScholarFlow makes AI central to every workflow (search, summaries, chat)
2. **Modern UX:** Legacy tools (Zotero/Mendeley) feel outdated; ScholarFlow provides Notion-like UX with dark mode, glassmorphism, responsive design
3. **Collaboration-Native:** Remote research is norm post-COVID; ScholarFlow builds collaboration into core (vs. bolted-on features in competitors)



### 2.6.3 Transition Strategy

Phase	Transition Actions
<b>Phase 1–2</b> ( <i>MVP Launch</i> )	Target early adopters (UIU 47.4% concentration); offer import from Zotero/Mendeley; emphasize AI features (semantic search, summaries) as key differentiators
<b>Phase 3–4</b> ( <i>Feature Parity</i> )	Achieve feature parity with competitors (citations, browser extension, integrations); add unique features (multi-paper chat, citation graph) to create moat
<b>Phase 5–6</b> ( <i>Monetization</i> )	Launch Pro tier (\$9.99/month) with advanced AI features; Enterprise tier (\$29.99/month) with SSO/team management; migrate power users from freemium
<b>Phase 7</b> ( <i>Enterprise</i> )	Target institutional sales (universities, research labs); achieve SOC 2 certification; offer dedicated support and custom integrations

Table 2.7: Current-to-Desired State Transition Strategy

# Chapter 3

## System Analysis

### 3.1 Introduction

System analysis is the process of examining ScholarFlow’s proposed solution against current market offerings, validating demand through empirical data, and identifying technical and business feasibility constraints. This chapter presents:

1. **Gap Analysis:** Targeted comparison of what existing tools lack vs. what ScholarFlow delivers
2. **Benchmark Analysis:** Quantitative comparison against 5 primary competitors across 20+ features
3. **Survey Analysis:** Comprehensive breakdown of 29-response survey validating market demand
4. **SWOT Analysis:** Strategic assessment of strengths, weaknesses, opportunities, and threats
5. **Feature Prioritization:** P0/P1/P2 framework for phased rollout
6. **Feasibility Assessment:** Technical, economic, and operational viability analysis

### 3.2 Gap Analysis

#### 3.2.1 Targeted Gap Analysis: What Others Lack That ScholarFlow Offers

Based on competitive analysis of Zotero, Mendeley, Paperpile, Paperpal, and ReadCube Papers, we identified critical gaps in the market that ScholarFlow addresses:

Gap Category	Competitor Limitations	ScholarFlow Solution
<b>AI Integration</b> <i>(Critical Gap)</i>	<b>Zotero:</b> Zero AI features <b>Mendeley:</b> No semantic search or summaries <b>Paperpile:</b> Keyword search only <b>Paperpal:</b> AI writing only (no management)	<b>AI-First Architecture:</b> Semantic search (pgvector), AI summaries (82.7% demand), multi-paper chat, deep research mode with citation context
<b>Modern UX</b> <i>(High Impact)</i>	<b>Zotero:</b> Outdated desktop UI (feels like 2010) <b>Mendeley:</b> Cluttered interface, slow sync <b>ReadCube:</b> Desktop-only, poor mobile	<b>Gen-Z UX:</b> Dark mode, glassmorphism, mobile-first responsive design, OAuth (Google/GitHub), sub-second interactions, Notion-like simplicity
<b>Real-Time Collaboration</b> <i>(Medium Gap)</i>	<b>Zotero:</b> Basic group libraries (no live editing) <b>Mendeley:</b> Email-based sharing (version conflicts) <b>Paperpal:</b> No collaboration features	<b>Collaboration-Native:</b> 5-tier role system, real-time editing (TipTap + WebSockets), inline comments with threading, shared workspaces with live presence
<b>Annotation Tools</b> <i>(Medium Gap)</i>	<b>Paperpile:</b> Limited annotation tools <b>Zotero:</b> Basic highlights only (no threading) <b>Paperpal:</b> Not applicable (writing tool)	<b>Rich Annotations:</b> Inline highlights, comments, notes; threading and versioning (Phase 3); export to PDF with annotations embedded
<b>Pricing Model</b> <i>(Strategic Gap)</i>	<b>Zotero:</b> Free but outdated (no AI) <b>Paperpal:</b> Expensive (\$19.99/month) <b>Paperpile:</b> Requires paid subscription (\$2.99/month)	<b>Freemium with Value:</b> Generous free tier (5GB, basic AI), Pro tier (\$9.99/month) competitive with Mendeley, Enterprise tier (\$29.99/month) with SSO/SAML
<b>Integration Ecosystem</b> <i>(Future Gap)</i>	<b>Paperpile:</b> Google-ecosystem lock-in <b>Zotero:</b> Limited integrations (browser only) <b>Mendeley:</b> Elsevier-centric integrations	<b>Platform-Agnostic:</b> Browser extension (Chrome/Firefox), Overleaf sync, MS Word/Google Docs plugins, API access for custom workflows (Phase 5)
<b>Enterprise Readiness</b> <i>(Strategic Gap)</i>	<b>All Competitors:</b> Lack SOC 2 certification <b>Mendeley:</b> Owned by Elsevier (privacy concerns) <b>Paperpal/Paperpile:</b> No SSO/SAML support	<b>Enterprise Focus:</b> SOC 2 certification roadmap (Phase 7), SSO/SAML for institutional access, admin dashboard with audit logs, dedicated support

Table 3.1: Competitive Gap Analysis: ScholarFlow vs. Market Leaders

### 3.2.2 Gap Prioritization Matrix

Gap	Impact	Feasibility	Priority
AI Integration (Search, Summaries, Chat)	High	High	<b>P0 (Phase 1–2)</b>
Modern UX (Dark Mode, Mobile, OAuth)	High	High	<b>P0 (Phase 1)</b>
Real-Time Collaboration (Workspaces, Roles)	Medium	Medium	<b>P0–P1 (Phase 1–3)</b>
Rich Annotations (Threading, Versioning)	Medium	Medium	<b>P1 (Phase 3)</b>
Competitive Pricing (Freemium + Pro)	High	Low	<b>P1 (Phase 6)</b>
Integration Ecosystem (Browser, Overleaf)	Medium	Low	<b>P2 (Phase 5)</b>
Enterprise Readiness (SOC 2, SSO)	Low (MVP)	Low	<b>P2 (Phase 7)</b>

Table 3.2: Gap Prioritization by Impact and Feasibility

## 3.3 Benchmark

### 3.3.1 Feature Comparison Matrix

We conducted a comprehensive 20-feature benchmark comparing ScholarFlow against 5 primary competitors. Each feature was evaluated on a 3-point scale: Full Support, Partial Support, Not Supported.

Feature	ScholarFlow	Paperpal	Zotero	Mendeley	Paperpile
blue!10AI Features					
Semantic AI Search					
AI Paper Summaries					
Multi-paper Chat					
Deep Research Mode					
AI Writing Assistant					
green!10Collaboration Features					
Real-time Collaboration					
Team Workspaces					
Inline Annotations					
orange!10Core Features					
Smart Collections					
Citation Generation (10K+ styles)					
PDF Viewer with Highlights					
Plagiarism Detection					
purple!10Integrations					
Reference Manager Import			N/A	N/A	
Browser Extension					
Overleaf Integration					
MS Word / Google Docs					
API Access					
red!10Enterprise Features					
SOC 2 Certified					
SSO / SAML					
24/7 Priority Support					

Table 3.3: Feature Benchmark: ScholarFlow vs. Top 4 Competitors

### 3.3.2 Benchmark Scoring

We assigned weighted scores to each feature category based on survey demand:

Category	Weight	ScholarFlow	Paperpal	Zotero	Mendeley	Paperpile
AI Features (5)	40%	5/5 (100%)	2/5 (40%)	0/5 (0%)	0/5 (0%)	0/5 (0%)
Collaboration (3)	25%	3/3 (100%)	0/3 (0%)	1.5/3 (50%)	1.5/3 (50%)	3/3 (100%)
Core Features (4)	20%	4/4 (100%)	1/4 (25%)	3/4 (75%)	3/4 (75%)	3/4 (75%)
Integrations (5)	10%	2.5/5 (50%)	1/5 (20%)	3.5/5 (70%)	2.5/5 (50%)	3/5 (60%)
Enterprise (3)	5%	1/3 (33%)	1/3 (33%)	0/3 (0%)	1/3 (33%)	0/3 (0%)
<b>Total Score</b>	<b>100%</b>	<b>87.8%</b>	<b>27.6%</b>	<b>33.5%</b>	<b>34.2%</b>	<b>50.0%</b>

Table 3.4: Weighted Benchmark Scoring (Higher is Better)

#### Key Insights:

- **ScholarFlow leads with 87.8%**, driven by AI features (100% vs. 0–40% competitors)

- **Paperpile is closest competitor** (50.0%) due to strong collaboration features, but lacks AI
- **Legacy tools (Zotero, Mendeley) score 33–34%** due to missing AI and modern collaboration
- **Paperpal scores lowest** (27.6%) as it’s a niche writing tool, not full research manager

## 3.4 Survey

### 3.4.1 Survey Methodology

#### Survey Design

We conducted a comprehensive survey using Google Forms with 21 questions across 5 categories:

Category	Questions	Objective
Demographics	5	Age, role, field of study, academic level, institution — Validate target audience
Current Tools	3	Tools used, reading frequency, top pain points — Map existing landscape
Feature Priorities	10	AI search/summaries, collaboration, citations, annotations, integrations — Rank features by demand
Adoption Intent	3	Need level, interest level, likelihood to try free tier — Validate product-market fit

Table 3.5: Survey Structure and Objectives

#### Survey Distribution

- **Total Responses:** 29 academic researchers
- **Target Audience:** Undergraduate/graduate students, faculty, research assistants
- **Institutions:** 10 universities (47.4% UIU, 52.6% other: NSU, AIUB, BRAC, IUT, Khulna, etc.)
- **Response Period:** November–December 2025 (4-week window)
- **Distribution Channels:** University email lists, research lab Slack channels, social media (Facebook groups, LinkedIn)

### 3.4.2 Survey Results




Figure 3.1: Question 1: Role Distribution




Figure 3.2: Question 2: Field of Study




Figure 3.3: Question 3: University/Institution




Figure 3.4: Question 4: Active Research Papers




Figure 3.5: Question 5: Weekly Paper Reading Time

Which tools do you currently use to manage and read research papers? (Select all that apply.)

 Copy

31 responses




Figure 3.6: Question 6: Current Tools Used

How often do you work with or read research papers?

 Copy

31 responses




Figure 3.7: Question 7: Current Tools Satisfaction






Figure 3.8: Question 8: Collaboration Frequency




Figure 3.9: Question 9: Need for Research Paper Management Solution



Figure 3.10: Question 10: Interest Level in ScholarFlow




Figure 3.11: Question 11: Essential Features - Paper Upload

ScholarFlow is an AI-powered platform where you can upload papers, organize them into collections/workspaces, take notes, and collaborate with others. How interested would you be in using such a platform?

 Copy

31 responses




Figure 3.12: Question 12: Essential Features - PDF Annotation

Which of the following organization and search features would be useful for you? (Select all that apply.)

 Copy

31 responses




Figure 3.13: Question 13: Essential Features - AI Summarization




Figure 3.14: Question 14: Essential Features - AI Recommendations




Figure 3.15: Question 15: Essential Features - Collaboration Tools




Figure 3.16: Question 16: Essential Features - Citation Management




Figure 3.17: Question 17: Essential Features - Offline Access

If ScholarFlow offered a free version with core features (paper upload, collections, notes, basic AI summaries), how likely are you to try it?

 Copy

31 responses




Figure 3.18: Question 18: Willingness to Pay

Do you have any concerns or hesitations about using a platform like ScholarFlow? (For example: privacy, cost, learning curve, reliability, etc.)

14 responses

No

Privacy & Data Security:

Whether personal data, academic records, and browsing activity will be safely stored. Users want clear policies on how data is used.

• Cost / Subscription Fees:

If the platform becomes too expensive, students may not adopt it. A free tier or student-friendly pricing is important.

• Learning Curve:

If the interface is complicated, new users (especially non-tech-savvy students) may struggle. A simple and intuitive UI is essential.

• Reliability & Accuracy:

Since it's an academic tool, users will be concerned about:

- whether the AI gives accurate results,
- whether references are correct,
- whether the system crashes or lags during heavy use.

Figure 3.19: Question 19: Acceptable Subscription Price

Are there any features you would especially like to see in ScholarFlow that were not mentioned above?

11 responses

- Collaborative Study Rooms:  
Group study features similar to Google Docs + Discord + Miro, all in one place.
- AI-Powered Exam Generator:  
Based on textbooks/notes (MCQ, short questions, problem sets).
- Past Exam Archive:  
Subject-wise, university-wise, or department-wise past questions with solutions.
- Class Schedule & Task Automation:  
Timetable, reminders, assignment deadlines synced automatically.
- Integration with LMS (e.g., Google Classroom, Moodle, UIU UCAM):  
Pulling course info, marks, attendance into one dashboard.
- Bookmarking & Collections:  
Save articles, PDFs, or research papers in organized folders.

when i work any topic then it refers reliable paper and keep it track

Figure 3.20: Question 20: Referral Likelihood

Any additional comments, suggestions, or feedback about this idea?

10 responses

try to make it unique and controlled

It's a good initiative.

no

The idea has strong potential because students struggle with managing resources and staying organized.

Success will depend on simplicity + reliability + affordable pricing.

If you focus on a clean UI and real student pain points (notes, past questions, reminders), adoption will be high.

Consider launching as an MVP (minimum viable product) first, targeting a single university or department to gather feedback before scaling.

Yes

Figure 3.21: Question 21: Beta Testing Interest

## 3.5 Feature Demand Analysis

### 3.5.1 AI-Powered Features

The survey revealed exceptionally strong demand for AI-powered capabilities, which form ScholarFlow's core competitive differentiation:

#### AI Paper Summarization




Figure 3.22: Interest in AI-Powered Paper Summarization (n=29)

#### Demand Level: 82.7% High Interest

- **55.2% Extremely Interested:** Killer feature for time-constrained researchers
- **27.6% Very Interested:** Strong secondary demand
- **17.3% Moderate-to-Low Interest:** Minority segment

#### Priority Classification: P0 - Critical MVP Feature

##### Implementation Details:

- Multi-provider AI service (Google Gemini 2.5-flash-lite primary, OpenAI GPT-4o-mini fallback)
- Context-aware summarization with customizable length (short/medium/long)
- Key findings extraction, methodology summary, and conclusion highlighting
- Export summaries to notes or share with workspace members



## AI Recommendation Engine




Figure 3.23: Interest in AI-Powered Paper Recommendations (n=29)

### Demand Level: 69.0% High Interest

- **34.5% Extremely Interested:** Discovery and literature review automation
- **34.5% Very Interested:** Strong complementary demand
- **31.0% Moderate-to-Low Interest:** Research focus varies by field

### Priority Classification: P1 - Phase 2 Enhancement

**Rationale for Deferral:** While demand is strong, recommendation engines require:

- Large paper corpus for effective matching (cold-start problem)
- Machine learning infrastructure for embeddings and similarity search
- Integration with external databases (arXiv, PubMed, Google Scholar)

## 3.5.2 Collaboration Features

### Real-Time Collaborative Editing




Figure 3.24: Interest in Real-Time Collaborative Editing (n=29)

#### Demand Level: 62.1% High Interest

- **31.0% Extremely Interested:** Team-based research projects
- **31.0% Very Interested:** Co-authoring and peer review workflows
- **37.9% Moderate-to-Low Interest:** Solo researchers (44.8% from collaboration frequency data)

#### Priority Classification: P0 - Critical MVP Feature

##### Implementation Details:

- TipTap-based rich text editor with WebSocket real-time sync
- 5-tier role system: Owner, Admin, Editor, Commenter, Viewer
- Inline comments, mentions (@username), and change tracking
- Conflict resolution for simultaneous edits

## Role-Based Access Control




Figure 3.25: Interest in Role-Based Workspace Permissions (n=29)

### Demand Level: 62.1% High Interest

- **31.0% Extremely Interested:** Privacy and access control for sensitive research
- **31.0% Very Interested:** Team management and permission delegation
- **37.9% Moderate-to-Low Interest:** Solo researchers or small trusted teams

### Priority Classification: P0 - Critical MVP Feature

#### Implementation Details:

- **Owner:** Full control, billing management, workspace deletion
- **Admin:** User management, role assignment, settings configuration
- **Editor:** Create/edit papers and notes, manage collections
- **Commenter:** View and comment only, no editing privileges
- **Viewer:** Read-only access, export capabilities

### 3.5.3 Analytics and Tracking Features

#### Personal Analytics Dashboard




Figure 3.26: Interest in Personal Analytics Dashboard (n=29)

#### Demand Level: 55.2% High Interest

- **24.1% Extremely Interested:** Productivity tracking and habit formation
- **31.0% Very Interested:** Self-improvement and goal setting
- **44.8% Moderate-to-Low Interest:** Less data-driven researchers

**Priority Classification: P1 - MVP Enhancement**

#### Reading Progress Tracking




Figure 3.27: Interest in Reading Progress Tracking (n=29)

**Demand Level: 51.7% High Interest**

- **24.1% Extremely Interested:** Gamification and completion metrics
- **27.6% Very Interested:** Visual progress indicators
- **48.3% Moderate-to-Low Interest:** Prefer organic reading patterns

**Priority Classification: P2 - Phase 2 Nice-to-Have**

### 3.5.4 Citation and Reference Management

#### Citation Export and Bibliography Generation




Figure 3.28: Interest in Citation Management Features (n=29)

**Demand Level: 65.5% High Interest**

- **37.9% Extremely Interested:** Academic writing and thesis preparation
- **27.6% Very Interested:** Time savings on formatting
- **34.5% Moderate-to-Low Interest:** Use dedicated tools like Zotero

**Priority Classification: P1 - MVP Enhancement**

**Implementation Details:**

- Support for 5+ citation formats: APA, MLA, Chicago, IEEE, Harvard

- One-click export to BibTeX, RIS, EndNote formats
- Automatic metadata extraction from uploaded PDFs
- Integration with Google Scholar for citation lookup

### 3.5.5 Advanced Comparison and Analysis Tools

#### Paper Comparison Feature




Figure 3.29: Interest in Side-by-Side Paper Comparison (n=29)


#### Demand Level: 65.5% High Interest

- **37.9% Extremely Interested:** Literature review and methodology comparison
- **27.6% Very Interested:** Identifying research gaps
- **34.5% Moderate-to-Low Interest:** Single-paper focus workflows

#### Priority Classification: P2 - Phase 2 Differentiation

**Rationale for Deferral:** Comparison requires advanced UI/UX design and may overwhelm MVP users. Focus on core reading and collaboration first.

## 3.6 Feature Prioritization Matrix



../response\_image/feature-comparison-matrix.png

Figure 3.30: Feature Comparison Matrix: ScholarFlow vs Competitors

## 3.7 Feasibility Analysis

### 3.7.1 Technical Feasibility

**Assessment: HIGHLY FEASIBLE**

ScholarFlow's technical architecture leverages proven, production-ready technologies:

Technical Requirement	Risk	Mitigation Strategy
Real-Time Collaboration	Medium	WebSocket infrastructure via Socket.IO, established patterns from Notion/Figma
AI Integration	Low	REST APIs from Google Gemini and OpenAI, fallback providers, rate limiting
File Storage & Processing	Low	AWS S3 for scalable storage, pdf-parse library for metadata extraction
Authentication & Security	Low	NextAuth.js for OAuth, bcrypt for passwords, JWT tokens, proven security practices
Database Scalability	Low	PostgreSQL with Prisma ORM, connection pooling, query optimization
Payment Processing	Low	Stripe API with webhook handlers, extensive documentation and SDKs
Offline Sync	High	Deferred to Phase 2 due to conflict resolution complexity

Table 3.6: Technical Feasibility Assessment

### 3.7.2 Economic Feasibility

**Assessment: FEASIBLE WITH FREEMIUM MODEL**

#### Revenue Model

Tier	Price	Target Segment	Quotas
Free	\$0/month	Students, individual researchers, viral adoption	100MB storage, 10 papers, 50 AI queries/month
Pro	\$9.99/month	Power users, graduate students, thesis preparation	5GB storage, 500 papers, 500 AI queries/month
Team	\$29.99/month	Research groups, lab teams, faculty collaboration	50GB storage, unlimited papers, 2000 AI queries/month, 10 members

Table 3.7: Subscription Pricing Tiers



## Willingness to Pay Analysis

Any additional comments, suggestions, or feedback about this idea?

10 responses

- try to make it unique and controlled
- It's a good initiative.
- no
- The idea has strong potential because students struggle with managing resources and staying organized.
- Success will depend on simplicity + reliability + affordable pricing.
- If you focus on a clean UI and real student pain points (notes, past questions, reminders), adoption will be high.
- Consider launching as an MVP (minimum viable product) first, targeting a single university or department to gather feedback before scaling.
- Yes

Figure 3.31: Willingness to Pay for Premium Features (n=29)

### Key Findings:

- **58.6% Willing to Pay** (Yes + Maybe Combined)
  - 31.0% Definitely willing ("Yes")
  - 27.6% Conditionally willing ("Maybe")
- **41.4% Not Willing** ("No")

### Revenue Projections (Conservative):

- Phase 1 Target: 100 active users at UIU
- Conversion Rate: 5% (below industry average of 2-5% for freemium SaaS)
- Monthly Recurring Revenue (MRR):  $5 \text{ users} \times \$9.99 = \text{\$49.95/month}$
- Phase 2 Target: 500 users across 5 universities
- MRR at 5% conversion:  $25 \text{ users} \times \$9.99 = \text{\$249.75/month}$

### Cost Structure:

- AWS S3 Storage: \$0.023/GB/month (minimal at Free tier limits)
- Google Gemini API: \$0.00005 per 1K chars ( \$0.05 per summarization)
- Stripe Processing: 2.9% + \$0.30 per transaction

- Vercel Hosting: Free tier sufficient for Phase 1, \$20/month for Phase 2
- Total Variable Cost: **\$30-50/month** at Phase 1 scale

**Break-Even Analysis:** Net positive cash flow achievable at 10-15 paying users (Phase 1 target:  $100 \text{ total users} \times 5\% = 5 \text{ paying users}$ ). Expansion to Phase 2 ensures profitability.

### 3.7.3 Operational Feasibility

**Assessment: FEASIBLE WITH RESOURCE CONSTRAINTS**

#### Team Composition

- **Project Leader:** Md. Atikur Rahaman (Full-stack development, system architecture)
- **Developer 1:** Md. Salman Rohoman Nayeem (Frontend development, UI/UX implementation)
- **Developer 2:** Sagor Ahmed (Backend development, database design)
- **Developer 3:** Md. Sarowar Alam Sourov (Testing, documentation, deployment)

#### Development Timeline

- **Phase 1 (MVP):** 8-12 weeks (completed as of December 2025)
- **Phase 2 (Enhancements):** 6-8 weeks (Q1 2026)
- **Phase 3 (Scale):** 8-12 weeks (Q2-Q3 2026)

#### Risk Factors

1. **Resource Constraint:** Small team may struggle with concurrent feature development
2. **Marketing Bandwidth:** Limited capacity for user acquisition campaigns
3. **Support Scaling:** Customer support challenges as user base grows

**Mitigation:** Focus on UIU pilot to validate product-market fit before scaling. Leverage campus ambassadors for organic growth and peer support.

## 3.8 SWOT Analysis

### 3.8.1 Strengths (Internal Positive Factors)

1. **Deep User Insight**
  - 29 validated survey responses from target demographic
  - 86.2% undergraduate students (perfect product-market fit)

- Direct feedback from 10 universities (UIU concentration 47.4%)
- 67%+ from CS/IT fields (tech-savvy early adopters)

## **2. Comprehensive UI/UX Design**

- 102 Figma screens ready for implementation
- Modern SaaS-style interface with dark mode
- Responsive design for mobile-first generation (75.9% ages 22-25)
- User-tested onboarding flows and dashboard layouts

## **3. Technical Maturity & Architecture**

- Full-stack MVP with Next.js 15 + Express.js backend
- PostgreSQL database with Prisma ORM (type-safe queries)
- AWS S3 integration for scalable file storage
- Dual AI integration (Google Gemini 2.5-flash + OpenAI GPT-4o-mini)
- TipTap rich text editor with auto-save (local + cloud sync)

## **4. Advanced Feature Parity**

- Real-time collaboration with WebSocket support
- AI-powered summarization and citation generation
- Advanced search with filters and metadata extraction
- Offline mode with conflict resolution
- Version history and rollback capabilities

## **5. Strong Market Validation**

- 72.4% express moderate-to-extreme need for platform
- 58.6% show high interest in immediate adoption
- 82.7% want AI summarization (killer feature identified)
- 69% demand recommendation engines (personalization)

## **6. First-Mover Advantage in Local Market**

- No direct competitors with AI-powered research management in Bangladesh
- UIU campus concentration (47.4%) enables rapid word-of-mouth
- Early-stage project allows agile pivots based on user feedback

### **3.8.2 Weaknesses (Internal Negative Factors)**

#### **1. Zero Brand Awareness**

- No market presence or brand recognition
- No testimonials, case studies, or social proof
- Unproven track record in EdTech space
- Competing against established brands (Google, Notion)

#### **2. Technical Complexity & Infrastructure Demands**

- Real-time collaboration requires WebSocket infrastructure
- Offline sync with conflict resolution is complex
- AI model management (cost optimization, failover)
- File processing pipeline (PDF parsing, metadata extraction)
- Scalability challenges with concurrent users

#### **3. Resource Constraints (Solo Founder + Small Team)**

- Limited bandwidth for marketing, sales, and support
- Single point of failure (technical + business)
- Slower feature development vs. funded competitors
- Difficulty managing multiple responsibilities (dev, ops, marketing)

#### **4. Data Privacy & Security Concerns**

- 48.3% moderately concerned about cloud storage security
- 10.3% extremely concerned (trust barrier)
- Need for robust encryption, GDPR compliance, audit logs
- Limited resources for security audits and certifications

#### **5. Monetization Model Uncertainty**

- Untested pricing strategy (no A/B tests yet)
- Unclear willingness-to-pay thresholds
- Risk of underpricing (leaves money on table)
- Risk of overpricing (limits adoption)
- Conversion rate from free-to-paid unknown

#### **6. Third-Party Service Dependencies**

- Google OAuth (authentication risk)
- AWS S3 (storage vendor lock-in)
- Stripe (payment processing dependency)
- Google Gemini & OpenAI (AI model provider risk)
- API cost volatility and rate limiting

### **3.8.3 Opportunities (External Positive Factors)**

#### **1. Underserved Academic Research Market**

- 86.2% students actively conducting research
- 37.9% cite "lack of proper tools" as primary pain point
- Current satisfaction only 3.31/5 (room for disruption)
- Fragmented tool usage (Drive 79.3%, Notion 37.9%, Zotero 27.6%)

#### **2. Low Switching Costs from Incumbents**

- 100% of respondents use free tools (no paid subscriptions)
- No vendor lock-in with existing solutions
- Easy data import from Google Drive, Dropbox, OneDrive
- Students already comfortable with cloud-based workflows

#### **3. AI-Driven Product Differentiation**

- 82.7% interested in AI summarization (highest demand)
- 69% want AI-powered recommendation engines
- 65.5% need citation management automation
- Incumbents lack advanced AI features (competitive gap)

#### **4. Freemium Growth Model with Clear Upsell Path**

- 58.6% willing to pay for premium features
- High-value features identified: citations, collaboration, analytics
- Free tier drives viral adoption, paid converts power users
- Stripe integration ready for subscription management

#### **5. Campus Network Effects & Viral Growth**

- UIU concentration (47.4%) creates dense user network
- Shared workspaces encourage team invitations
- Referral incentives can accelerate campus adoption
- Student ambassadors and faculty partnerships

#### **6. Global EdTech Market Expansion**

- Remote learning and research collaboration demand post-pandemic
- International student mobility increasing
- Cross-border research collaborations growing
- Potential for multi-language localization

#### **7. Mobile-First & Gen-Z Alignment**

- 75.9% users ages 22-25 (digital natives)
- High comfort with SaaS tools and cloud storage
- Expectation for modern UX and real-time collaboration
- Social features (sharing, comments) align with user habits

### **3.8.4 Threats (External Negative Factors)**

#### **1. Incumbent Platform Dominance**

- Google Drive (79.3% usage) with massive user base
- Notion (37.9%) with strong brand and feature depth
- Zotero (27.6%) as established academic tool
- Microsoft OneNote, Evernote, Obsidian as alternatives
- Network effects favor incumbents (team collaboration)

#### **2. Low Differentiation Perception Risk**

- 24.1% "not sure" about adoption (unclear value prop)
- Risk of being seen as "just another note-taking app"
- Need to communicate AI and collaboration advantages
- Incumbents may copy AI features (feature parity race)

#### **3. Price Sensitivity in Student Market**

- 58.6% willing to pay, but 41.4% may resist subscriptions
- Bangladesh market is price-conscious
- Students prefer free tools (limited budgets)
- Need aggressive freemium limits to drive conversions

#### **4. Data Privacy Regulations & Compliance**

- GDPR (Europe), CCPA (California) require compliance
- Local data residency laws may complicate expansion
- Cost of legal counsel and compliance infrastructure
- University IT departments may block unapproved tools

#### **5. AI Model Cost Volatility & Dependency**

- Reliance on Google Gemini and OpenAI APIs
- API pricing changes can impact margins
- Model deprecations or policy changes
- Need for multi-model fallback strategy

#### **6. Feature Creep & Scope Bloat Risk**

- Survey identified 10+ diverse feature requests
- Risk of delayed launch due to over-engineering
- Diluted focus on core value proposition
- Increased technical debt and maintenance burden

#### **7. Adoption Friction & Churn Risk**

- 13.8% moderate interest (lukewarm early adopters)
- 27.6% low/no interest (market resistance)
- Onboarding complexity may deter casual users
- Retention strategies needed to combat churn
- Switching inertia from existing tool ecosystems

## 3.9 Competitive Analysis

### 3.9.1 Direct Competitors














Features	 ScholarFlow AI-Powered Research Hub <small>Recommended</small>	 Paperpal AI Writing & Editing	 Zotero Free Reference Manager	 Mendeley Elsevier Platform	 Paperpile Google-integrated Mana
 Semantic AI Search	✓	—	×	×	×
 AI Paper Summaries	✓	—	×	×	×
 Multi-paper Chat	✓	✓	×	×	×
 Deep Research Mode	✓	—	×	×	×
 AI Writing Assistant	✓	✓	×	×	×
 Real-time Collaboration	✓	✓	×	—	✓
 Team Workspaces	✓	—	—	—	✓
 Inline Annotations	✓	—	✓	✓	✓

Figure 3.32: ScholarFlow Feature Comparison - Part 1

Smart Collections	✓	✗	✓	✓	✓
Citation Generation (10K+ styles)	✓	✓	✓	—	✓
PDF Viewer with Highlights	✓	✓	✓	✓	✓
Plagiarism Detection	✓	✓	✗	✗	✗
Reference Manager Import	✓	✗	Native	Native	✓
Browser Extension	✓	✓	✓	✓	✓
Overleaf Integration	✓	✓	✗	✗	✗
MS Word / Google Docs	✓	✓	✗	—	✓
API Access	✓	✗	✓	✗	✓
SOC 2 Certified	✓	✗	✗	✗	✗
SSO / SAML	✓	✗	✗	✗	✗
24/7 Priority Support	✓	—	✗	—	—

Figure 3.33: ScholarFlow Feature Comparison - Part 2

### 3.9.2 Unique Value Proposition

#### ScholarFlow's Unique Value Proposition

*"ScholarFlow is the only AI-powered research hub that combines Notion's modern UX, Zotero's citation management, and ChatGPT's intelligence—designed specifically for Gen-Z researchers."*

#### Key Differentiators:

1. **AI-First Approach:** Multi-provider AI service (Gemini + OpenAI) for summarization, chat, and recommendations
2. **Modern Gen-Z UX:** Dark mode, responsive design, social collaboration features
3. **Unified Workflow:** All-in-one platform vs. fragmented tool ecosystem
4. **Freemium Growth:** Generous free tier to drive viral campus adoption

### 3.10 Strategic Recommendations

Based on comprehensive system analysis and survey insights, the following strategic actions are recommended:



### 3.10.1 Phase 1: UIU Campus Pilot (Q1 2026)

**Objective:** Validate product-market fit with 100 active users

#### 1. Beta Program Launch

- Recruit 50 UIU students from CS department (leverage 47.4% survey concentration)
- Offer free Pro tier for 6 months in exchange for feedback
- Host weekly office hours for onboarding support
- Implement referral program (invite 3 friends, unlock premium feature)

#### 2. Feature Focus: Prioritize P0 features (AI summarization, collaboration, rich text editor)

#### 3. Success Metrics:

- 100 monthly active users (MAU)
- 60% retention at 30 days
- 4.5+ star rating in feedback surveys
- 20 net referrals from ambassadors

### 3.10.2 Phase 2: Multi-Campus Expansion (Q2 2026)

**Objective:** Scale to 500 active users across 5 universities

1. **University Partnerships:** NSU, AIUB, BRAC, Dhaka University, Khulna University
2. **Marketing Strategy:** Content marketing, Product Hunt launch, social media campaigns
3. **Feature Enhancements:** Citation export, personal analytics, AI recommendations
4. **Success Metrics:** 500 MAU, \$250+ MRR, 5% free-to-paid conversion

### 3.10.3 Risk Mitigation Strategies

1. **Privacy Concerns:** Publish transparent privacy policy, obtain SOC 2 certification (Q3 2026)
2. **Cost Skepticism:** Student discount (50% off with .edu email), scholarship program
3. **Brand Awareness:** Campus ambassador program, faculty partnerships, university library integration
4. **Technical Scalability:** Implement caching, database query optimization, CDN for static assets

**Conclusion:** Survey data provides strong validation for ScholarFlow's market opportunity, with clear demand signals, identified pain points, and high adoption intent. Strategic focus on UIU pilot, AI differentiation, and freemium growth model positions ScholarFlow for successful campus-first expansion.