



PROJECT NAME:-

WORKSHEET SET 2

SUBMITTED BY:-

ATUL DAHIMA

MACHINE LEARNING ASSIGNMENT 2

Q1 to Q11 have only one correct answer. Choose the correct option to answer your question.

1. Movie Recommendation systems are an example of:

- i) Classification
- ii) Clustering
- iii) Regression

Options: a) 2 Only b) 1 and 2 c) 1 and 3 d) 2 and 3

Ans:- a) 2 Only

2. Sentiment Analysis is an example of:

- i) Regression
- ii) Classification
- iii) Clustering
- iv) Reinforcement

Options: a) 1 Only b) 1 and 2 c) 1 and 3 d) 1, 2 and 4

Ans:- d) 1,2 and 4

3. Can decision trees be used for performing clustering?

- a) True
- b) False

Ans:- a) True

4. Which of the following is the most appropriate strategy for data cleaning before performing clustering analysis, given less than desirable number of data points:

- i) Capping and flooring of variables
- ii) Removal of outliers

Options: a) 1 only b) 2 only c) 1 and 2 d) None of the above

Ans:- a) 1 Only

5. What is the minimum no. of variables/ features required to perform clustering?

- a) 0
- b) 1
- c) 2
- d) 3

Ans:- b) 1

6. For two runs of K-Mean clustering is it expected to get same clustering results?

- a) Yes
- b) No

Ans:- b) No

7. Is it possible that Assignment of observations to clusters does not change between successive iterations in K-Means?

- a) Yes
- b) No
- c) Can't say
- d) None of these

Ans:- a) Yes

8. Which of the following can act as possible termination conditions in K-Means?

- i) For a fixed number of iterations.
- ii) Assignment of observations to clusters does not change between iterations. Except for cases with a bad local minimum.
- iii) Centroids do not change between successive iterations.
- iv) Terminate when RSS falls below a threshold.

Options: a) 1, 3 and 4 b) 1, 2 and 3 c) 1, 2 and 4 d) All of the above

Ans:- d) All of the above

9. Which of the following algorithms is most sensitive to outliers?

- a) K-means clustering algorithm
- b) K-medians clustering algorithm
- c) K-modes clustering algorithm
- d) K-medoids clustering algorithm

Ans:- a) K-means clustering algorithm

10. How can Clustering (Unsupervised Learning) be used to improve the accuracy of Linear Regression model (Supervised Learning):

- i) Creating different models for different cluster groups.
- ii) Creating an input feature for cluster ids as an ordinal variable.
- iii) Creating an input feature for cluster centroids as a continuous variable.
- iv) Creating an input feature for cluster size as a continuous variable

Options: a) 1 only b) 2 only c) 3 and 4 d) All of the above

Ans:- d) All of the above

11. What could be the possible reason(s) for producing two different dendrograms using agglomerative clustering algorithms for the same dataset?

- a) Proximity function used
- b) of data points used
- c) of variables used
- d) All of the above

Ans:- d) All of the above

Q12 to Q14 are subjective answers type questions, Answers them in their own words briefly

12. Is K sensitive to outliers?

Ans:- The **K-means clustering algorithm** is **sensitive to outliers**, because a **mean** is easily influenced by extreme values. **K-medoids clustering** is a variant of **K-means** that is more robust to noises and **outliers**.

13. Why is K means better?

Ans:- Advantages of k-means:-

1. Relatively simple to implement.
2. Scales to large data sets.
3. Guarantees convergence.
4. Can warm-start the positions of centroids.
5. Easily adapts to new examples.
6. Generalizes to clusters of different shapes and sizes, such as elliptical clusters.

14. Is K means a deterministic algorithm?

Ans:- The basic k-means clustering is based on a non-deterministic algorithm .This means that running the algorithm several times on the same data, could give different results.

SQL WORKSHEET 2

Q1 to Q13 have only one correct answer. Choose the correct option to answer your question.

1. Which of the following constraint requires that there should not be duplicate entries?

- A) No Duplicity
- B) Different
- C) Null
- D) Unique

Ans:- D) Unique

2. Which of the following constraint allows null values in a column?

- A) Primary key
- B) Empty Value
- C) Null
- D) None of them

Ans:- A) Primary Key

3. Which of the following statements are true regarding Primary Key?

- A) Each entry in the primary key uniquely identifies each entry or row in the table
- B) There can be duplicate values in a primary key column

- C) There can be null values in Primary key
- D) None of the above.

Ans:- A) Each entry in the primary key uniquely identifies each entry or row in the table

4. Which of the following statements are true regarding Unique Key?

- A) There should not be any duplicate entries
- B) Null values are not allowed
- C) Multiple columns can make a single unique key together
- D) All of the above

Ans:- A) there should not be any duplicate entries

5. Which of the following is/are example of referential constraint?

- A) Not Null
- B) Foreign Key
- C) Referential key
- D) All of them

For Questions 6-13 refer to the below diagram and answer the questions:

Fig refers to question worksheet

6. How many foreign keys are there in the Supplier table?

- A) 0
- B) 3
- C) 2
- D) 1

7. The type of relationship between Supplier table and Product table is:

- A) one to many
- B) many to one
- C) one to one

D) many to many

8. The type of relationship between Order table and Headquarter table is:

- A) one to many
- B) many to one ASSIGNMENT
- C) one to one
- D) many to many

9. Which of the following is a foreign key in Delivery table?

- A) delivery id
- B) supplier id
- C) delivery date
- D) None of them

10. The number of foreign keys in order details is:

- A) 0
- B) 1
- C) 3
- D) 2

11. The type of relationship between Order Detail table and Product table is:

- A) one to many
- B) many to one
- C) one to one
- D) many to many

12. DDL statements perform operation on which of the following database objects?

- A) Rows of table
- B) Columns of table
- C) Table
- D) None of them

13. Which of the following statement is used to enter rows in a table?

- A) Insert in to
- B) Update
- C) Enter into
- D) Set Row

Q14 and Q15 have one or more correct answer. Choose all the correct option to answer your question.

14. Which of the following is/are entity constraints in SQL?

- A) Duplicate
- B) Unique
- C) Primary Key
- D) Null

Ans:- B and C) Unique and Primary key

15. Which of the following statements is an example of semantic Constraint?

- A) A blood group can contain one of the following values - A, B, AB and O.
- B) A blood group can only contain characters
- C) A blood group cannot have null values
- D) Two or more donors can have same blood group

STATISTICS WORKSHEET 2

Q1 to Q15 have only one correct answer. Choose the correct option to answer your question.

1. What represent a population parameter?

- A) SD
- B) mean
- C) both
- D) none

Ans:- C) both

2. What will be median of following set of scores (18,6,12,10,15)?

- A) 14
- B) 18
- C) 12
- D) 10

Ans:- C)12

3. What is standard deviation?

- A) An approximate indicator of how number vary from the mean
- B) A measure of variability
- C) The square root of the variance
- D) All of the above

Ans:- A)) An approximate indicator of how number vary from the mean

4. The intervals should be _____ in a grouped frequency distribution

- A) Exhaustive
- B) Mutually exclusive

C) Both of these

D) None

Ans:- C) Both of these

5. What is the goal of descriptive statistics?

A) Monitoring and manipulating a specific data

B) Summarizing and explaining a specific set of data

C) Analyzing and interpreting a set of data

D) All of these

Ans:- B) summarizing and explaining a specific set of data

6. A set of data organized in a participant by variables format is called

A) Data junk

B) Data set

C) Data view

D) Data dodging

Ans:- B) Data set

7. In multiple regression,_____ independent variables are used

A) 2 or more

B) 2

C) 1

D) 1 or more

Ans:- A) 2 or more

8. Which of the following is used when you want to visually examine the relationship between 2 quantitative variables?

A) Line graph

- B) Scatterplot
- C) Bar graph
- D) Pie graph

Ans:- B) Scatterplot

9. Two or more groups means are compared by using

- A) analysis
- B) Data analysis
- C) Varied Variance analysis
- D) Analysis of variance

Ans:- D) Analysis of variance

10. _____ is a raw score which has been transformed into standard deviation units?

- A) Z-score
- B) t-score
- C) e-score
- D) SDU score

Ans:- A) Z-score

11. _____ is the value calculated when you want the arithmetic average?

- A) Median
- B) mode
- C) mean
- D) All

Ans:- C) mean

12. Find the mean of these set of number (4,6,7,9,2000000)?

- A) 4

- B) 7
- C) 7.5
- D) 400005.2

Ans:- D) 400005.2

13. _____ is a measure of central tendency that takes into account the magnitude of scores?

- A) Range
- B) Mode
- C) Median
- D) Mean

Ans:- D) Mean

14. _____ focuses on describing or explaining data whereas _____ involves going beyond immediate data and making inferences

- A) Descriptive and inferences
- B) Mutually exclusive and mutually exhaustive properties
- C) Positive skew and negative skew
- D) Central tendency

Ans:- A) Descriptive and inferences

15. What is the formula for range?

- A) $H+L$
- B) $L-H$
- C) LXH
- D) $H-L$

Ans:- D) $H-L$