



College of Engineering

# CS CAPSTONE REQUIREMENTS DOCUMENT

APRIL 19, 2019

## AUCTION HUNTER

PREPARED FOR

RYAN KALB

\_\_\_\_\_  
*Signature*

\_\_\_\_\_  
*Date*

PREPARED BY

GROUP 4

AUCTION HUNTER

ALEXANDER HULL

\_\_\_\_\_  
*Signature*

\_\_\_\_\_  
*Date*

ALEXANDER JACOBSON

\_\_\_\_\_  
*Signature*

\_\_\_\_\_  
*Date*

YUFEI ZENG

\_\_\_\_\_  
*Signature*

\_\_\_\_\_  
*Date*

### Abstract

This document encompasses the features that our proposed product will implement. These features are those requested by our client, and agreed upon by the members of group 4.

**CONTENTS**

<b>1</b>	<b>Change Log</b>	<b>2</b>
<b>2</b>	<b>Introduction</b>	<b>2</b>
2.1	Purpose . . . . .	2
2.2	Overview . . . . .	2
2.3	Definitions . . . . .	3
<b>3</b>	<b>System Requirements</b>	<b>3</b>
3.1	User Stories . . . . .	3
3.2	Functional Requirements . . . . .	3
3.3	Performance requirements . . . . .	4
3.4	User Testing . . . . .	5
<b>4</b>	<b>Schedule</b>	<b>6</b>

## 1 CHANGE LOG

Section	Original	New
Definitions	Mentioned Teslas specifically	Removed all mentions of Teslas. Replaced general "vehicles"
System Requirements	Mentioned Teslas specifically	Removed all mentions of Teslas. Replaced general "vehicles"
User stories	Mentioned Teslas specifically	Removed all mentions of Teslas. Removed mention of automatically bidding functionality. Removed machine learning functionality. Removed "scrape from IAAI" and replace with "extendable to scrape from other sources"
Functional requirements	Query Copart and IAAI API's	Replace API with web scraping. Added Damage information, start code, key presence, and link to original posting. Removed live auction tracking. Remove automatic auction bidding. Removed machine learning component.
Performance requirements	Automatic bidding	Removed automatic bidding performance requirement. Removed automatic bidding requirement and notifications. Removed Copart.
Testing	Section detailing how we will test the accuracy of value prediction by comparing to listed value.	Removed section.
Continuous integration	Section on building a continuous integration system that tests the project each time a commit is made to master branch.	Removed continuous integration section.

## 2 INTRODUCTION

### 2.1 Purpose

The purpose of Auction Hunter is to find the highest value car auctions for wrecked/damaged vehicles on auction website. Our product will parse through a collection of auctions, evaluate their value, and display results to a user through a website UI.

### 2.2 Overview

There are three primary components to our proposed product. The first part skims over car auctions using a web crawler and collects all relevant data, then saves it. The second part parses through all that saved data and performs estimations on value, which can be compared to the current asking price. The third component displays this information to the user through a website. A user will be able to search for particular characteristics to help narrow down the available auctions. They will also ultimately be the final say over which auction they choose. Images of each auction will be displayed to the user, which enables them to make a final judgment call. A stretch goal would be to use machine learning to eliminate or promote a subset of auctions based on the images provided.

## 2.3 Definitions

Web Crawler - a program that systematically collects information off of the web. This can be used to compile information or data without requiring a human to manually navigate to each web page.

Website UI - A privately or publicly hosted website which will use an internet browser to display information to a user. It serves as a way for humans to easily interpret information that is being collected and calculated upon in the back-end.

Wrecked Car Auctions - Insurance companies will commonly create auctions to sell cars that have crashed or been badly damaged. The insurance company will pay out an insurance holder, or replace their car. Vehicles are commonly auctioned because insurance companies avoid repairing them due to high or variable repair costs.

Highest Value Car - The cars being sold at auction have some intrinsic value. This could be the grand total of each individual part after labor has been accounted for. It could also be the total price of the car after necessary repairs have been performed. Since the cars are sold at auction, this price is more variable based on bidders' actions. An auction would be worth bidding on if the total value is greater than the current asking price. Since there are so many auctions, the best would be displayed first.

## 3 SYSTEM REQUIREMENTS

A publicly hosted Auction Hunter website that displays to the user the projected value of each auction. There will also be a way for the user to sort the list of auctions to refine their search. When a user finds a high value action, they can obtain additional information such as images and a link to the original auction listing.

This website will utilize a number of back-end scripts which crawl through wrecked car auctions to pull all relevant data. Once the data from each auction is collected, we can predict relative values for each auction and add it to a database to be displayed to the user.

To better judge the effectiveness of our algorithms, we can compare the value that our scripts assign to each car to the final sale price. We can also manually evaluate our predictive algorithms to verify it is assigning value correctly. We will plot any relevant performance data to present the effectiveness of our algorithms.

### 3.1 User Stories

- As a user, I want to be able to access Auction Hunter from anywhere.
- As a user, I want a user interface that is easy to use.
- As a user, I want to sort the car list by selecting price range and present or absence of VIN.
- To save as much money as possible, I want to make sure that I am getting a good deal on wrecked car auctions, especially for newer vehicles.
- As a user, I want to be able to set alerts when there is a car I want up for auction
- As a mechanic, I want to have proof that Auction Hunter is accurate in it's value predictions so I can buy parts while saving money. I also want proof that it works faster than manually evaluating auctions.
- Auction Hunter should be able to scrape Auction data from IAAI and be extendable to scrape other sources.

### 3.2 Functional Requirements

At its core Auction Hunter is a website that allows users access to information it has stored in its database. The website should allow for the following functions to be preformed.

- User access controls to only allow signed-up users access to the Auction Hunter
  - Allow users to sign up to Auction Hunter
  - Let users sign in using their email and password
  - Reset their password if a user forgets it
- Account page to manage user preferences
  - Lets user change email and password
  - View notifications Auction Hunter has sent them about auctions
  - Specify parameters about what types of auctions they want alerts about
- Details page that display all information about a specific auction
  - Pictures of car
  - Estimated value of car calculated by Auction Hunter
  - All other data that Auction Hunter can find on auction websites

Auction Hunter also needs a way of gathering the auction data to power its website. This is done via web scraping scripts that run at automated times.

- Scrape IAAI website for basic auction data
  - Vin
  - Damage information
  - Start Code
  - Presence of key
  - Link to original posting
  - Airbag and crash data
  - Photos of vehicle and damage
  - Options and specifics of the car
- Scrape auction websites for when auctions are happening in the future

### 3.3 Performance requirements

Response Time: All of the response time are measured in end user environment(the browser rendering the response)

- Below operations must respond within 5 seconds.
  - Access action hunter homepage
  - Sign up
  - Log in account
  - Log out account
  - "Viewing the details of car"
  - Set the values of notification for coming cars
  - Sort the list of auctions by price, value, model, VIN, etc

Workload: The table below estimates that for a user scenario how many requests per day.

Ref No	Scenario	Pages	Daily To- tal(estimate)
1	Visit homepage	Portal	100
2	Sort car list	Portal	100
3	Set notification	Login,Notification	10
4	Scrape auction data	Portal	80
5	View notification	Login,Notification	10
6	View bid	Login,Bid	5
7	View car details	Portal,CarDetails	90

### 3.4 User Testing

As a stretch goal, we could get some users unaffiliated with this project to try out our final website to provide feedback.

## 4 SCHEDULE






Fig. 1. Example of salvage car to be auctioned