

TestCase

```
classDiagram
    class TestCase
    class python_qa_split_fsk_cc_qa_split_fsk_cc {
        + tb
        + setUp()
        + tearDown()
        + test_001_t()
    }
    python_qa_split_fsk_cc_qa_split_fsk_cc --|> TestCase
```

The diagram illustrates a class hierarchy. At the top is the 'TestCase' class, represented by a rectangle with three horizontal compartments. The top compartment contains the class name 'TestCase', while the other two are empty. Below it is a more detailed class box for 'python.qa_split_fsk_cc.qa_split_fsk_cc'. This box is divided into three horizontal sections. The top section, which has a light gray background, contains the module path 'python.qa_split_fsk_cc.qa_split_fsk_cc'. The middle section, also with a light gray background, contains the attribute '+ tb'. The bottom section, with a light gray background, contains three methods listed vertically: '+ setUp()', '+ tearDown()', and '+ test_001_t()'. A blue arrow with an open triangular head points from the top of the bottom class box up to the bottom of the 'TestCase' box, indicating that 'python.qa_split_fsk_cc.qa_split_fsk_cc' inherits from 'TestCase'.

python.qa_split_fsk
_cc.qa_split_fsk_cc

+ tb

+ setUp()
+ tearDown()
+ test_001_t()