

Modeling an Online Music Business

Zane Kansil
Loyola Marymount University
Database Systems

December 9, 2014

Contents

I	Title Page	1
II	Contents	2
III	Description of the Enterprise	3
III.1	Ten sample Questions John would ask	4
IV	Definition of Environment	5
IV.1	Input and Report forms	5
IV.2	Assumptions	7
IV.3	User-oriented data dictionary	8
IV.4	Cross-reference table	10
V	Enterprise Database Design	12
V.1	Logical model of the Enterprise	12
V.1.1	List of Entities and Attributes	12
V.1.2	List of Relationships and Attributes	14
V.1.3	Entity-Relationship diagram of the Enterprise	15
V.2	Conceptual model of the enterprise	16
V.3	Table dictionary	18
V.4	Attribute dictionary	19
VI	Database and Query Definition	21
VI.1	Database Definition	21
VI.2	Database Queries	28
VI.3	Design Tradeoffs and Limitations	30
VII	Database Integrity and Security	31
VII.1	Functional Dependencies	31
VII.2	Adjustments for Normalization	31
VII.3	Integrity and Security	31
VIII	Implementation Notes	32
VIII.1	Indices	32
VIII.2	Data	32
VIII.3	Query Trace	32
VIII.4	Implementation Assessment	32
IX	Lessons Learned	33

Chapter III

Description of the Enterprise

A friend of mine intends to put out an all-purpose site for his musical career. The site will be a hub for his online business and allow him to track sales and interactions with his fans.

The site will serve as a place to feature embedded music and video players for John's music. It will be necessary to monitor this hosted media in terms of listens and views. Some other metrics John is interested in are on-site plays (not a redirect), and redirects to his Soundcloud and YouTube accounts from their embedded players on his site. Videos and Songs are tracked separately due to their differing properties.

There is a sales aspect to the site, merchandise will also be sold under the same domain. Some merchandise will be physical, such as hats, headbands, wristbands and stickers. Other merchandise will be digital, such as a donation to download a mixtape (a non-album collection of John's music). Physical merchandise needs to be shipped, so appropriate data such as **shipping_status** and **destination** will need to be tracked. With physical merchandise, quantity and availability must be tracked. Digital merchandise is easier to manage as it is transmitted and there is less customer data to collect. Digital merchandise will also be infinitely available if listed, so there is no quantity related data to track.

JohnDB records data for Physical and Digital consumers separately.

As the main operator of his business, John wants to track of his sales and revenue. The most simple way to track this would be through a table of sales records. These records would detail everything necessary about the sale. A sale would correspond to a single type of product. If multiple products were purchased in the same transaction, then multiple sale entries would be logged.

III.1 Ten sample Questions John would ask

1. How many video plays today?
2. How many redirects to Soundcloud from embedded music players?
3. What is the redirect rate for videos?
4. Is “Black Silk Hooded Sweatshirt” sold out?
5. How many “Red Summer Beanie” items were sold in October 2014?
6. What physical goods are currently frozen? (sales prevented)
7. How many orders do I have to fill to the US?
8. What percentage of my digital consumers are from outside the US?
9. What is the average monthly revenue over the past six months?
10. What products have garnered zero sales in the past 14 days?

Chapter IV

Definition of Environment

IV.1 Input and Report forms

1. Video Metadata View

- Video Name
- Video (hosted at) URL
- Number of plays
- Total plays
- Plays Today
- Total redirects to YouTube

2. Song Metadata View

- Song Name
- Song Artist
- Song (hosted at) URL
- Total plays
- Plays Today
- Total redirects to SoundCloud

3. Add New Physical good

- Name
- Description Paragraph
- Color (optional)
- Size (optional)
- Price (in USD)
- Current stock on hand

4. Add New Digital good

- Name
- Description Paragraph
- Price (in USD)

5. Physical Good Admin View

- Name
- Good SKU

- Good description (editable)
- Price (in USD)
- Color of Good (editable)
- Quantity
- Size of Good

6. Digital Good Admin View

- Name
- Good SKU
- Good description (editable)
- Price (in USD)
- Available (toggleable)

7. Physical Consumer Admin View

- Customer id
- First Name (editable)
- Last Name (editable)
- Customer Phone Number (editable)
- Address Line 1 (editable)
- Address Line 2 (editable)
- Customer Country (fixed to 'US')
- Customer State (US states including 'HI' and 'AL')
- Customer Zip Code (editable)

8. Digital Consumer Admin View

- Customer id
- First Name (editable)
- Last Name (editable)
- Customer Phone Number (editable)
- Customer Country (editable)

9. Transaction Log

- Item SKU
- Sale type (**digital** or **physical**, derived)
- Status (**received**, **shipped** or **fulfilled**)
- Availability of Good
- Quantity (of each line item)
- Unit Price (of each line item)
- Line number (each line item is numbered sequentially)
- Total Order Cost (derived)
- Sale date (time that purchase was made)

10. Interaction Log

- Interaction timestamp
- Media identifier (interaction was made against this Song or Video)
- Title of Media

IV.2 Assumptions

1. Forms are used to add items to the site
2. Tables as opposed to graphs are the preferred way to view data
3. The Sales table functions as an Orders table as well, showing the status of each order in addition to transaction information
4. Only customers in the US are allowed to order physical goods

IV.3 User-oriented data dictionary

Datum	Information Definition
c_email	Email address
c_first_name	First name of customer
c_id	Identifies a customer
c_last_name	Last name of customer
c_phone	Phone number. All digits, no dashes or spaces.
dc_country	Country which customer resides. Optional and may be any country.
dc_id	Alias of 'c_id', used specifically to identify a digital consumer
dg_id	Alias of 'g_id', used specifically to identify a digital good
dg_is_available	Reflects whether or not this good is available for purchase. Set to "false" to prevent customers from soliciting a copy
g_description	Description of good
g_name	Name of physical good
g_price	Price of good in USD pennies
g_sku	Uniquely identifies a class of item for sale. For physical goods this is specific for each color color size.
i_date	Datetime this interaction was logged
i_id	Interaction identifier.
li_number	Identifies the particular line item amongst a list of line items. Line items in a purchase are numbered sequentially in this manner
li_quantity	Number of units sold in the line item. A series of line items composes a purchase.
m_id	Media identifier. Identifies a Song or Video hosted on the site.
m_upload_date	Date/time that the video was uploaded
mv_plays	Total plays originating at the site. This is derived from the log of PLAY entries pointing to this song.
mv_plays_today	Plays originating at the site today. This is derived from the log of PLAY entries pointing to this song.
mv_redirects	Number of redirects to YouTube (which occurs when the embedded video is clicked by a viewer). This is derived from the log of REDIRECT entries pointing to this song.
mv_title	Music videos title, identical to its title on Youtube
mv_url	YouTube URL that the video is hosted at
pc_address_line_1	Address of customer
pc_address_line_2	Second line of customer address
pc_country	Country which customer resides. This will always be "US"
pc_id	Alias of 'c_id', used specifically to identify a physical consumer
pc_state	State which customer resides
pc_zip_code	Zip code. 5 digits in the US.
pg_color	Color of good
pg_id	Alias of 'g_id', used specifically to identify a physical good

pg_quantity_available	Current quantity available. This is an editable field so users should take care not to set the field inappropriately.
pg_size	Size of good, either 'S', 'M','L', ..., or a numbered size, or 'OSFA' (one size fits all)
pl_id	Alias of 'i_id', used specifically to identify a play
re_id	Alias of 'i_id', used specifically to identify a redirect
re_url	The non-local url that the redirect sent the user to. Music videos redirect to a Soundcloud uri, Videos redirect to a Youtube uri.
sale_date	Datetime this sale was logged
sale_fulfill_date	Date this sale was set to 'fulfilled'
sale_id	Sales/transaction identifier
sale_status	The shipping status, 'received', 'shipped' or 'fulfilled'
so_artist	Artist of song, including features
so_plays	Total plays originating at the site. This is derived from the log of PLAY entries pointing to this song.
so_plays_today	Plays on the site today. This is derived from the log of PLAY entries pointing to this song.
so_redirects	Redirects to SoundCloud (triggered by clicks on the embedded player). This is derived from the log of REDIRECT entries pointing to this song.
so_title	Title of song
so_url	SoundCloud URL that the video is hosted at

IV.4 Cross-reference table

Datum	Form or Screen									
	Video Metadata View	Song Metadata View	Add New Physical good	Add New Digital good	Physical Good Admin	Digital Good Admin	Physical Consumer Admin View	Digital Consumer Admin View	Transaction Log	Interaction Log
c_email							x	x		
c_first_name							x	x		
c_id										
c_last_name							x	x		
c_phone							x	x		
dc_country								x		
dc_id								x		
dg_id						x				
dg_is_available				x		x			x	
g_description			x	x	x	x				
g_name			x	x	x	x			x	
g_price			x	x	x	x			x	
g_sku									x	
i_date										x
i_id										x
li_quantity									x	
m_id										x
m_upload_date		x								
mv_plays	x									
mv_plays_today	x									
mv_redirects	x									
mv_title	x									x
mv_url	x									
pc_address_line_1							x			
pc_address_line_2							x			
pc_country							x			
pc_id							x			
pc_state							x			
pc_zip_code							x			
pg_color			x		x				x	
pg_id					x					
pg-quantity_available			x		x					

pg_size			x		x				x	
re_url										
sale_date									x	
sale_fulfill_date									x	
sale_id									x	
sale_status									x	
so_artist		x								
so_plays		x								
so_plays_today		x								
so_redirects		x								
so_title		x								x
so_url		x								

Chapter V

Enterprise Database Design

V.1 Logical model of the Enterprise

V.1.1 List of Entities and Attributes

1. Media

- m_id

2. Music Video

- mv_id (alias of m_id)
- mv_title
- mv_url (url video is hosted at)
- mv_upload_date

3. Song

- so_id (alias of m_id)
- so_title
- so_artist
- so_url (url song is hosted at)
- so_upload_date

4. Interaction

- i_id
- i_date

5. Play

- pl_id (alias of i_id)

6. Redirect

- re_id (alias of i_id)
- re_url

7. Consumer

- c_id
- c_firstname

- c_lastname
- c_email
- c_phone

8. Physical Consumer

- pc_id (alias of c_id)
- pc_address_line_1
- pc_address_line_2
- pc_country
- pc_state

9. Digital Consumer

- dc_id (alias of c_id)
- dc_country (optional)

10. Purchase

- sale_id
- sale_status (“received”, “shipped” or “fulfilled”)
- sale_date (datetime)
- sale_fulfill_date (datetime)

11. Line Item

- li_quantity

12. Good

- g_sku
- g_name
- g_description
- g_price

13. Digital Good

- dg_id (alias g_sku)
- dg_is_available (boolean, used to prevent ordering)

14. Physical Good

- pg_id (alias g_sku)
- pg_color
- pg_size
- pg_quantity_available

* - A datetime is an instant in time. Has date information and time-of-day information.
 Example: 2014-09-06T15:35:58+00:00 (September 6, 2014, 3:35:58pm)

V.1.2 List of Relationships and Attributes


Media Relationships

1. `m_id` \rightarrow `m_upload_date`, `so_id`, `mv_id`
2. `so_id` \rightarrow `so_title`, `so_artist`, `so_url`, `m_id`
3. `mv_id` \rightarrow `mv_title`, `mv_url`, `m_id`
4. `i_id` \rightarrow `i_date`, `m_id`, `re_id`, `pl_id`
5. `re_id` \rightarrow `re_url`, `i_id`
6. `pl_id` \rightarrow `i_id`

Sales Relationships

1. `c_id` \rightarrow `c_firstname`, `c_lastname`, `c_email`, `c_phone`, `dc_id`, `pc_id`
2. `dc_id` \rightarrow `dc_country`, `c_id`
3. `pc_id` \rightarrow `pc_address_line_1`, `pc_address_line_2`, `pc_country`, `pc_state`, `c_id`
4. `sale_id` \rightarrow `sale_status`, `sale_date`, `sale_fulfill_date`
5. `g_sku` \rightarrow `g_name`, `g_description`, `g_price`, `pg_id`, `dg_id`
6. `pg_id` \rightarrow `pg_color`, `pg_size`, `pg_quantity_available`, `g_sku`
7. `dg_id` \rightarrow `dg_is_available`, `g_sku`
8. `(sale_id, g_sku)` \rightarrow `li_quantity`

V.1.3 Entity-Relationship diagram of the Enterprise



V.2 Conceptual model of the enterprise

MEDIA(m_id, m_upload_date)

MUSIC_VIDEO(mv_id, mv_title, mv_url)

PK/FK: mv_id

CK: m_id, mv_title, mv_url

SONG(so_id, so_title, so_artist, so_url)

PK/FK: so_id

CK: so_id, so_title, so_url

PLAY(pl_id, m_id, i_datetime)

PK: pl_id

FK: m_id

CK: pl_id

REDIRECT(m_id, m_to)

PK: re_id

FK: m_id

CK: re_id

CONSUMER(c_id, c_firstname, c_lastname, c_email)

PK: c_id

CK: c_id, c_email

PHYSICAL_CONSUMER(

pc_id

, pc_address_line_1

, pc_address_line_2

, pc_country

, pc_state

, pc_phone

)

PK/FK: pc_id

CK: pc_id, pc_phone

DIGITAL_CONSUMER(

dc_id

, pc_phone

, pc_country

)

PK/FK: dc_id

CK: dc_id, pc_phone

PURCHASE(sale_id, c_id, sale_date, sale_fulfill_date)

PK/FK: sale_id

CK: sale_id, c_id

LINE_ITEM(sale_id, g_id, li_quantity)

PK: sale_id

CK: sale_id

FK: sale_id, g_id

GOOD(g_sku, g_name, g_description, g_price)

PK: g_sku

CK: g_sku

DIGITAL_GOOD(dg_id, dg_is_available)

PK: dg_id

CK: dg_id

PHYSICAL_GOOD(pg_id, pg_color, pg_size, pg_quantity_available)

PK/FK: pg_id

CK: pg_id

V.3 Table dictionary

Table	Attributes	Description
CUSTOMER	c_id, c_firstname, c_lastname, c_email, c_phone	Basic customer information
DIGITAL_CONSUMER	dc_id, dc_country	Customer information specific to digital customers
DIGITAL_GOOD	dg_id, dg_is_available	Good information specific to digital goods
GOOD	g_sku, g_name, g_description, g_price	Basic information for goods that are being sold
INTERACTION	i_id, m_id, i_date	A list of all of the interactions made on media items
LINE_ITEM	sale_id, g_sku, li_quantity	An item that was sold in a transaction
MEDIA	m_id, m_upload_date	Basic information for songs and videos on the page
MUSIC_VIDEO	mv_id, mv_title, mv_url	Additional media information specific to Music Videos
PHYSICAL_CONSUMER	pc_id, pc_address_line_1, pc_address_line_2, pc_country, pc_state	Customer information specific to physical customers
PHYSICAL_GOOD	pg_id, pg_color, pg_size, pg_quantity_available	Good information specific to physical goods
PLAY	pl_id	A table of all the play interactions
PURCHASE	sale_id, sale_status, sale_fulfill_date, sale_date, c_id	Information specific to a single sale
REDIRECT	re_id, re_url	A table of all the redirect interactions
SONG	so_id, so_title, so_artist, so_url	Additional media information specific to Songs

V.4 Attribute dictionary

Datum	Appears in	Information Definition
c_email	CUSTOMER	Email address
c_first_name	CUSTOMER	First name of customer
c_id	CUSTOMER, PURCHASE	Identifies a customer
c_last_name	CUSTOMER	Last name of customer
c_phone	CUSTOMER	Phone number. All digits, no dashes or spaces.
dc_country	DIGITAL_CUSTOMER	Country which customer resides. Optional and may be any country.
dc_id	DIGITAL_CUSTOMER	Alias of 'c_id', used specifically to identify a digital consumer
dg_id	DIGITAL_GOOD	Alias of 'g_id', used specifically to identify a digital good
dg_is_available	DIGITAL_GOOD	Reflects whether or not this good is available for purchase. Set to "false" to prevent customers from soliciting a copy
g_description	GOOD	Description of good
g_name	GOOD	Name of physical good
g_price	GOOD	Price of good in USD pennies
g_sku	GOOD, LINE_ITEM	Uniquely identifies a class of item for sale. For physical goods this is specific for each color color size.
i_date	INTERACTION	Datetime this interaction was logged
i_id	INTERACTION	Interaction identifier.
li_quantity	LINE_ITEM	Number of units sold in the line item. A series of line items composes a purchase.
m_id	MEDIA, INTERACTION	Media identifier. Identifies a Song or Video hosted on the site.
m_upload_date	MEDIA	Date/time that the video was uploaded
mv_plays	MUSIC_VIDEO	Total plays originating at the site. This is derived from the log of PLAY entries pointing to this song.
mv_plays_today	MUSIC_VIDEO	Plays originating at the site today. This is derived from the log of PLAY entries pointing to this song.
mv_redirects	MUSIC_VIDEO	Number of redirects to YouTube (which occurs when the embedded video is clicked by a viewer). This is derived from the log of REDIRECT entries pointing to this song.
mv_title	MUSIC_VIDEO	Music videos title, identical to its title on Youtube
mv_url	MUSIC_VIDEO	YouTube URL that the video is hosted at
pc_address_line_1	PHYSICAL_CONSUMER	Address of customer
pc_address_line_2	PHYSICAL_CONSUMER	Second line of customer address

pc_country	PHYSICAL_CONSUMER	Country which customer resides. This will always be "US"
pc_id	PHYSICAL_CONSUMER	Alias of 'c_id', used specifically to identify a physical consumer
pc_state	PHYSICAL_CONSUMER	State which customer resides
pc_zip_code	PHYSICAL_CONSUMER	Zip code. 5 digits in the US.
pg_color	PHYSICAL_GOOD	Color of good
pg_id	PHYSICAL_GOOD	Alias of 'g_id', used specifically to identify a physical good
pg_quantity_available	PHYSICAL_GOOD	Current quantity available. This is an editable field so users should take care not to set the field inappropriately.
pg_size	PHYSICAL_GOOD	Size of good, either 'S', 'M','L', ..., or a numbered size, or 'OSFA' (one size fits all)
pl_id	PLAY	Alias of 'i_id', used specifically to identify a play
re_id	REDIRECT	Alias of 'i_id', used specifically to identify a redirect
re_url	REDIRECT	The non-local url that the redirect sent the user to. Music videos redirect to a Soundcloud uri, Videos redirect to a Youtube uri.
sale_date	PURCHASE	Datetime this sale was logged
sale_fulfill_date	PURCHASE	Date this sale was set to 'fulfilled'
sale_id	PURCHASE, LINE_ITEM	Sales/transaction identifier
sale_status	PURCHASE	The shipping status, 'received', 'shipped' or 'fulfilled'
so_artist	SONG	Artist of song, including features
so_plays	SONG	Total plays originating at the site. This is derived from the log of PLAY entries pointing to this song.
so_plays_today	SONG	Plays on the site today. This is derived from the log of PLAY entries pointing to this song.
so_redirects	SONG	Redirects to SoundCloud (triggered by clicks on the embedded player). This is derived from the log of REDIRECT entries pointing to this song.
so_title	SONG	Title of song
so_url	SONG	SoundCloud URL that the video is hosted at

Chapter VI

Database and Query Definition

VI.1 Database Definition

```
--  
-- ER/Studio Data Architect 9.6 SQL Code Generation  
-- Project :      zk-online-music-business.DM1  
--  
-- Date Created : Tuesday, December 09, 2014 16:44:51  
-- Target DBMS : MySQL 5.x  
--
```

```
--  
-- TABLE: CUSTOMER  
--
```

```
CREATE TABLE CUSTOMER(  
    c_id          CHAR(20)          NOT NULL,  
    c_firstname   VARCHAR(20)       NOT NULL,  
    c_lastname    VARCHAR(20)       NOT NULL,  
    c_email       VARCHAR(20)       NOT NULL,  
    c_phone       VARCHAR(20)       NOT NULL,  
    PRIMARY KEY (c_id)  
)ENGINE=INNODB  
;
```

```
--  
-- TABLE: DIGITAL_CONSUMER  
--
```

```
CREATE TABLE DIGITAL_CONSUMER(  
    dc_id         CHAR(20)          NOT NULL,  
    dc_country    VARCHAR(20)       NOT NULL,  
    PRIMARY KEY (dc_id)  
)ENGINE=INNODB  
;
```

```

--
-- TABLE: DIGITAL_GOOD
--

CREATE TABLE DIGITAL_GOOD(
    dg_id          CHAR(20)      NOT NULL,
    dg_is_available BIT(1)       NOT NULL,
    PRIMARY KEY (dg_id)
)ENGINE=INNODB
;

--
-- TABLE: GOOD
--

CREATE TABLE GOOD(
    g_sku          CHAR(20)      NOT NULL,
    g_name          VARCHAR(255)  NOT NULL,
    g_description   VARCHAR(2048) NOT NULL,
    g_price         INT           NOT NULL,
    PRIMARY KEY (g_sku)
)ENGINE=INNODB
;

--
-- TABLE: INTERACTION
--

CREATE TABLE INTERACTION(
    i_id          CHAR(20)      NOT NULL,
    m_id          CHAR(20),
    i_date        DATETIME      NOT NULL,
    PRIMARY KEY (i_id)
)ENGINE=INNODB
;

--
-- TABLE: LINE_ITEM
--

```

```

CREATE TABLE LINE_ITEM(
    sale_id      CHAR(20)    NOT NULL,
    g_sku        CHAR(20)    NOT NULL,
    li_quantity  INT,
    PRIMARY KEY (sale_id, g_sku)
)ENGINE=INNODB
;

--
-- TABLE: MEDIA
--

CREATE TABLE MEDIA(
    m_id          CHAR(20)    NOT NULL,
    m_upload_date DATETIME,
    PRIMARY KEY (m_id)
)ENGINE=INNODB
;

--
-- TABLE: MUSIC_VIDEO
--

CREATE TABLE MUSIC_VIDEO(
    mv_id          CHAR(20)    NOT NULL,
    mv_title       VARCHAR(50)  NOT NULL,
    mv_url         VARCHAR(100) NOT NULL,
    PRIMARY KEY (mv_id)
)ENGINE=INNODB
;

--
-- TABLE: PHYSICAL_CONSUMER
--

CREATE TABLE PHYSICAL_CONSUMER(
    pc_id          CHAR(20)    NOT NULL,
    pc_address_line_1 VARCHAR(255) NOT NULL,
    pc_address_line_2 VARCHAR(255),
    pc_country      VARCHAR(20)  NOT NULL,
    pc_state        VARCHAR(20)  NOT NULL,
    PRIMARY KEY (pc_id)
)ENGINE=INNODB

```

```

;

--
-- TABLE: PHYSICAL_GOOD
--

CREATE TABLE PHYSICAL_GOOD(
    pg_id          CHAR(20)          NOT NULL,
    pg_color       VARCHAR(20),
    pg_size        VARCHAR(20),
    pg_quantity_available INT          NOT NULL,
    PRIMARY KEY (pg_id)
)ENGINE=INNODB
;

--
-- TABLE: PLAY
--

CREATE TABLE PLAY(
    pl_id          CHAR(20)          NOT NULL,
    PRIMARY KEY (pl_id)
)ENGINE=INNODB
;

--
-- TABLE: PURCHASE
--

CREATE TABLE PURCHASE(
    sale_id        CHAR(20)          NOT NULL,
    sale_status     VARCHAR(20)      NOT NULL,
    sale_fulfill_date DATETIME,
    sale_date       DATETIME          NOT NULL,
    c_id           CHAR(20)          NOT NULL,
    PRIMARY KEY (sale_id)
)ENGINE=INNODB
;

--
-- TABLE: REDIRECT

```



```

--

CREATE TABLE REDIRECT(
    re_id      CHAR(20)      NOT NULL,
    re_url     VARCHAR(255)   NOT NULL,
    PRIMARY KEY (re_id)
)ENGINE=INNODB
;

--

-- TABLE: SONG
--

CREATE TABLE SONG(
    so_id      CHAR(20)      NOT NULL,
    so_title   VARCHAR(50)   NOT NULL,
    so_artist  VARCHAR(20)   NOT NULL,
    so_url     VARCHAR(100)  NOT NULL,
    PRIMARY KEY (so_id)
)ENGINE=INNODB
;

--

-- TABLE: DIGITAL_CONSUMER
--

ALTER TABLE DIGITAL_CONSUMER ADD CONSTRAINT RefCUSTOMER2
    FOREIGN KEY (dc_id)
    REFERENCES CUSTOMER(c_id)
;

--

-- TABLE: DIGITAL_GOOD
--

ALTER TABLE DIGITAL_GOOD ADD CONSTRAINT RefGOOD7
    FOREIGN KEY (dg_id)
    REFERENCES GOOD(g_sku)
;

--

-- TABLE: INTERACTION
--

```

```

ALTER TABLE INTERACTION ADD CONSTRAINT RefMEDIA15
    FOREIGN KEY (m_id)
    REFERENCES MEDIA(m_id)
;

--
-- TABLE: LINE_ITEM
--

ALTER TABLE LINE_ITEM ADD CONSTRAINT RefPURCHASE4
    FOREIGN KEY (sale_id)
    REFERENCES PURCHASE(sale_id)
;

ALTER TABLE LINE_ITEM ADD CONSTRAINT RefGOOD5
    FOREIGN KEY (g_sku)
    REFERENCES GOOD(g_sku)
;

--
-- TABLE: MUSIC_VIDEO
--

ALTER TABLE MUSIC_VIDEO ADD CONSTRAINT RefMEDIA10
    FOREIGN KEY (mv_id)
    REFERENCES MEDIA(m_id)
;

--
-- TABLE: PHYSICAL_CONSUMER
--

ALTER TABLE PHYSICAL_CONSUMER ADD CONSTRAINT RefCUSTOMER1
    FOREIGN KEY (pc_id)
    REFERENCES CUSTOMER(c_id)
;

--
-- TABLE: PHYSICAL_GOOD
--

ALTER TABLE PHYSICAL_GOOD ADD CONSTRAINT RefGOOD6
    FOREIGN KEY (pg_id)
    REFERENCES GOOD(g_sku)

```

```

;

--
-- TABLE: PLAY
--

ALTER TABLE PLAY ADD CONSTRAINT RefINTERACTION12
    FOREIGN KEY (pl_id)
    REFERENCES INTERACTION(i_id)
;

--
-- TABLE: PURCHASE
--

ALTER TABLE PURCHASE ADD CONSTRAINT RefCUSTOMER3
    FOREIGN KEY (c_id)
    REFERENCES CUSTOMER(c_id)
;

--
-- TABLE: REDIRECT
--

ALTER TABLE REDIRECT ADD CONSTRAINT RefINTERACTION13
    FOREIGN KEY (re_id)
    REFERENCES INTERACTION(i_id)
;

--
-- TABLE: SONG
--

ALTER TABLE SONG ADD CONSTRAINT RefMEDIA11
    FOREIGN KEY (so_id)
    REFERENCES MEDIA(m_id)
;

```

VI.2 Database Queries

-- (1) How many video plays today?

```
SELECT count('p'.'i_date')
FROM      'MUSIC_VIDEO' AS 'mv'
INNER JOIN 'PLAY'      AS 'p'
ON        'mv'.'m_id'   = 'p'.'m_id'
WHERE     'p'.'i_date'  >= curdate()
AND       'p'.'i_date'  <= curdate()
;
```

-- (2) How many redirects to Soundcloud from embedded music players?

```
SELECT count('r'.'to')
FROM      'SONG'        AS 's'
INNER JOIN 'REDIRECT' AS 'r'
ON        's'.'m_id'    = 'r'.'m_id'
WHERE     'r'.'to'      = "soundcloud"
;
```

-- (3) What is the redirect rate for videos?

```
SELECT count('p'.'m_id'), count('r'.'m_id')
FROM      'MUSIC_VIDEO' AS 'mv'
INNER JOIN 'PLAY'      AS 'p'
ON        'mv'.'m_id'   = 'p'.'m_id'
INNER JOIN 'REDIRECT' AS 'r'
ON        'mv'.'m_id'   = 'r'.'m_id'
;
```

-- (4) Is Black Silk Hooded Sweatshirt sold out?

```
SELECT 'pg'.'pg_quantity_available'
FROM   'PHYSICAL_GOOD' AS 'pg'
;
```

-- (5) How many Red Summer Beanie items were sold in October 2014?

```
SELECT count('s'.'sale_id')
FROM   'PURCHASE'      AS 's'
WHERE  's'.'sale_date' >= "2014-10-1"
AND    's'.'sale_date' <= "2014-10-31"
;
```

-- (6) What physical goods are currently frozen? (sales prevented)

```
SELECT 'pg'.'pg_name'
FROM   'PHYSICAL_GOOD' AS 'pg'
```

```
WHERE 'pg'.'pg_is_frozen' = 1
;
```

-- (7) How many orders do I have to fill to the US?

```
SELECT count('pg'.'sale_id')
FROM      'PHYSICAL_CUSTOMER' AS 'pc'
INNER JOIN 'PURCHASE'          AS 'sale'
ON        'pc'.'c_id'          = 'sale'.'c_id'
WHERE     'pc'.'pc_country'    = "US"
;
```

-- (8) What percentage of my digital consumers are from outside the US?

```
SELECT count('dg'.'c_id'), count('foreign'.'c_id')
FROM    'DIGITAL_CUSTOMER'      AS 'dg'
,       'DIGITAL_CUSTOMER'      AS 'foreign'
WHERE   'foreign'.'dc_country' != "US"
;
```

-- (9) What is the average monthly revenue over the past six months?

INCOMPLETE

-- (10) What products have garnered zero sales in the past 14 days?

```
SELECT DISTINCT 'g'.'g_name'
FROM            'LINE_ITEM'      AS 'li'
LEFT JOIN      'GOOD'           AS 'g'
ON             'li'.'g_sku'      = 'g'.'g_sku'
WHERE          'li'.'sale_date' >= DATE_SUB(curdate(), INTERVAL 2 WEEK)
AND           'g'.'g_sku'       IS NULL
;
```

VI.3 Design Tradeoffs and Limitations

Not too many limitation currently. I recently added a parent **MEDIA** entity for videos and songs.

Chapter VII

Database Integrity and Security

VII.1 Functional Dependencies

A list of the functional dependencies that hold on your database.

VII.2 Adjustments for Normalization

An explanation of the changes needed to normalize your database.

VII.3 Integrity and Security

A list (in English) of the integrity and security constraints which are to hold on your database.

Chapter VIII

Implementation Notes

VIII.1 Indices

A list of the indices used by your database, with a justification for each.

VIII.2 Data

The data used to populate your database.

VIII.3 Query Trace

A trace of the execution of each of your queries.

VIII.4 Implementation Assessment

An assessment of how smoothly your implementation went

Chapter IX

Lessons Learned