

GENERAL

Operational Hours

ATS Hours: TWR MON-FRI 2015-1030 \pm , SAT 2300-0700 \pm , SUN 2300-1030 \pm ,
use CTAF outside TWR OPS hours.

AD OPS Hours: Not published

Airport Information

RFF: Not published

Fuel: 2200-0700 \pm , 1 HR PN

PCN: RWY 07/25: 29/F/C/1400 (203PSI)/T

Customs: Not published

Operation

Transponder Operation

For details on Transponder Mode S Operation see CRAR Australia.

Low Visibility Procedures

LVP in force when VIS at 800m.

ACFT OPS in VIS less than 800m when ATC is not operating by prior arrangement only.

RWY Restriction

180° turns at RWY THR or turning pads only for ACFT with 5.7t / 12566lbs and above.

TWY Restriction

TWY C, D not AVBL for ACFT above 5.7t / 12500lbs.

Warnings

Model ACFT OPS within 500m / 1640ft radius, BRG 038 7NM from AD up to 400ft AGL.

Portions of TWY C not visible from TWR.

Birds in vicinity of AD.

ARRIVAL

Speed

MAX IAS 250KT below 10000ft.

Communication

COM Failure: See CRAR Australia.

Arrival Procedure

Noise Abatement Procedure: See CRAR Australia.

VFR Traffic Pattern: RWY 07 right-hand circuit.

Warnings

PAPI RWY 25 unusable: Beyond 3NM from AD when R368 activated.

DEPARTURE

Take-off Minima

RWY		07/25	
Multi-ENG	ft - m/km	0 - 550V	REDL+RCLM, LVP
		0 - 800V	-
other		c300 - 2.0V	-

Speed

MAX IAS 250KT below 10000ft.

Communication

COM Failure: See CRAR Australia.

Departure Procedure

Noise Abatement Procedure: See CRAR Australia.

09-NOV-2017
ABX-YMAY

2-10

Australia Albury


AGC
AFC

AFC

AFC


Albury Australia

AGC
AFC



ATIS 115.600 AY
133.850
AWIS 134.525
Melbourne Center 125.200 On ground, outside TWR HR
TWR 123.250 Mon-Fri 2015-1030 Sat 2300-0700
Sun 2300-1030, APP up to 8500 AMSL
CTAF 123.250 ARCAL PAL
GND 121.800

Landing RWY system:



Changes: IAF

09-NOV-2017
ABX-YMAY


Australia Albury
AGC

AGC

AGC

Albury Australia
AGC

3-20



Changes: Nil

18-AUG-2016
ABX-YMAY


4-10

Australia Albany
[RNAV SID UGVER 1]
RNAV SID DUGGI 1

SID

SID

Albany Australia
[RNAV SID UGVER 1]
RNAV SID DUGGI 1





DUGGI 1

RWYs 07 (069°) / 25 (249°)

	GS	120	150	180	210	240	270
4.8%	ft/MIN	600	800	900	1100	1200	1400
5.0%	ft/MIN	700	800	1000	1100	1300	1400
5.6%	ft/MIN	700	900	1100	1200	1400	1600

DESIGNATOR	ROUTING	ALTITUDES
	Runway 07	
DUGGI 1 5.6% to 2600 123.250	ANUGO - RT direct RUMES - 219° to DUGGI	RUMES MAX 7000
	Runway 25	
DUGGI 1 4.8% to 1400 5.0% to 2500 123.250 ①	LT 244° to SAPAN - LT direct NIRIL - RT 209° to DUGGI	NIRIL MAX 8000

① Do not turn before DER.

UGVER 1

RWYs 07 (069°) / 25 (249°)

	GS	120	150	180	210	240	270
4.8%	ft/MIN	600	800	900	1100	1200	1400
5.0%	ft/MIN	700	800	1000	1100	1300	1400

DESIGNATOR	ROUTING	ALTITUDES
	Runway 07	
UGVER 1 4.8% to 1700 123.250	ANUGO - LT direct OLTAN - 028° to UGVER	OLTAN MAX 7000
	Runway 25	
UGVER 1 4.8% to 1900 5.0% to 2500 123.250 ①	LT 244° to SAPAN - RT direct ADLEK (MAX 210KT) - 043° to UGVER	

① Do not turn before DER.

18-AUG-2016

ABX-YMAY

6-10

RNAV STAR ARRAN 1


STAR

STAR

Albury Australia

RNAV STAR VEGRU 1

RNAV STAR ARRAN 1




ABX-YMAY

RNAV STAR VEGRU 1

STAR

STAR

RNAV STAR VEGRU 1




Changes: new


© Lido 2016

ABX-YMAY

7-10

RNAV (GNSS) Z 07

3.00°				6	4	3			60 ML		THR 539 (20hPa) / TDZ --- (---%) -0.1%
RW07 064° RWY 069°				2500	1870	1550					




07		RNAV GNSS LNAV ¹⁾					Circling ¹⁾
C	ft - m/km ft	780 - 4.4V 1310					1680 - 4.4V 2210
D	ft - m/km ft	780 - 4.4V 1310					1740 - 5.0V 2270

1) Minima may be reduced by 100ft with actual QNH


ABX-YMAY

7-20

RNAV (GNSS) Z 25




VOR 07



© Lido 2018

Changes: ALT, DIST ALT table

VOR 25






© Lido 2018

ABX-YMAY

7-50

VOR A



07/25							Circling ¹⁾
C	ft - m/km						1680 - 4.0V 2210
D	ft - m/km						1740 - 5.0V 2270

1) Minima may be reduced by 100ft with actual QNH