

## GENERAL

## Operational Hours

**ATS Hours:** 1200-0200 other times O/R

**AD ADMIN Hours:** MON-FR 1400-2200

## Airport Information

**RFF:** CAT 7

**PCN:** RWY 07/25: 52/F/B/X/T

## Warnings

Birds in vicinity of AD.

## DEPARTURE

## Take-off Minima

RWY		07/25	
All ACFT	ft - m/km	0 - 400V	HJ only
		0 - 800V	HN

24-MAY-2018

RTB-MHRO

Honduras Roatan J M Galvez Intl

AGC

AFC

AFC


AFC

J M Galvez Intl Roatan Honduras

AGC


AFC

2-10



ATIS 127.850 1200-0200  
TWR 118.100 1200-0200  
GND 121.600 1200-0200

Landing RWY system:



Changes: PROC, SUAs, OBST

24-MAY-2018  
RTB-MHRO

Honduras Roatan J M Galvez Intl

AGC

AGC

AGC

J M Galvez Intl Roatan Honduras

AGC

3-20

W086°31'

ATIS	127.850	1200-0200
TWR	118.100	1200-0200
GND	121.600	1200-0200

W086°31.5'

25

246°  
21

TERMINAL

APRON

ARP  
N16 19.0  
W086 31.3

2089 X 45

ROATAN  
D 117.6 ROA

Caribbean Sea

07

066°  
13

VAR 1° W  
MAG UP

AD ELEV 20

m 0 250 500  
ft 0 500 1000 1500

Changes: Nil

24-MAY-2018

RTB-MHRO

Honduras Roatan J M Galvez Intl

NIL

4-10

RNAV SIDs RWY 07


SID

SID

J M Galvez Intl Roatan Honduras

NIL

RNAV SIDs RWY 07



Changes: OBST, SUAs

13-AUG-2015

RTB-MHRO

5-10

RNAV SIDs RWY 07

SIDPT

ANIKO 1 / BONITO 1 / KIRAP 1 / RUBRA 1

RWY 07 (066°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 07	
ANIKO 1 118.100	R0002 [A1200+; L] - GABIX [A3000+; L] - ANIKO [A10000+]	
BONITO 1 BTO 1 118.100	R0002 [A1200+; R] - BTO [A10000+]	
KIRAP 1 118.100	R0002 [A1200+; L] - KIRAP [A3000+]	
RUBRA 1 118.100	R0002 [A1200+; R] - RUBRA [A7000+]	

**RTB-MHRO**

## RNAV STARs RWY 07


# STAR

# STAR

NIL

## RNAV STARs RWY 07

**6-10**



© Lido 2018

Changes: OBST, SUAs

24-MAY-2018


Honduras Roatan J M Galvez Intl

IAC


RTB-MHRO

7-10

RNAV (GNSS) 07



3.00°			7	6	4	3		83.0°	30 ML
<b>RW07</b>							<b>07</b>	2089 x 45	
<b>067°</b>									
RWY 066°			2300	1980	1340	1020		THR 13 (0hPa) / TDZ 20 (---%)	+0.1%



<b>07</b>		<b>RNAV GPS</b> VNAV <sup>1)</sup>					<b>Circling</b>
<b>C</b>	ft - m/km ft	C 800 - 3.6V <b>810</b> <sup>2)</sup>					C 800 - 3.6V <b>810</b>
<b>D</b>	ft - m/km ft	C 800 - 4.0V <b>810</b> <sup>3)</sup>					C 800 - 4.0V <b>810</b>

1) Uncompensated BARO VNAV NA below +15°C (59°F)

3) With EVS VIS 2.6km, wo EVS use STD

2) With EVS VIS 2.4km, wo EVS use STD

Changes: PROC, TAA, OBST, SUAs

<b>07</b>		<b>VOR DME</b>					<b>Circling</b>
C	ft - m/km ft	C 500 - 2.8V <b>500</b>					Not authorized
D	ft - m/km ft	C 500 - 3.2V <b>500</b>					Not authorized





24-MAY-2018

RTB-MHRO

7-40

VOR Y 07



Changes: OBST, SUAs