

GENERAL

Operational Hours

ATS Hours / AD ADMIN Hours: H24

Airport Information

RFF: CAT 8
LCN: RWY 03/21: 100

Operation

RWY Restriction

RWY in use: As instructed by ATC.

Taxi/Parking

Taxiing guidance system and marshallers AVBL.

Blast pads 120m / 394ft at both RWY ends.

Warnings

Use caution while LDG and TKOF:

- Depression on pavement between bay 06 on APN and the TWY on RWY 21.
- Depression at the beginning of THR RWY 03.

TDZ lights of RWY 03 unserviceable.

Birds in vicinity of AD.

DEPARTURE

Take-off Minima

RWY		03/21	
All ACFT	ft - m/km	0 - 400R/400V	HJ only
		0 - 800R/800V	HN

02-NOV-2017

PHC-DNPO

2-10

Nigeria Port Harcourt


AGC
AFC

AFC

AFC

Port Harcourt Nigeria


AGC
AFC



ATIS 122.500
RAD 124.900
APP 124.900
TWR 119.200
TWR 118.600

Landing RWY system:

03 3000 x 60
THR 86 (3HPa) / TDZ --- (+0.1%)
HL-P1
60 HL
3.0°
60 x 3000
TDZ --- (+0.1%) / THR 91 (3HPa)
HL-P1
21



Effective 17-AUG-2017

10-AUG-2017

PHC-DNPO

Nigeria Port Harcourt

NIL

RNAV SID


SID

SID

Port Harcourt Nigeria

NIL

RNAV SID



10-AUG-2017

PHC-DNPO

5-10

RNAV SIDs

SIDPT

AKDIT 1S / EPETA 1S

RWY 21 (210°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 21	
AKDIT 1S 124.900	[A700+ ;R] - P0412 [K210-] - P0502 - AKDIT	P0502 MAX 3500
EPETA 1S 124.900	[A700+ ;L] - P0506 [K210-] - EPETA	

PHC-DNPO


RNAV STARs

STAR

STAR

RNAV STARs

6-10



Changes: MGA, FREQ, ASP, OBST

© Lido 2017


02-NOV-2017
PHC-DNPO

Nigeria Port Harcourt

IAC

7-10

ILS + VOR DME 21





Changes: MIN, APL, OBST

02-NOV-2017
PHC-DNPO

7-30


RNAV (GNSS) 21



2	3	4	5	5.8		3.00°
780	1100	1420	1740	2000		RW21

RW21 - [A600+; R] - P0410 -
EBSIG [A2000] - RULMA210°
at MNM 600 RT direct P0410 -
EBSIG (at 2000) - RULMA
climb 2000

GS	120	140	160
P0400	640	740	850
-MAPt	NA	NA	NA



21		RNAV GNSS VNAV 1) 2) 3)	RNAV GNSS LNAV	Circling	
C	ft - m/km ft	390 - 1.1 480	390 - 1.1 480		620 - 2.4V 710
D	ft - m/km ft	390 - 1.1 480	390 - 1.1 480		700 - 3.6V 800

1) Uncompensated BARO VNAV NA below -10°C (14°F)
2) SBAS-VNAV not authorized

3) With EVS 750m

Changes: MIN, APL, OBST


02-NOV-2017
PHC-DNPO

Nigeria Port Harcourt

IAC

7-50


VOR DME 03



Changes: MIN, APL, OBST



7-60

VOR 03




7-70

VOR DME 21



1	2	3	3.8			3.00° D POT
630	950	1270	1500			



21	VOR DME	VOR DME APL U/S				Circling
C	ft - m/km ft	520 - 2.0V 610	520 - 2.8V 610			620 - 2.4V 710
D	ft - m/km ft	520 - 2.8V 610	520 - 3.6V 610			700 - 3.6V 800



02-NOV-2017
PHC-DNPO

Nigeria Port Harcourt


IAC

7-80

VOR 21



1	2	3	4.1			3.00° D POT
630	950	1270	1600			



21		VOR	VOR APL U/S			Circling
C	ft - m/km ft	520 - 2.0V 610	520 - 2.8V 610			870 - 2.4V 960
D	ft - m/km ft	520 - 2.8V 610	520 - 3.6V 610			970 - 3.6V 1060

Changes: MIN, APL, OBST