

GENERAL**Operational Hours****ATS Hours:** Winter 0950-1300, 2100-2359; Summer 0850-1200, 2000-2300**AD ADMIN Hours:** Winter 1100-2359, Summer 1000-2300

Other times O/R 24HR before

Airport Information**RFF:** CAT 4**Fuel:** Not AVBL**PCN:** Not AVBL**Customs:** Not AVBL**DEPARTURE****Take-off Minima**

RWY		05/23	
All ACFT	ft - m/km	c900 - 1600V	-
RWY		18/36	
All ACFT	ft - m/km	c900 - 1600V	HJ only

GER-MUNG

NIL


Tempo AFC

AFC

AFC


NIL

Tempo AFC



APP	120.300	
TWR	118.300	0950-1300± / 2100-2359±
Boyerros RDO	126.900	

Landing RWY system:



Changes: new

Effective 21-JUN-2018

14-JUN-2018

GER-MUNG

Cuba Nueva Gerona Rafael Cabrera

2-10


AGC
AFC

AFC

AFC

Rafael Cabrera Nueva Gerona Cuba

AGC
AFC



APP 120.300
TWR 118.300 0950-1300 / 2100-2359
Boyeroy RDO 126.900

Landing RWY system:

05 420 2500 x 45 83.0° 60 L
LS THR 79 (3HPa) / TDZ --- (---%) -0.2%

23 45 x 2500 60 L
+0.2% TDZ --- (---%) / THR 62 (2HPa)

18 1623 x 30
THR 69 (3HPa) / TDZ --- (---%) -0.3%

36 30 x 1623
+0.3% TDZ --- (---%) / THR 52 (2HPa)

Effective 21-JUN-2018

14-JUN-2018

GER-MUNG

Cuba Nueva Gerona Rafael Cabrera

3-20


AGC

AGC

AGC

AGC

Rafael Cabrera Nueva Gerona Cuba



26-APR-2018


Cuba Nueva Gerona Rafael Cabrera

IAC


GER-MUNG

7-10

RNP 05



3.00°	6.5	5	4	3	2	1	05	83.0°	60 L
RW05	2200	1730	1410	1090	770	450	L-S	2500 x 45	-0.2%



05	RNP VNAV 1)	RNP LNAV			Circling 2)
C	ft - m/km ft	270 - 1.2V 340 3)	780 - 4.2V 850		1470 - 4.8V 1540
D	ft - m/km ft	310 - 1.5V 380 4)	780 - 4.2V 850		1470 - 4.8V 1540

1) Uncompensated BARO VNAV NA below 15°C (59°F)

3) With EVS VIS 800m

2) To RWY 18/36 HJ only

4) With EVS VIS 1.0km

Changes: new

26-APR-2018


Cuba Nueva Gerona Rafael Cabrera

IAC

GER-MUNG

7-20

RNP 23



60 L 45 x 2500

+0.2% TDZ --- (---%) / THR 62 (2hPa)


23

2	3	4	5	8	9.1	3.00° RW23
750	1070	1390	1710	2660	3000	

233°
at MNM 2000 LT
direct ELODU (MAX 230KT)
climb 3000

Loss of RNAV:
233° - climb 2500

GS	120	140	160
6.6 RW23	640	740	850
-MAPt	3:17	2:49	2:28



23		RNP VNAV 1) 2)	RNP LNAV	Circling 3)	
C	ft - m/km ft	320 - 1.6V 380	550 - 2.9V 610		1470 - 4.8V 1540
D	ft - m/km ft	330 - 1.6V 390	550 - 2.9V 610		1470 - 4.8V 1540

1) Uncompensated BARO VNAV NA below 15°C (59°F)

3) To RWY 18/36 HJ only


2) With EVS VIS 1.1km

Changes: new


GER-MUNG

7-28

Tempo NDB Z 05



3.00° RW05	6.4	6	5	4	3	<div> <div>05</div> <div>L-S</div> </div>	<div> <div>3.0°</div> <div>2500 x 45</div> <div>60 L</div> </div>
	2200	2040	1730	1410	1090		<div> <div>420</div> <div>THR 79 (3hPa) / TDZ --- (---%)</div> <div>-0.2%</div> </div>




05		NDB					Circling 1)
C	ft - m/km ft	810 - 4.4V 880					1450 - 4.8V 1520
D	ft - m/km ft	810 - 4.4V 880					1450 - 4.8V 1520

1) To RWY 18/36 HJ only


GER-MUNG

7-30

NDB 05



3.00° RW05		6.5	6	5	4	3	<div> <div>05</div> <div>L-S</div> </div>	
		2200	2040	1730	1410	1090		



05		NDB					Circling 1)
C	ft - m/km ft	820 - 4.4V 890					1450 - 4.8V 1520
D	ft - m/km ft	820 - 4.4V 890					1450 - 4.8V 1520

1) To RWY 18/36 HJ only