

06-APR-2017

SPN-PGSN

1-10

A01

A01

GENERAL**Operational Hours****ATS Hours / AD OPS Hours:** H24**Airport Information****RFF:** FAA Index D / CAT 8**Fuel:** JET A1+**PCN:** RWY 07/25: 67/F/A/X/T**Customs:** AVBL for SKED-FLTs. O/T PN.**Operation****Traffic Note**

PPR for Non-SKED ACFT with more than 30 PAX seats.

RWY Restriction

RWY 06/24: Not AVBL for TKOF/LDG, taxiing only.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR Pacific Islands.**Arrival Procedure****VFR Traffic Pattern:** RWY 07 right-hand circuit.**Warnings**

RWY 07: VASI unusable beyond 2.5NM and 5° left and right of CL due to intensity.

RWY 25: VASI unusable beyond 2.5NM due to intensity.

DEPARTURE**Take-off Minima**

RWY		06/24, 07/25	
1+2 ENG	ft - ft/SM	0 - 1.0V	-
3+4 ENG		0 - 0.5V	-

Speed

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR Pacific Islands.

Effective 01-FEB-2018

25-JAN-2018

SPN-PGSN

Northern Mariana Islands Saipan Island Francisco C Ada/Saipan Intl

AGC

AFC

AFC


AFC

Francisco C Ada/Saipan Intl Saipan Island Northern Mariana Islands

AGC

AFC

2-10



Changes: Nil

Effective 01-FEB-2018

25-JAN-2018

SPN-PGSN

Northern Mariana Islands Saipan Island Francisco C Ada/Saipan Intl

AGC


AGC

AGC

Francisco C Ada/Saipan Intl Saipan Island Northern Mariana Islands

AGC

3-20




Changes: HLDG POS


SPN-PGSN

7-10

ILS or LOC 07



LOC 3.01° D IGSN	7.3	7	6	5	4	3	<div><div>07</div><div><div><div>▶▶ ▶</div><div>2652 G 61</div><div>60 HL</div></div></div></div>
	2100	2000	1680	1360	1040	720	




07		Cat 1 DME	LOC DME				Circling ¹⁾ New TERPS
C	ft - ft/SM ft	200 - 0.5V 420	270 - 0.5V 480				600 - 1.5V 820
D	ft - ft/SM ft	200 - 0.5V 420	270 - 0.5V 480				700 - 2.25V 920

1) S of RWY 06/24 only


SPN-PGSN

7-30

RNAV (GPS) 07



3.00° RW07	5.8	5	4	3	2	1	<div><div>07</div><div><div>▶▶ ▶</div><div>2652 G 61</div><div>60 HL</div></div></div>
	2100	1860	1540	1220	910	590	



07		RNAV GPS LNAV				Circling 1) New TERPS
C	ft - ft/SM ft	310 - 0.5V 520				600 - 1.5V 820
D	ft - ft/SM ft	310 - 0.5V 520				700 - 2.25V 920

1) S of RWY 06/24 only


23-FEB-2017

SPN-PGSN


7-40

RNAV (GPS) 25

IAC



60 HL	2	3	4	5	5.1	3.00°
61 G 2652						RW25
0.0%	910	1230	1550	1870	1900	
TDZ 210 (---%) / THR 210 (8hPa)						




25	RNAV GPS	TERPS
	LNAV	
C	ft - ft/SM ft 390 - 1.13V 600	600 - 1.5V 820
D	ft - ft/SM ft 390 - 1.13V 600	700 - 2.25V 920

1) S of RWY 06/24 only


SPN-PGSN

7-50

NDB Z 07



2.86°				5	4	<div> <div>07</div> <div> <div>▶ ▶ -----▶ 2652 G 61</div> <div>60 HL</div> </div> </div>
D IGSN				1300	1010	



07		NDB DME I-GSN					Circling ¹⁾ N_{GW} TERPS
C	ft - ft/SM ft	550 - 1.13V 760					600 - 1.75V 820
D	ft - ft/SM ft	550 - 1.13V 760					700 - 2.25V 920

1) S of RWY 06/24 only


Changes: Completely revised

AMDT 4


SPN-PGSN

7-60

NDB Y 07



3.00°			7	6	5	4	<div> <div>07</div> <div> <div>▶ ▶ ····· 2652 G 61</div> <div>60 HL</div> </div> </div>
D IGSN 081°			2000	1690	1370	1050	
RWY 066°							<div>ML-P1R</div> <div>THR 210 (8hPa) / TDZ 215 (---%)</div> <div>0.0%</div>






07		NDB					Circling ¹⁾ TERPS
C	ft - ft/SM ft	690 - 1.5V 900					690 - 2.0V 900
D	ft - ft/SM ft	690 - 1.5V 900					700 - 2.25V 920

1) S of RWY 06/24 only

SPN-PGSN

7-70

NDB 25



25		NDB DME I-GSN					Circling 1) TERPS
C	ft - ft/SM ft	510 - 1.5V 720					600 - 1.5V 820
D	ft - ft/SM ft	510 - 1.5V 720					700 - 2.25V 920

1) S of RWY 06/24 only