

## GENERAL

## Operational Hours

ATS Hours: H24

AD ADMIN Hours: MON-FRI 1030-1630

## Airport Information

RFF: CAT 7

PCN: RWY 03/21: 74/F/B/W/T

Customs: O/R 2HRS PN.


## Warnings

Birds in vicinity of AD.

## DEPARTURE


## Take-off Minima

RWY		03/21	
All ACFT	ft - m/km	0 - 550V	For conditions check CRAR Argentina




ATIS	127.850	
CTL	119.400	120.400
APP	118.700	118.100
TWR	118.700	118.100
GND	121.950	

Landing RWY system:



Changes: TWY A, HLDG POS, ABN



Effective 13-OCT-2016

06-OCT-2016

RES-SARE

Argentina Resistencia

NIL

4-10

RNAV (RNP) SIDs RWY 21


SID

SID

Resistencia Argentina

NIL

RNAV (RNP) SIDs RWY 21



Changes: PROC renamed, OBST, DIST, Note

06-OCT-2016

**RES-SARE**

5-10

**RNAV (RNP) SIDs RWY 21****SIDPT****BURSA 1G / BURSA 1H / ESMOS 1G / LUTSO 1G / OPKAN 1G / OPKAN 1H / VUMDA 1G**  
**RWY 21 (213°)**

DESIGNATOR	ROUTING	ALTITUDES
	<b>Runway 21</b>	
<b>BURSA 1G</b> <b>118.700</b>	at MNM <b>1200</b> direct BURSA	
<b>BURSA 1H</b> <b>118.700</b>	at MNM <b>1200 LT</b> direct RE801 - BURSA	
<b>ESMOS 1G</b> <b>118.700</b>	at MNM <b>1200 RT</b> direct RE823 - ESMOS	
<b>LUTSO 1G</b> <b>118.700</b>	at MNM <b>1200 LT</b> direct LUTSO	
<b>OPKAN 1G</b> <b>118.700</b>	at MNM <b>1200 RT</b> direct RE823 - OPKAN	
<b>OPKAN 1H</b> <b>118.700</b>	at MNM <b>1200</b> direct OPKAN	
<b>VUMDA 1G</b> <b>118.700</b>	at MNM <b>1200 RT</b> direct RE547 - VUMDA	

Effective 13-OCT-2016

06-OCT-2016

RES-SARE

6-10

RNAV (RNP) STARs RWY 03

NIL


STAR

STAR

Resistencia Argentina

NIL

RNAV (RNP) STARs RWY 03



Changes: PROC renamed, WPT , Note, DIST, OBST

Changes: MIN


ILS Y 21


# IAC

IAC

ILS Y 21

**ILS Z 21**









7-30

RNP 03




3.00° RW03	6.4	5	4	3	2	03	3.0° 2770 x 45	60 L
	2250	1820	1500	1180	860		171 / 6hPa	TDZ ---% 0.0%



03		RNP VNAV 1) 2) 3)	RNP LNAV			Circling
C	ft - m/km ft	340 - 1.7V 510	410 - 2.5V 580			Not authorized
D	ft - m/km ft	340 - 1.7V 510	410 - 2.5V 580			Not authorized

1) Uncompensated BARO VNAV NA below -10°C (14°F) or above 48°C (118°F) 2) SBAS-VNAV not authorized 3) With EVS VIS 1.1km



3.00°  
D SIS  
029°  
RWY 033°

7.3 7 6 5 4 3

2250 2170 1850 1530 1210 890

03

2270 x 45

171 / 6hPa TDZ ---% 0.0%

D8.5 SIS D7.3 D2.1 SIS

HDG 028°  
at 1000 LT  
intercept R340 SIS  
to PUGM  
climb 3000


GS	120	140	160
D7.3 SIS	640	740	850
-MAPt	2:36	2:14	1:57

2250 IF F 029° 2250 MDA 6.4 5 1.2 0

DIST to THR

03		VOR DME					Circling 1)
C	ft - m/km ft	430 - 2.6V 600					610 - 3.7V 780
D	ft - m/km ft	430 - 2.6V 600					970 - 4.6V 1140

1) W of RWY 03/21 only



60 L ..... **45 x 2770** ..... **21** ..... **2** **3** **4** **5** **6** **7** **3.00° D SIS** **216°** **RWY 213°**

0.0% TDZ ---% **174 / 6hPa** L-P1

**SIS** **D1.5** **D7** **D8.5 SIS**

**HDG 216°**  
**at 1000 RT**  
**intercept R253 SIS**  
**to ETIMI**  
**climb 3000**

GS	120	140	160
D7 SIS	640	740	850
-MAPT	2:45	2:21	2:04

0 0.9 5 6.4 DIST TO THR

**21** **VOR DME** **VOR DME** **Circling**


C	ft - m/km ft	410 - 1.7V <b>580</b>	410 - 2.5V <b>580</b>			610 - 3.7V <b>780</b>
D	ft - m/km ft	410 - 1.7V <b>580</b>	410 - 2.5V <b>580</b>			970 - 4.6V <b>1140</b>

1) W of RWY 03/21 only


## RES-SARE

7-70

VOR 03



3.14°		7	6	5	4	3		3.0°	60 L
D SIS								2770 x 45	
028°									
RWY 033°									



03	VOR						Circling 1)
C	ft - m/km ft	460 - 3.0V 630					610 - 3.7V 780
D	ft - m/km ft	460 - 3.0V 630					970 - 4.6V 1140




1) W of RWY 03/21 only

Changes: PROC renamed, MISAP text

## RES-SARE

7-80

VOR 21



21	VOR	VOR APL U/S				Circling 1)
C	ft - m/km ft	460 - 2.0V 630	460 - 2.8V 630			610 - 3.7V 780
D	ft - m/km ft	460 - 2.0V 630	460 - 2.8V 630			970 - 4.6V 1140

1) W of RWY 03/21 only

Changes: PROC renamed, MISAP

## RES-SARE

7-90

NDB 21

