

GENERAL**Operational Hours****ATS Hours:** Uncontrolled AD**AD OPS Hours:** Not published**Airport Information****RFF:** Not published**Fuel:** 2200-0800 1HR PN.**PCN:** RWY 04/22: 10/F/A/1000 (145PSI)/T**Customs:** Not published**Operation****Transponder Operation**

For details on Transponder Mode S Operation see CRAR Australia.

RWY Restriction

RWY 04/22 LDG must use full length of RWY. 180° turns at RWY end only.

Warnings

Birds in vicinity of AD between AUG and NOV.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR Australia.**Arrival Procedure****Noise Abatement Procedure:** See CRAR Australia.**DEPARTURE****Take-off Minima**

RWY		04/22	
Multi ENG	ft - m/km	0 - 550v	REDL+RCLM, HJ only
		0 - 800v	-
other		c300 - 2.0v	-

Speed

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR Australia.**Departure Procedure****Noise Abatement Procedure:** See CRAR Australia.

08-FEB-2018

HCQ-YHLC

Australia Halls Creek

AGC
AFC


AFC

AFC

Halls Creek Australia


AGC
AFC


2-10



Brisbane Center 118.200 On ground
CTAF 126.700 ARCAL PAL

Landing RWY system:






HCQ-YHLC


7-10

RNAV (GNSS) 04



3.00° RW04		6.3	6	4	3	2	04	1475 x 30	60 L
		3400	3300	2670	2350	2030			

THR 1340 (48hPa) / TDZ --- (---%) -0.2%




04		RNAV GNSS LNAV ¹⁾					Circling ¹⁾
C	ft - m/km ft	600 - 3.4V 1940					1110 - 4.0V 2450
D	ft - m/km ft	Not applicable					Not applicable

1) Minima may be reduced by 100ft with actual QNH


HCQ-YHLC

7-20

RNAV (GNSS) 22



60 L	2	3	4	6	6.3	3.00°
30 x 1475	2020	2340	2660	3290	3400	RW22
+0.2% TDZ --- (---%) / THR 1329 (48hPa)						




22	RNAV GNSS					Circling
	LNAV 1)					1)
C	ft - m/km ft	660 - 3.7V 1980				1110 - 4.0V 2450
D	ft - m/km ft	Not applicable				Not applicable

1) Minima may be reduced by 100ft with actual QNH

HCQ-YHLC

7-30

NDB 04




04		NDB						Circling
		1)						1)
C	ft - m/km ft	880 - 5.0V 2220						1110 - 5.0V 2450
D	ft - m/km ft	Not applicable						Not applicable

1) Minima may be reduced by 100ft with actual QNH

7-40

NDB 22



60 L

30 x 1475

22

4

5

5.4


3.00°

RW22

216°

RWY 221°

+0.2% TDZ --- (---%) / THR 1329 (48hPa)



22	NDB					Circling
	1)					1)
C	ft - m/km ft	1030 - 5.0V 2350				1110 - 5.0V 2450
D	ft - m/km ft	Not applicable				Not applicable

1) Minima may be reduced by 100ft with actual QNH