

**GENERAL****ATS Hours**

H24

**Airport Information**

**PCN:** RWY 11/29: 10/F/A/750(109PSI)/T  
**Fuel:** 0730-1800, 24HR PN.

**Operation****Transponder Operation**

For details on Transponder Mode S Operation see CRAR Australia.

**Warnings**

Birds in vicinity of AD, particularly between August and February.

**ARRIVAL****Communication****COM Failure:** See CRAR Australia.**Arrival Procedure****Noise Abatement Procedure:** See CRAR Australia.**DEPARTURE****Take-off Minima**

RWY		11/29	
Multi-ENG	ft - m/km	0 - 800V	-
other		c300 - 2.0V	-

**Communication****COM Failure:** See CRAR Australia.**Departure Procedure****Noise Abatement Procedure:** See CRAR Australia.

Effective 01-MAR-2018

22-FEB-2018

CED-YCDU

2-10

Australia Ceduna

AGC

AFC


AFC

AFC

Ceduna Australia


AGC

AFC



Melbourne Center 123.500 On ground  
CTAF 126.700  
ARCAL 122.400 ARCAL PAL

Landing RWY system:



Changes: MSA, APL, AWY

Effective 01-MAR-2018

22-FEB-2018

CED-YCDU

Australia Ceduna

AGC


AGC

AGC


Ceduna Australia

AGC

3-20



Changes: Nil





© Lido 2018

## CED-YCDU

7-20


## RNAV (GNSS) 29




# CED-YCDU

7-30

## NDB 11



3.00°			4.1	4	3	2	<div>11</div>	1740 x 30	86 L
<b>RW11</b> <b>092°</b> RWY 105°			1400	1380	1070	750		THR 57 (2hPa) / TDZ --- (---%)	+0.3%



<b>11</b>		<b>NDB</b> 1)				<b>Circling</b> 1)
C	ft - m/km ft	610 - 3.4V <b>660</b>				870 - 4.0V <b>940</b>
D	ft - m/km ft	Not applicable				Not applicable

1) Minima may be reduced by 100ft with actual QNH