

GENERAL**Operational Hours****ATS Hours:** TWR 1130-0230‡, use CTAF outside TWR hours.**AD OPS Hours:** Attended 1300-0300‡**Airport Information****RFF:** FAA Index A / CAT 5, see AD HR. If TKOF/LDG 15min before/after scheduled DEP/ARR time confirm RFF availability prior TKOF/LDG.**Fuel:** JET A**PCN:** RWY 04/22: 54/R/B/W/T
RWY 14/32: 21/R/B/W/T**Operation****Traffic Notes**

When TWR closed RWY LGTs 04/22 preset on low intensity. Other LGTs turned off. Activation by CTAF. PPR for unscheduled air carrier OPS with more than 9 PAX seats.

PPR and ARFF confirmation required for air carrier OPS with more than 9 PAX in excess of 15min before or after scheduled ARR/DEP times.

Warnings

0500-1000‡ AD condition unmonitored.

Birds and deer in vicinity of AD.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR United States.

DEPARTURE**| Take-off Minima**

RWY		04/22	
1+2 ENG	ft - ft/SM	0 - 1.0V	-
3+4 ENG		0 - 0.5V	-
RWY		32	
1+2 ENG	ft - ft/SM	0 - 1.0V	MNM climb gradient 4.5% up to 1200
3+4 ENG		0 - 0.5V	
RWY		14	
1+2 ENG	ft - ft/SM	0 - 1.0V	MNM climb gradient 4.9% up to 1500
3+4 ENG		0 - 0.5V	

Speed

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR United States.

EAU-KEAU

2-10

AGC
AFC

AFC

AFC



Chippewa Valley Rgnl **Eau Claire** United States



Landing RWY system:

04

60 ML

46 G 2225 3.0°

732

THR 886 (32Hpa) / TDZ 889 (---%) +0.3%

22

60 ML

46 G 2225 3.0°

732

TDZ 913 (---%) / THR 913 (33Hpa) ML-P1R

14

60 ML

46 G 2225 3.0°

732

883 / 32Hpa TDZ ---% +0.1%


32

60 ML

46 G 2225 3.0°

732

TDZ ---% 888 / 32Hpa



Obstacle Departure	
RWY	Routing
14	HDG 138° to MNM 2000 before proceeding on course.
22	HDG 224° to MNM 1700 before proceeding on course.
32	HDG 304° to MNM 1700 before proceeding on course.
RWY	Notes
04	Terrain 25ft from DER, 98ft left of centerline, 0ft AGL/942ft MSL.
14	<p>Pole, fence beginning 57ft from DER, 302ft right of centerline, up to 25ft AGL/910ft MSL. Tree, pole beginning 146ft from DER, 359ft right of centerline, up to 925ft MSL. Trees beginning 817ft from DER, 449ft right of centerline, up to 949ft MSL. Pole 897ft from DER, 619ft left of centerline, 34ft AGL/935ft MSL. Tree, pole beginning 927ft from DER, 339ft right of centerline, up to 954ft MSL. Tree 998ft from DER, 593ft left of centerline, 944ft MSL. Trees beginning 1041ft from DER, 27ft left of centerline, up to 951ft MSL. Trees beginning 1205ft from DER, 5ft right of centerline, up to 955ft MSL. Tree, stack beginning 1465ft from DER, 50ft left of centerline, up to 959ft MSL. Tree 2487ft from DER, 545ft right of centerline, 962ft MSL. Trees beginning 4159ft from DER, 971ft right of centerline, up to 997ft MSL. Tree 1NM from DER, 1489ft left of centerline, 1057ft MSL. Tree 1NM from DER, 511ft left of centerline, 1060ft MSL. Tree 1NM from DER, 1116ft of centerline, 1063ft MSL. Trees beginning 1NM from DER, 826ft left of centerline, up to 1076ft MSL. Trees beginning 1NM from DER, 616ft left of centerline, up to 1080ft MSL. Trees beginning 1NM from DER, 360ft left of centerline, up to 1083ft MSL. Trees beginning 1.1NM from DER, 1114ft left of centerline, up to 1097ft MSL. Trees beginning 1.1NM from DER, 755ft left of centerline, up to 1110ft MSL. Trees beginning 1.1NM from DER, 612ft left of centerline, up to 1116ft MSL. Trees beginning 1.1NM from DER, 354ft left of centerline, up to 1117ft MSL. Trees beginning 1.1NM from DER, 924ft left of centerline, up to 1122ft MSL. Trees beginning 1.1NM from DER, 214ft left of centerline, up to 1140ft MSL. Tree 1.1NM from DER, 625ft left of centerline, 1148ft MSL. Trees beginning 1.1NM from DER, 128ft left of centerline, up to 1150ft MSL. Trees beginning 1.1NM from DER, 157ft left of centerline, up to 1154ft MSL. Trees beginning 1.1NM from DER, 364ft left of centerline, up to 1158ft MSL. Trees beginning 1.1NM from DER, 20ft right of centerline, up to 1090ft MSL. Trees beginning 1.1NM from DER, 159ft right of centerline, up to 1095ft MSL. Tree, pole beginning 1.1NM from DER, 47ft right of centerline, up to 1112ft MSL. Trees beginning 1.1NM from DER, 25ft left of centerline, up to 1164ft MSL. Trees beginning 1.2NM from DER, 203ft right of centerline, up to 1113ft MSL. Transmission line beginning 1.2NM from DER, 547ft right of centerline, up to 64ft AGL/1114ft MSL. Tree, transmission line, pole beginning 1.2NM from DER, 79ft right of centerline, up to 1119ft MSL. Tree, transmission line beginning 1.2NM from DER, 47ft left of centerline, up to 1169ft MSL.</p>


Obstacle Departure	
RWY	Notes
14	Trees beginning 1.3NM from DER, 1603ft right of centerline, up to 1120ft MSL. Towers beginning 2.2NM from DER, 4ft left of centerline, up to 455ft AGL/1349ft MSL.
22	Vehicle on road and obstruction light on pole beginning 116ft from DER, 426ft right of centerline, up to 17ft AGL/892ft MSL. Trees 639ft from DER, 509ft left of centerline, 30ft AGL/909ft MSL.
32	<p>Traverse-way 10ft from DER, 443ft left of centerline, 893ft MSL. Traverse-way 116ft from DER, 438ft left of centerline, 15ft AGL/895ft MSL. Tree, traverse-way beginning 184ft from DER, 416ft left of centerline, up to 928ft MSL. Trees beginning 482ft from DER, 391ft left of centerline, up to 931ft MSL. Trees beginning 561ft from DER, 565ft right of centerline, up to 927ft MSL. Trees beginning 903ft from DER, 371ft right of centerline, up to 939ft MSL. Tree 1054ft from DER, 702ft right of centerline, 942ft MSL. Tree, building beginning 1059ft from DER, 388ft right of centerline, up to 943ft MSL. Trees beginning 1299ft from DER, 520ft right of centerline, up to 948ft MSL. Tree 4343ft from DER, 967ft left of centerline, 994ft MSL. Tree 4367ft from DER, 1423ft left of centerline, 1001ft MSL. Tree 4385ft from DER, 1581ft left of centerline, 1008ft MSL. Trees beginning 4448ft from DER, 1167ft left of centerline, up to 1017ft MSL. Tree 4470ft from DER, 1412ft left of centerline, 1023ft MSL. Trees beginning 4554ft from DER, 1209ft left of centerline, up to 1025ft MSL. Tree 4563ft from DER, 1355ft left of centerline, 1029ft MSL. Trees beginning 4572ft from DER, 1230ft left of centerline, up to 1037ft MSL. Tree 4674ft from DER, 1602ft left of centerline, 1040ft MSL. Trees beginning 4685ft from DER, 1132ft left of centerline, up to 1048ft MSL. Trees beginning 4809ft from DER, 1089ft left of centerline, up to 1059ft MSL. Trees beginning 4917ft from DER, 1038ft left of centerline, up to 81ft AGL/1067ft MSL. Trees beginning 5004ft from DER, 756ft left of centerline, up to 78ft AGL/1070ft MSL. Trees beginning 5051ft from DER, 442ft left of centerline, up to 73ft AGL/1073ft MSL. Tree, transmission line beginning 5370ft from DER, 95 ft left of centerline, up to 1077ft MSL. Tree 1.1NM from DER, 1985ft left of centerline, 85ft AGL/1078ft MSL. Tree 1.1NM from DER, 2361ft left of centerline, 1070ft MSL.</p>

22-FEB-2018

EAU-KEAU

7-10

ILS or LOC 22



Changes: Completely revised


AMDT 9

22-FEB-2018


EAU-KEAU

7-20

LOC Back CRS 04



3.00° D IEAU	6.1	6	5	4	3	2	04	83.0°	122 2347 G 46	60 HL
	2900	2880	2570	2250	1930	1610				
THR 886 (32hPa) / TDZ 889 (---%) +0.3%										



04	LOC BC DME	LOC BC DME			Circling 2)	Circling 1) 2)
TERPS	TERPS	TERPS			TERPS	TERPS
C	ft - ft/SM ft	500 - 1.38V 1380	620 - 1.75V 1500		750 - 2.25V 1660	870 - 2.75V 1780
D	ft - ft/SM ft	500 - 1.38V 1380	620 - 1.75V 1500		1290 - 3.0V 2200	1410 - 3.0V 2320


1) Use with Rice Lake (KRPD) QNH
2) To RWY 32 HJ only

22-FEB-2018

EAU-KEAU

7-30

RNAV (GPS) 04



Changes: Nil



AMDT 1

22-FEB-2018

EAU-KEAU

7-40

RNAV (GPS) 22



Changes: Completely revised

AMDT 1

VOR A



EAU-KEAU

7-70

WxMinima Overflow

TERPS 04		RNAV GPS LNAV	RNAV GPS LNAV RPD QNH ¹⁾			
	C	ft - ft/SM ft	480 - 1.38V 1360	600 - 1.75V 1480		
	D	ft - ft/SM ft	480 - 1.38V 1360	600 - 1.75V 1480		
1) Use with Rice Lake (KRPD) QNH						
TERPS 22		LOC RPD QNH ¹⁾				
	C	ft - ft/SM ft	430 - 0.88V 1340			
	D	ft - ft/SM ft	430 - 0.88V 1340			
1) Use with Rice Lake (KRPD) QNH						
TERPS 22		RNAV GPS VNAV RPD QNH ^{1) 2)}	RNAV GPS LNAV	RNAV GPS LNAV RPD QNH ¹⁾		
	C	ft - ft/SM ft	380 - 0.75V 1290	350 - 0.63V 1260	470 - 1.0V 1380	
	D	ft - ft/SM ft	380 - 0.75V 1290	350 - 0.63V 1260	470 - 1.0V 1380	
1) Use with Rice Lake (KRPD) QNH						
2) BARO VNAV NA						