

**GENERAL****Operational Hours****ATS Hours:** Uncontrolled AD, CTAF**AD OPS Hours:** PPR**Airport Information****RFF:** Not published**PCN:** RWY 08/26: 38/F/A/1250 (181PSI)/T**Customs:** Not published**Operation****Transponder Operation**

For details on Transponder Mode S Operation see CRAR Australia.

**RWY Restriction**

180° turns at RWY ends only for ACFT with 5.7t / 12500lbs and above.

**Taxi**

ACFT must be at taxiing speed when turning into/out of TWY/RWY.

**Warnings**

Mine blasting located 3.5NM NE of AD (S22 56.0 E118 51.8) and in a line 10NM to E. Regular blasting time at 0630 and 0830 daily, contact AD for additional time.

High terrain around of AD.

**ARRIVAL****Speed**

MAX IAS 250KT below 10000ft.

**Communication****COM Failure:** See CRAR Australia.**Arrival Procedure****Noise Abatement Procedure:** See CRAR Australia.**VFR Traffic Pattern:** RWY 26 right-hand circuit.**DEPARTURE****Take-off Minima**

RWY		08/26	
Multi-ENG	ft - m/km	0 - 550V	REDL+RCLM, HJ only
		0 - 800V	-
other		c300 - 2.0V	-

**DEPARTURE**

**Speed**

MAX IAS 250KT below 10000ft.

**Communication**

**COM Failure:** See CRAR Australia.

**Departure Procedure**

**Noise Abatement Procedure:** See CRAR Australia.

**12-OCT-2017**  
**N/A-YCWA**

## Australia Coondewanna


**AGC**  
**AFC**

# AFC

# AFC


## Coondewanna Australia

**AGC**  
**AFC**



AWIS	122.325	
Melbourne Center	128.150	Circuit Area
CTAF	127.050	ARCAL (At YDF. Not heard on YCWA ground)
UNICOM	129.750	
ARCAL	120.000	ARCAL PAL

**Landing RWY system:**



Changes: FREQ

12-OCT-2017  
N/A-YCWA

Australia Coondewanna  
AGC

AGC


AGC

Coondewanna Australia  
AGC


3-20

AWIS	122.325	
CTAF	127.050	ARCAL (At YFDF. Not heard on YCWA ground)
UNICOM	129.750	
ARCAL	120.000	ARCAL PAL

RWY	TORA	ASDA	TODA
08	1950	1950	2080
26	1930	1930	2080



## RNAV (GNSS) 08



© Lido 2017

## RNAV (GNSS) 26



Changes: FREQ