

**GENERAL**

**ATS Hours**

0600-1800

**Airport Information**

**RFF:** CAT 5  
**Fuel:** O/R  
**PCN:** RWY 06/24: 52/F/A/W/T

**DEPARTURE**

**Take-off Minima**


RWY		06/24	
Multi ENG	ft - m/km	0 - 500V	REDL+RCLM

**TMX-DAUT**

## AFC

## AFC

**NIL**  
**AFC**



**TWR**      118.300 0600-1800      119.700 0600-1800

**Landing RWY system:**

Diagram illustrating the Landing RWY system with two parallel runways, 06 and 24, and associated taxiway (TDZ) and runway (L-S) markings.

**Runway 06:**

- Length: 3000 x 45
- Width: 30 L
- TDZ: ---%
- L-S: 1024 / 37hPa

**Runway 24:**

- Length: 45 x 3000
- Width: 30 L
- TDZ: ---%
- L-S: 1020 / 37hPa

Scale: 420

Effective 13-JAN-2011

06-JAN-2011

TMX-DAUT

Algeria Timimoun

NIL  
AGC

AGC

AGC

Timimoun Algeria

NIL  
AGC

3-20

E000°16'

E000°17'

TWR 118.300 0600-1800 119.700 0600-1800

N29°14.5'

N29°14'

RWY	TORA	ASDA
06	3000	3100
24	3000	3100

3000 x 45

TERMINAL  
1070  
APRON

ARP  
N 29 14.5  
E 000 17.0

24  
237  
1020

06  
057  
1024

VAR 1° W  
MAG UP  
AD ELEV 1027

m 0 500 1000  
ft 0 1000 2000 3000


Changes: FREQ

29-JAN-2015


TMX-DAUT

7-10

VOR DME 06



3.05°	6	5	4	3	2	1	06	3000 x 45	30 L
D TIO	3120	2800	2480	2150	1830	1510	L-S	1024 / 37hPa	TDZ ---% 0.0%



06	VOR DME					Circling <sup>1)</sup>
C	ft - m/km ft	300 - 1.6V 1320				690 - 3.2V 1720
D	ft - m/km ft	300 - 2.0V 1320				700 - 3.6V 1730

1) E of AD only

Changes: MIN

**VOR 06**

