

GENERAL

ATS Hours

NOV-FEB: 0100-1215, MAR, APR: 0030-1245, MAY-AUG: 0015-1300, SEP-OCT: 0030-1245

Airport Information

RFF: CAT 5

PCN: 0/R

Warnings

Birds in vicinity of AD.

DEPARTURE

Take-off Minima

RWY		08/26	
A, B, C	ft - m/km	0 - 400V	-
		0 - 1.6V	when SIDs are used
D		Not applicable	-

08-JUN-2017
KEP-VNNG

2-10

Nepal Nepalgunj


AGC
AFC

AFC

AFC

Nepalgunj Nepal

AGC
AFC



TWR 118.300 0100-1215 (Jan, Feb, Nov, Dec)
0030-1245 (Mar, Apr, Sep, Oct)
0015-1300 (May, Jun, Jul, Aug)

Landing RWY system:

08 1524 x 30 83.0° 60 ML
THR 515 (19hPa) / TDZ --- (---%) +0.1%

60 ML 30 x 1524 3.4° 420
-0.1% TDZ --- (---%) / THR 518 (19hPa) ML-S

26

Changes: LDA, SUAs

08-JUN-2017
KEP-VNNG


Nepal Nepalgunj
AGC

AGC

AGC

Nepalgunj Nepal
AGC

3-20



Changes: RWY length, TWY , APN, BLDG, Parking Stands

Effective 10-MAR-2011

03-MAR-2011

KEP-VNNG

4-20

Nepal Nepalgunj

NIL

SIDs SIKTA


SID

SID

Nepalgunj Nepal

NIL

SIDs SIKTA



Changes: New

KEP-VNNG

5-10

SIDs BABAI

BABAI 1A / BABAI 1B

RWYs 08 (081°) / 26 (261°)

	GS	120	150	180	210	240	270
5.0%	ft/MIN	700	800	1000	1100	1300	1400

DESIGNATOR	ROUTING	ALTITUDES
	Runway 08	
BABAI 1A 5.0% 118.300 ①②	at 1000 RT to NGJ - R340 NGJ to BABAI	NGJ MNM 2000 BABAI MNM 5000
	Runway 26	
BABAI 1B 5.0% 118.300 ①②	at 1000 LT to NGJ - R340 NGJ to BABAI	NGJ MNM 2000 BABAI MNM 5000

- ① MIN VIS 1600m required.
 ② DEP turn MAX 180KT

Changes: New

KEP-VNNG

5-20

SIDs SIKTA

SIKTA 1A / SIKTA 1B / SIKTA 1C

RWYs 08 (081°) / 26 (261°)

	GS	120	150	180	210	240	270
4.5%	ft/MIN	600	700	900	1000	1100	1300
5.3%	ft/MIN	700	900	1000	1200	1300	1500

DESIGNATOR	ROUTING	ALTITUDES
	Runway 08	
SIKTA 1A 5.3% 118.300 ①	RT - intercept R089 NGJ to SIKTA - join holding (MAX 170KT) - shuttle climb to MEA	SIKTA MNM 5000
	Runway 26	
SIKTA 1B 4.5% 118.300 ①	at 1000 LT - intercept R089 NGJ within D5 NGJ - SIKTA - join holding (MAX 170KT) - shuttle climb to MEA	SIKTA MNM 5000
SIKTA 1C 4.5% 118.300 ①	at 1000 RT intercept R089 NGJ within D5 NGJ - SIKTA - join holding (MAX 170KT) - shuttle climb to MEA	SIKTA MNM 5000

① MIN VIS 1600m required.

Effective 10-MAR-2011

03-MAR-2011

KEP-VNNG

6-10

Nepal Nepalgunj

NIL

ARRIVALS


STAR

STAR

Nepalgunj Nepal

NIL

ARRIVALS




Changes: New

VOR 08



Changes: ALT, RWY polygon, LDA

VOR Z 26



© Lido 2017

Changes: ALT, RWY polygon, LDA


08-JUN-2017
KEP-VNNG

Nepal Nepalgunj


IAC

7-30

VOR Y 26



60 ML	30 x 1524	420	26	3	4	5	8	10	12	3.71° D NGJ
-0.1%	TDZ --- (---%) / THR 518 (19hPa)	ML-S		1260	1650	2050	3230	4020	4800	



26	VOR DME GA 5.3%	VOR DME GA 5.3% APL U/S	Circling ¹⁾
C	ft - m/km ft 400 - 2.0V 910	400 - 2.4V 910	1100 - 3.7V 1610
D	ft - m/km ft Not published	Not published	Not published

1) HJ only

Changes: ALT, RWY polygon, LDA

© Lido 2017