

GENERAL**Operational Hours****ATS Hours:** Uncontrolled AD, CTAF.**AD OPS Hours:** Not published.**Airport Information****RFF:** Not published.**Fuel:** MON-FRI (except public HOL) 2300-0900, SAT 0000-0400. Other times AVBL O/R.**PCN:** RWY 14/32: 21/F/A/1250 (181 PSI)/T.**Customs:** Not published.**Operation****Transponder Operation:** For details on Transponder Mode S Operation see CRAR Australia.**RWY Restriction:** ACFT above 18t / 39683lbs must use turning nodes at all times.**TWY Restriction**

TWY B AVBL to ACFT with MAX weight 10t / 22046lbs.

TWY C AVBL to ACFT with MAX weight below 5.7t / 12500lbs and MAX wingspan 15m / 49ft.

Warnings

Weather balloon launch APRX 0515, 1115, 2315, 680m / 2230ft east-north-east from ARP. Launches may occur at other times.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR Australia.**Arrival Procedure****Noise Abatement Procedure:** See CRAR Australia.**DEPARTURE****Take-off Minima**

RWY		14/32	
Multi ENG	ft - m/km	0 - 550V	REDL+RCLM, HJ only
		0 - 800V	-
other		c300 - 2.0V	-

Speed

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR Australia.**Departure Procedure****Noise Abatement Procedure:** See CRAR Australia.

02-NOV-2017

ALH-YABA

Australia Albany

AGC

AFC

AFC

AFC

Albany Australia



AFC



AWIS	122.125
Melbourne Center	123.900 On ground
CTAF	127.850 ARCAL PAL

Landing RWY system:

14

8 3.0°

1800 x 30

60 L

THR 226 (8hPa) / TDZ --- (---%) -0.2%

60 L

30 x 1800

3.0°

+0.2% TDZ --- (---%) / THR 217 (8hPa)

Changes: Nil

Effective 09-NOV-2017

02-NOV-2017

ALH-YABA

Australia Albany

AGC


AGC

AGC

Albany Australia

AGC

3-20




Changes: Helipad, TWY C, APN, WDI

18-MAY-2017

ALH-YABA

7-10

RNAV (GNSS) Z 14



3.00° ABAWM 136° RWY 137°	8.7	7	6	4	3	1	14	83.0° 1800 x 30 60 L	THR 226 (8hPa) / TDZ --- (---%) -0.2%
10 ABAWM 8.7 ABAWI	5	2	ABAWM	RT (MAX 240KT) direct ABAWH 152° at 2000 or ABAWH, whichever is later, RT (MAX 240KT) 300° climb 3300					
ABAWM S34 55.9 E117 47.6	3300	2750	2430	1790	1480	840	2100	1150	1800
DIST to THR	10	5.8	5	2.8	0.8	0	5.8	5	2.8
14	RNAV GNSS LNAV 1)								Circling 1) 2)
C	ft - m/km ft	520 - 2.9V 740							940 - 4.0V 1170
D	ft - m/km ft	520 - 2.9V 740							1060 - 5.0V 1290

1) Minima may be reduced by 100ft with actual QNH

2) Clockwise RWY 32 to RWY 23 only


Changes: Page Number

18-MAY-2017

ALH-YABA

7-30

NDB Z 14



3.00°				5.1	5	4		83.0°	60 L												
D ABA								1800 x 30													
146°				1700	1660	1340	14														
RWY 137°								THR 226 (8hPa) / TDZ --- (---%)	-0.2%												
<div><div><div>D5.1 ABA</div><div><div><div>1700</div><div>3 MIN</div><div>338°</div><div>3300</div></div><div><div>1700</div><div>146°</div><div>MDA</div></div></div><div><div>146° climb 3300</div><div><table><tr><td>GS</td><td>120</td><td>140</td><td>160</td></tr><tr><td>D5.1 ABA</td><td>640</td><td>740</td><td>850</td></tr><tr><td>-MAPt</td><td>2:37</td><td>2:15</td><td>1:58</td></tr></table></div></div></div><div>DIST to THR<div>54.50</div></div></div>										GS	120	140	160	D5.1 ABA	640	740	850	-MAPt	2:37	2:15	1:58
GS	120	140	160																		
D5.1 ABA	640	740	850																		
-MAPt	2:37	2:15	1:58																		
14	NDB							Circling													
	1)							1) 2)													
C	ft - m/km ft	900 - 5.0V 1120						940 - 5.0V 1170													
D	ft - m/km ft	Not applicable						Not applicable													
1) Minima may be reduced by 100ft with actual QNH 2) Clockwise RWY 32 to RWY 23 only																					

Changes: Page Number

NDB Y 14

