

**GENERAL****Operational Hours**

**ATS Hours:** HS or O/R (submit request before 0800 previous day).

**AD ADMIN Hours / AD OPS Hours:** H24

**Airport Information**

**RFF:** CAT 6

**Fuel:** Nr. 3 Jet fuel

**PCN:** RWY 09/27: 70/R/B/W/T

**Operation****TWY Restrictions**

TWY 1 width 18m / 59ft.

**Engine Run-up Areas**

ENG run-ups are subject to TWR CLR.

**ARRIVAL****Arrival Procedure****VFR Traffic Pattern**

Traffic circuits shall be made to both sides of RWY at ALT 1000m - 1200m / 3281ft - 3937ft.

**DEPARTURE****Take-off Minima**

RWY		09/27	
2 Turbine or 3+4 ENG	ft - m/km	0 - 800v	-
Others 1+2 ENG		0 - 1.6v	-

**De-Icing**

HS or O/R.

Effective 19-JUL-2018

12-JUL-2018

HLD-ZBLA

2-10

China Hulunbeier Hailar

AGC

AFC


AFC

AFC

Hailar Hulunbeier China


AGC

AFC



D-ATIS 126.200  
Hailar TWR 118.500 HO  
124.350 HO  
GND 121.650 HO

Landing RWY system:



Changes: FREQ, OBST

Effective 19-JUL-2018

12-JUL-2018

HLD-ZBLA

China **Hulunbeier** Hailar

AGC

AGC

AGC


Hailar **Hulunbeier** China

AGC

3-20

D-ATIS 126.200  
Hailar TWR 118.500 HO  
124.350 HO  
GND 121.650 HO

RWY	TORA	ASDA	TODA
09	2800	2860	3900
27	2800	2860	3100



Changes: FREQ

Effective 08-JAN-2015

01-JAN-2015

HLD-ZBLA

4-10

China **Hulunbeier** Hailar

RNAV SIDs RWY 27

RNAV SIDs RWY 09


SID

SID

Hailar **Hulunbeier** China

RNAV SIDs RWY 27

RNAV SIDs RWY 09



Changes: new

Effective 08-JAN-2015

01-JAN-2015

HLD-ZBLA

4-20


RNAV SIDs RWY 27

SID

SID

Hailar Hulunbeier China

RNAV SIDs RWY 27



Effective 02-FEB-2017

26-JAN-2017

HLD-ZBLA

China **Hulunbeier** Hailar

SIDs RWY 27

SIDs RWY 09


SID

SID

Hailar **Hulunbeier** China

SIDs RWY 27

SIDs RWY 09



Changes: Completely revised

Effective 02-FEB-2017

26-JAN-2017

HLD-ZBLA

China **Hulunbeier** Hailar

Hailar **Hulunbeier** China


4-40

SIDs RWY 27

SID


SID

SIDs RWY 27




Changes: new









FL-Conversion (1013hPa)			
m	ft	m	ft
13100	43000	12500	41100
12200	40100	11900	39100
11600	38100	11300	37100
11000	36100	10700	35100
10400	34100	10100	33100
9800	32100	9500	31100
9200	30100	8900	29100
8400	27600	8100	26600
7800	25600	7500	24600
7200	23600	6900	22600
6600	21700	6300	20700
6000	19700	5700	18700
5400	17700	5100	16700
4800	15700	4500	14800
4200	13800	3900	12800
3600	11800	3300	10800

D-ATIS 126.200  
Hailar TWR 118.500  
124.350

Initial APCH MAX 189KT

HP HLD  
289°  
4930  
109°  
IAF  
HULUNBEIER / HAILAR  
D 115.1 HLD  
N49 12.2 E119 49.3

m	ft
2700	8860
2400	7880
1500	4930


TRL 118 (3600m STD)  
TA 10830 (3300m if QNH ≥ 1031hPa)  
TA 9850 (3000m)  
TA 8860 (2700m if QNH ≤ 979hPa)

Not to scale

## HLD-ZBLA

**7-10**


# ILS 27



## HLD-ZBLA

7-20


VOR DME 09



## HLD-ZBLA

7-30

## VOR DME 27



## HLD-ZBLA

7-40

NDB 27

