

11-MAR-2010

ASM-HHAS

1-10

AOI**AOI****GENERAL****ATS Hours**

H24

Airport Information**RFF:** CAT 7**PCN:** RWY 07/25: 40/F/B/X/T**Operation****RWY Restriction**

180° turns keep caution to RWY shoulder.

Taxi/Parking

Marshaller compulsory.

Warnings

Birds in vicinity of AD.

DEPARTURE**Take-off Minima**

RWY		07/25	
All	ft – m/km	0 – 400v	-

ATC Slot, Clearance

Contact TWR for ATC CLR.

Departure Procedure**Special PROC**

All flights during INSTR MET conditions shall shuttle between AS NDB and a point 1 MIN west to cross NDB at 11500ft, then proceed according to ATC CLR.

07-SEP-2017
ASM-HHAS

2-10

Eritrea Asmara Asmara Intl


AGC
AFC

AFC

AFC


Asmara Intl Asmara Eritrea

AGC
AFC



APP 120.700 129.500
TWR 118.100 121.900

Landing RWY system:



Changes: ASP, OBST, AWY, APCH boxes, Editorial

07-SEP-2017
ASM-HHAS

Eritrea **Asmara** Asmara Intl

AGC


AGC

AGC

Asmara Intl **Asmara** Eritrea




AGC

3-20



Changes: Nil

07-SEP-2017

ASM-HHAS**7-10****ILS DME 07**

07	Cat 1 DME 1) 2)	LOC DME				Circling
C	ft - m/km ft	270 - 600 7930	360 - 900 8020			960 - 2.4V 8620
D	ft - m/km ft	280 - 600 7940	360 - 900 8020			1960 - 3.6V 9620


1) FD, AP or HGS required, else RVR 750m
2) With EVS 400m, wo EVS use STD

Changes: DIST ALT table, OBST, Profile

07-SEP-2017

ASM-HHAS

7-30

RNAV (GPS) 07

3.00°	10	9	7	5	4	3	07	83.0°	60 L
RW07	10900	10580	9940	9310	8990	8670	H-P1	THR 7661 (245hPa) / TDZ --- (---%) -0.1%	
10 RW07 NEFHI	10900								
RW07 N15 17.0 E038 53.7									
DIST TO THR	10								
07	RNAV GPS LNAV 1)								Circling
C	ft - m/km ft	540 - 1.8 8200							Not published
D	ft - m/km ft	540 - 2.0 8200							Not published


1) Timing to determine MAPt NA

Changes: OBST, Editorial


07-SEP-2017

ASM-HHAS

7-40

RNAV (GPS) 25

60 L	45 x 3000	3.0°	25	3	4	5	7	9	10	3.00°
+0.1% TDZ --- (---%) / THR 7654 (245hPa)				8660	8980	9300	9940	10570	10900	RW25




25	RNAV GPS					Circling
C	ft - m/km ft	650 - 2.4 8300				Not published
D	ft - m/km ft	650 - 2.4 8300				Not published

1) Timing to determine MAPt NA

Changes: OBST, Editorial

VOR DME 07



NDB 07



07



1) Timing to determine MAPt NA