

GENERAL**Operational Hours****ATS Hours:** CTAF, UNICOM**AD OPS Hours:** Attended daylight HRs, other times O/R**Airport Information****RFF:** FAA Index A / CAT 5**Fuel:** Jet A**PCN:** RWY 02/20: 33/F/B/X/U**Operation****Traffic Notes**

AD closed for unscheduled ACFT with more than 30 PAX seats except 24HR PPR.

RWY and APCH lights are turned off when TWR CLSD, thereafter activation by CTAF.

Preferential RWY

LDG/TKOF RWY 20.

TWY Restriction

TWY B CLSD to ACFT with more than 30 PAX seats.

Warnings**CDC VOR/DME** unusable:

R060 - R100 beyond 20NM.

R100 - R135 beyond 15NM.

R135 - R175 beyond 20NM.

EC NDB unusable: 070° - 150° beyond 8NM below 14000ft.

RWY and TWY conditions not monitored between 0500-1400±.

Extensive HEL activity in vicinity of AD.

| Extensive flight training activity in vicinity of AD.

RWY 02/20 departing ACFT are unable to observe ACFT departing in opposite direction.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR United States.**Arrival Procedure****VFR Traffic Pattern:** RWY 20 and 26 right-hand circuit.

DEPARTURE**| Take-off Minima**

RWY		02	
1+2 ENG	ft - ft/SM	0 - 1.0V	-
3+4 ENG		0 - 0.5V	-
RWY		20	
1+2 ENG	ft - ft/SM	0 - 1.0V	MNM climb gradient 4.8% up to 7300
3+4 ENG		0 - 0.5V	

Speed

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR United States.


Cedar City Rgnl **Cedar City** United States


AGC
AFC



ASOS	119,025	
CTAF	123,000	ARCAL
UNICOM	123,000	
RCO (Cedar City RDO)	122,600	
	122,200	

Landing RWY system:





Obstacle Departure	
RWY	Routing
02	Climbing LT direct EHK - R278 EHK . Climb to MEA/MCA for direction of flight.
20	Climbing RT direct EHK - R278 EHK . Climb to MEA/MCA for direction of flight.
RWY	Notes
02	Sign abeam DER, 313ft right of centerline, 3ft AGL/5604ft MSL. Terrain and bush beginning 145ft from DER, 420ft right of centerline, up to 5608ft MSL.
20	<p>RWY light 10ft from DER, 54ft right of centerline, 2ft AGL/5579ft MSL. Terrain 12ft from DER, 98ft left of centerline, 5579ft MSL. RWY light and sign beginning 31ft from DER, 275ft left of centerline, up to 3ft AGL/5583ft MSL. Pole 941ft from DER, 446ft right of centerline, 34ft AGL/5604ft MSL. Pole 1066ft from DER, 363ft right of centerline, 38ft AGL/5608ft MSL. Elevator and tank beginning 2081ft from DER, 1051ft left of centerline, up to 105ft AGL/5690ft MSL. Tree 3789ft from DER, 1512ft left of centerline, 5692ft MSL. Tree 4004ft from DER, 1526ft left of centerline, 5693ft MSL. Tree 4265ft from DER, 1530ft left of centerline, 5718ft MSL. Trees beginning 4278ft from DER, 1546ft left of centerline, up to 5721ft MSL. Trees beginning 4526ft from DER, 1533ft left of centerline, up to 5733ft MSL. Trees beginning 4858ft from DER, 1520ft left of centerline, up to 5737ft MSL. Tree 5456ft from DER, 1835ft left of centerline, 5748ft MSL. Building and tree beginning 5497ft from DER, 1518ft left of centerline, up to 21ft AGL/5759ft MSL. Pole and tree beginning 5737ft from DER, 1543ft left of centerline, up to 20ft AGL/5769ft MSL. Pole and tree beginning 5964ft from DER, 1545ft left of centerline, up to 20ft AGL/5779ft MSL. Trees beginning 1NM from DER, 1665ft left of centerline, up to 5783ft MSL. Tree 1.2NM from DER, 2080ft left of centerline, 5800ft MSL. Trees beginning 1.2NM from DER, 2049ft left of centerline, up to 5814ft MSL. Trees beginning 1.3NM from DER, 2107ft left of centerline, up to 5836ft MSL. Trees beginning 1.3NM from DER, 2244ft left of centerline, up to 5840ft MSL. Trees beginning 1.3NM from DER, 2048ft left of centerline, up to 5849ft MSL. Trees beginning 1.3NM from DER, 2283ft left of centerline, up to 5852ft MSL. Trees beginning 1.4NM from DER, 2301ft left of centerline, up to 5871ft MSL. Tree 1.4NM from DER, 2599ft left of centerline, 5874ft MSL. Trees beginning 1.4NM from DER, 2436ft left of centerline, up to 5895ft MSL. Pole and tree beginning 1.6NM from DER, 2822ft left of centerline, up to 50ft AGL/5944ft MSL. Pole 2.3NM from DER, 3922ft left of centerline, 34ft AGL/5952ft MSL.</p>




CDC-KCDC

United States **Cedar City** Cedar City Rgnl

IAC

7-10

ILS or LOC 20



20		Cat 1 GA 3.8% ¹⁾	Cat 1 GA 3.3%	LOC			Circling ²⁾ New TERPS
C	ft - ft/SM ft	220 - 0.5V 5820	270 - 0.5V 5870	360 - 0.63V 5960			600 - 1.5V 6230
D	ft - ft/SM ft	220 - 0.5V 5820	270 - 0.5V 5870	360 - 0.63V 5960			700 - 2.25V 6330




1) Up to 7300ft
2) NW of RWY 02/20 only

Changes: AMDT No

AMDT 4B

7-30


RNAV (GPS) 20




TERPS 20		RNAV GPS LPV	RNAV GPS VNAV 1)	RNAV GPS LNAV	RNAV GPS LNAV APL U/S	Circling ²⁾ New TERPS
C	ft - ft/SM ft	220 - 0.5V 5820	380 - 0.75V 5980	580 - 1.25V 6180	580 - 1.75V 6180	600 - 1.75V 6230
D	ft - ft/SM ft	220 - 0.5V 5820	380 - 0.75V 5980	580 - 1.25V 6180	580 - 1.75V 6180	700 - 2.25V 6330

1) Uncompensated BARO VNAV NA below -21°C (-5°F) or above 48°C (119°F)

2) NW of RWY 02/20 only



60 HL	46 G 2637	3.0°	20	3	2	EHK	2	3	4.6	3.07°
-0.3% TDZ 5600 (---%) / THR 5600 (186hPa)	ML-P1R			6230	6550	7200	7850	8180	8700	D EHK 177°
										RWY 200°



20	VOR									
T_{Enr}										Circling 1)
C	ft - ft/SM	560 - 1.75V								TERPS
	ft	6160								600 - 1.75V
D	ft - ft/SM	560 - 1.75V								6230
	ft	6160								700 - 2.25V
										6330

1) NW of RWY 02/20 only