

High-Performance Encryption (HPE)


ACE Solutions Architecture Team

© Aviatrix Certified Engineer

Zero Trust – Datapath Encryption

Why?

- Compliance Requirement
- Data Security
- Business Policy
- Native Constructs Routing Scalability Challenges



Aviatrix Certified Engineer






Without Aviatrix: Encryption / IPsec Performance Limitations



Packet can only use single core despite

availability of multiple cores

- All software-based IPsec VPN solutions have maximum performance of
- 2Gbps depending on ciphers used
- Software Routers use single core and establish only one tunnel






Solution: Aviatrix High Performance Encryption (HPE)



- Aviatrix Controller automatically builds multiple tunnels between Aviatrix devices
- Uses all available CPU cores
- IPsec encryption performance can be up to 90 Gbps



High Performance Encryption is also called **INSANE MODE**



High Performance Encryption (HPE)

AVIATITIX
ACE

Aviatrix Certified
Engineer

Azure: Region1

···> VNET ···>

- Between the Cloud (over DirectConnect, ExpressRoute, FastConnect, Cloud Interconnect) to the DC via:
 - Aviatrix Edge
- 2. Between networks in one cloud (same or different regions)
 - Automatic VPC/VNet/VCN peering to build required underlay
- Between networks in different clouds
 - Requires private underlay (e.g., Equinix, Epsilon, OCI-Azure Interconnect)
 - Over Public Internet (v6.4)

VEN Transit & Firewall Network

FastConnect (Equinix)

COL-Azure interconnect

VPN

Transit & Firewall Network

ExpressRoute (Equinix)

OCI: Region1

Aviatrix Edge

Aviatrix Edge will be discussed in Site2Cloud module



Aviatrix Edge

HPE Peering – Public or Private IP?



HPE in the same cloud

• Will use CSP-native peering so the tunnels will be built over private IPs.

HPE across different clouds


- Supported over private circuits (Direct Connect, Express Route, Cloud Interconnect, Fast Connect).
- Supported over internet (AWS, Azure, GCP, OCI).




HPE Performance – Matching the Speed of the Underlay



https://docs.aviatrix.com/HowTos/insane_mode_perf.html



- ~90 Gbps in-region in AWS
 - 9000 MTU supported
- Line-Rate (~9.6 Gbps) over single 10 Gbps Direct Connect or ExpressRoute






Architecture over Direct Connect and Other Private Circuits



https://docs.aviatrix.com/HowTos/CloudN_insane_mode.html







Next: ActiveMesh