



Site2Cloud (S2C) and Edge

ACE Team



Agenda

Site2Cloud Overview

Site2Cloud Use Cases

- 1. High Speed DC Connectivity with Backup VPN
- 2. Shared Services Multi-Tenant Architecture (aka SaaS Provider)
- 3. Overlapping IP Space Scenarios

Other Services to Connect to External Networks

SD-WAN Integration






Overview



What is Site2Cloud?

- Connection from Public Cloud to:
 - On-Prem DC
 - 3rd Party Appliances, SD-WAN
 - Branch
 - Clouds Native Constructs (VPCs/VNets/VCNs)





Site2Cloud Landing Options

AVIATRIX ACE AVIATRIX CERTIFIED ENGINEER

1. Transit Gateway


- Route redistribution to other connected networks (automatic or upon approval)
- Basic NAT support
- BGP support
- Segmentation support for external connections
- Active/Active or Active/Standby

2. Spoke Gateway

- Option to easily redistribute routes to other networks
- Advanced NAT support (Mapped NAT)
- BGP supported as of 6.6
- Active/Standby or Active/Active

3. "Standalone" Gateway (with Second Gateway)

- Advanced NAT support
- No support for BGP
- Active/Active or Active/Standby








Use Cases

High Speed DC Connectivity with Backup VPN



High Speed DC Connectivity with Backup VPN

- Connecting on-prem data centers to the cloud via route-based
 Site2Cloud + BGP control plane, landing on Transit gateways
- Primary Site2Cloud is using private IPs to leverage the DX underlay
- Backup Site2Cloud is using public IPs to use the public Internet as underlay
- On both connections, ECMP can be enabled for Active/Active high performance or disabled (typically if on-prem has stateful firewalls)
- On-prem router is performing AS-path prepend on VPN routes advertised to Aviatrix transit over the VPN connection, to force Transit gateways to send traffic via the DX connection
- Additionally, on-prem router would use Weight or Local Pref, etc., to send traffic to the DX connection
- If DX connection goes down, traffic would automatically failover to Backup connection
- Branch connectivity is following a similar BGP-based Site2Cloud to Transit gateways, but it is typically only via VPN over the public Internet








Use Cases



Segmentation and NAT Support

SaaS Providers Aviatrix
 Validated Design
 https://aviatrix.com/resour
 ces/design-guides/aviatrix-validated-design-saas-providers-infrastructure






Requirements




- Need to connect overlapping networks between the cloud and on-prem
- Don't want the on-prem router to implement any NAT
 - Keep it simple with no on-prem dependency
 - Many on-prem routers have no NAT, or very limited NAT
- The host information must be preserved
 - No NAT overload requirement anywhere
- The configuration must be simple and scalable



Solution – Mapped NAT with Route-Based Site2Cloud




- Virtual subnets, which are defined to be unique (not necessarily RFC1918), are used for communication between overlapping VPC and on-prem
- The Site2Cloud Gateway NATs between real subnets and virtual subnets, while preserving the host information in the IP
- There is no need for any on-prem NAT operations
- The configuration is extremely simple, and it does not require individual /32 NAT rules
- It works with both Route-based and Policy-based IPsec





Packet Walk






10.5.16.0/20

Remote Subnet (Real)

Packet Walk – Return Traffic





10.5.16.0/20

Remote Subnet (Real)



Download the External Connection Configuration



Automatic External Connection Template

A **remote site configuration template** can be generated from the CoPilot.


- ➤ This template file contains the *gateway public IP address*, *VPC/VNet CIDR*, *pre-shared secret* and *encryption algorithm*.
- ➤ You can import the information to your remote router/firewall configuration.


Vendor: Platform:

- Aviatrix → UCC
- Cisco → ASA 5500 Series / ISR, ASR or CSR
- Generic → Generic













Route Approval




BGP Route Approval



- Can explicitly approve any BGP-learned route from Partner or on-prem into the cloud network
- Prevents unwanted advertisement of routes such as 0/0 from Partner
- 1. New routes arrive at Transit Gateway
- 2. Transit Gateway reports new routes to Controller
- Controller notifies admin via email
- 4. Admin logs in to Controller to approve
- If approved, Controller programs the new routes to Spoke VPCs

Note:

- Route Approval completely blocks a BGP prefix to even be considered by control plane
- Prefixes blocked are not even programmed in the Gateway route table







Aviatrix Edge



Introducing Aviatrix Edge



The only multi-cloud native platform with enterprise-grade visibility and control for public cloud and the edge

Aviatrix software in multiple form factors providing consistent network, security, and visibility to the edge. Edge locations appear and behave as another VPC/VNET with spoke and transit capabilities.



Cloud Out Architecture




Simplified Edge Management



Consistent Secure Edge



Simplified Edge On-boarding













Aviatrix Edge Use Cases










Edge 2.0 Deployment Workflow









Other Services to Connect to External Networks




Connections to External Device


AVIATRIX
ACE
AVIATRIX CERTIFIED
ENGINEER

- IPsec (discussed already)
- **BGP over GRE** (AWS only)
 - Extends Aviatrix overlay to external networks without encryption, and without IPsec speed limitations
 - Useful for AWS DX

BGP over LAN

- Route exchange without any tunneling protocol
- High-performance, widely compatible SD-WAN integration
- Integrates with GCP Network Connectivity Center (NCC)







Configuration – CoPilot > Networking > Connectivity > + External Connection




Create External Connection	n to External Device			
lame				
Onnect Using Static-Route Based (Static-Policy Based	Type		
·		IPsec		^
Run BGP over an IPsec connection from a Transit or BGP Spoke Gateway .		IPsec		
.ocal Gateway		GRE		
		LAN		
Psec Configuration				
ttach Over	Algorithms	Internet Key Exchange		
Private Network	O Default O Custom	○ IKEv1 ○ IKEv2		
GP Configuration				
ocal ASN	Learned CIDR Approval			
	Off Off			
unnel Configuration (ActiveMesh) ①				+ Remote Device
Remote Device 1 IP	Remote ASN			
BGP Local IP	BGP Neighbor IP		Pre-Shared Key	
				_
				Cancel Sav





SD-WAN Integration



Solution – SD-WAN integration with Aviatrix



- BGP based integration with SD-WAN cloud instances
 - BGP over IPsec
 - BGP over LAN
 - BGP over GRE
- Service chaining by inspecting traffic with Next Gen Firewalls
- Advanced Traffic Engineering and Filtering options
- All other Aviatrix benefits apply












BGP over LAN in AWS








BGP over LAN in Azure









Next: Lab 7 – Site2Cloud Lab 8 - Edge

