### IT UNIVERSITY OF COPENHAGEN

#### **BDSA 2014**

## **Assignment 37**

Anders Wind Steffensen - awis@itu.dk Christopher Blundell - mail@itu.dk Pierre Mandas - mail@itu.dk

Generated by Doxygen 1.8.8

## **Contents**

Index

1	Nam	nespace	Index		1
	1.1	Packag	ges		 1
2	Clas	ss Index			3
	2.1	Class	List		 3
3	Nam	nespace	Docume	entation	5
	3.1	Packa	ge TextFile	eReaderProject	 5
4	Clas	ss Docu	mentation	n	7
	4.1	TextFil	eReaderP	Project.TextSearcher Class Reference	 7
		4.1.1	Detailed	Description	 7
		4.1.2	Construc	ctor & Destructor Documentation	 7
			4.1.2.1	TextSearcher	 8
			4.1.2.2	TextSearcher	 8
		4.1.3	Member	r Function Documentation	 8
			4.1.3.1	createRegex	 8
			4.1.3.2	print	 8
	4.2	TextFil	eReaderP	Project.TextSearcherTests Class Reference	 8
		4.2.1	Detailed	Description	 9
		4.2.2	Member	r Function Documentation	 9
			4.2.2.1	TestCreateRegexEmptyInput	 9
			4.2.2.2	TestCreateRegexPlusCommand	 9
			4.2.2.3	TestCreateRegexStarPrefixCommand	 9
			4.2.2.4	TestCreateRegexStarSuffixCommand	 9
			4.2.2.5	TestCreateRegexTwoCommandsInput	 9
			4.2.2.6	TestDateRegex	 9
			4.2.2.7	TestURLRegex	 10

11

# Namespace Index

1.1	Packages
Here a	are the packages with brief descriptions (if available):

2 Namespace Index

# **Class Index**

### 2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

TextFileReaderProject.TextSearcher
A utility class that allows the user to search for a single keyword in the text, and then print it in
the terminal
TextFileReaderProject.TextSearcherTests
A testclass that tests the TestSearcher class' methods

Class Index

# **Namespace Documentation**

### 3.1 Package TextFileReaderProject

#### **Classes**

· class TextFileReader

Utility class for reading text files into a single string.

class TextSearcher

A utility class that allows the user to search for a single keyword in the text, and then print it in the terminal

• class TextSearcherTests

A testclass that tests the TestSearcher class' methods.

6	Namespace Documentation

## **Class Documentation**

#### 4.1 TextFileReaderProject.TextSearcher Class Reference

A utility class that allows the user to search for a single keyword in the text, and then print it in the terminal

#### **Public Member Functions**

• TextSearcher (string inputFile)

The constructor tries to load the textfile 'inputfile' in the debug folder If inputfile is invalid the default text file 'TestFile.txt' will be loaded. While running, the user can enter new keywords to search for. Commands: + between two words, \* prefix, \* suffix.

• TextSearcher ()

Empty constructor

• string createRegex (string input)

Generates a regular expression string based on the user input. Three different commands are available, but there can only be one command pr. regular expression. Commands: + between two words, \* prefix, \* suffix.

void print (string content, string keyword)

Finds matches for URL, DATES and KEYWORD matches. Prints URLS with blue font Prints DATES with green font Prints KEYWORDS with yellow background. Cannor handle multiple formattions eg. url and keyword matches.

#### **Static Public Member Functions**

• static void Main (string[] args)

#### **Properties**

string urlRegex [get]string dateRegex [get]

#### 4.1.1 Detailed Description

A utility class that allows the user to search for a single keyword in the text, and then print it in the terminal

#### 4.1.2 Constructor & Destructor Documentation

8 Class Documentation

#### 4.1.2.1 TextFileReaderProject.TextSearcher.TextSearcher ( string inputFile )

The constructor tries to load the textfile 'inputfile' in the debug folder If inputfile is invalid the default text file 'Test← File.txt' will be loaded. While running, the user can enter new keywords to search for. Commands: + between two words, \* prefix, \* suffix.

#### **Parameters**

inputFile	The text file the class will print and search for keywords in

#### 4.1.2.2 TextFileReaderProject.TextSearcher.TextSearcher ( )

Empty constructor

#### 4.1.3 Member Function Documentation

#### 4.1.3.1 string TextFileReaderProject.TextSearcher.createRegex ( string input )

Generates a regular expression string based on the user input. Three different commands are available, but there can only be one command pr. regular expression. Commands: + between two words, \* prefix, \* suffix.

- means that two adjacent keywords should be present one after the other, e.g. text + file matches "text file" but does not match "text big file"
- · after a keyword means search for words starting with keyword e.g. inter\* matches "internet"
- · before a keyword means search for words ending with keyword e.g. \*net matches "internet" and "intranet"

#### **Parameters**

input	The keyword the user searches after
-------	-------------------------------------

#### Returns

A regular expression string created from the user input

#### 4.1.3.2 void TextFileReaderProject.TextSearcher.print ( string content, string keyword )

Finds matches for URL, DATES and KEYWORD matches. Prints URLS with blue font Prints DATES with green font Prints KEYWORDS with yellow background. Cannor handle multiple formattions eg. url and keyword matches.

#### **Parameters**

content	The text that needs to be printed
keyword	The search keyword in a regular expression format

The documentation for this class was generated from the following file:

C:/Users/Christopher/Documents/BDSA-Exercises/BDSA2014/TextFileReader/TextSearcher.cs

#### 4.2 TextFileReaderProject.TextSearcherTests Class Reference

A testclass that tests the TestSearcher class' methods.

#### **Public Member Functions**

void TestCreateRegexEmptyInput ()

Test the CreateEgex method for empty input. Expected "";

void TestCreateRegexTwoCommandsInput ()

Tests the CreateRegex method for a few inputs which has multiple keywords or commands.

void TestCreateRegexPlusCommand ()

Tests the CreateRegex method's ability to create plus command regex when input is correct.

void TestCreateRegexStarPrefixCommand ()

Tests the CreateRegex method's ability to create \* prefix command regex when input is correct.

void TestCreateRegexStarSuffixCommand ()

Tests the CreateRegex method's ability to create \* suffix command regex when input is correct.

void TestURLRegex ()

Tests the Regex which is supposed to find urls in a text. Only URLs starting with http(s):// are accepted.

void TestDateRegex ()

Tests the Regex which is supposed to find dates in a text. The only date format that it supports is the one given in the TestFile.txt

#### 4.2.1 Detailed Description

A testclass that tests the TestSearcher class' methods.

#### 4.2.2 Member Function Documentation

4.2.2.1 void TextFileReaderProject.TextSearcherTests.TestCreateRegexEmptyInput ( )

Test the CreateEgex method for empty input. Expected "";

4.2.2.2 void TextFileReaderProject.TextSearcherTests.TestCreateRegexPlusCommand ( )

Tests the CreateRegex method's ability to create plus command regex when input is correct.

4.2.2.3 void TextFileReaderProject.TextSearcherTests.TestCreateRegexStarPrefixCommand ( )

Tests the CreateRegex method's ability to create \* prefix command regex when input is correct.

4.2.2.4 void TextFileReaderProject.TextSearcherTests.TestCreateRegexStarSuffixCommand ( )

Tests the CreateRegex method's ability to create \* suffix command regex when input is correct.

4.2.2.5 void TextFileReaderProject.TextSearcherTests.TestCreateRegexTwoCommandsInput ( )

Tests the CreateRegex method for a few inputs which has multiple keywords or commands.

4.2.2.6 void TextFileReaderProject.TextSearcherTests.TestDateRegex ( )

Tests the Regex which is supposed to find dates in a text. The only date format that it supports is the one given in the TestFile.txt

10 Class Documentation

4.2.2.7 void TextFileReaderProject.TextSearcherTests.TestURLRegex ( )

Tests the Regex which is supposed to find urls in a text. Only URLs starting with http(s):// are accepted.

The documentation for this class was generated from the following file:

• C:/Users/Christopher/Documents/BDSA-Exercises/BDSA2014/TextFileReader/TextSearcher.tests.cs

## Index

```
createRegex
    TextFileReaderProject::TextSearcher, 8
print
    TextFileReaderProject::TextSearcher, 8
TestCreateRegexEmptyInput
    TextFileReaderProject::TextSearcherTests, 9
TestCreateRegexPlusCommand
    TextFileReaderProject::TextSearcherTests, 9
TestCreateRegexStarPrefixCommand
    TextFileReaderProject::TextSearcherTests, 9
TestCreateRegexStarSuffixCommand
    TextFileReaderProject::TextSearcherTests, 9
TestCreateRegexTwoCommandsInput
     TextFileReaderProject::TextSearcherTests, 9
TestDateRegex
    TextFileReaderProject::TextSearcherTests, 9
TestURLRegex
    TextFileReaderProject::TextSearcherTests, 9
TextFileReaderProject, 5
TextFileReaderProject.TextSearcher, 7
TextFileReaderProject.TextSearcherTests, 8
TextFileReaderProject::TextSearcher
    createRegex, 8
    print, 8
    TextSearcher, 7, 8
TextFileReaderProject::TextSearcherTests
    TestCreateRegexEmptyInput, 9
    TestCreateRegexPlusCommand, 9
    TestCreateRegexStarPrefixCommand, 9
    TestCreateRegexStarSuffixCommand, 9
    TestCreateRegexTwoCommandsInput, 9
    TestDateRegex, 9
    TestURLRegex, 9
TextSearcher
    TextFileReaderProject::TextSearcher, 7, 8
```