Worksheet: Measure heat capacity with a calorimeter

Name(s)	


In this experiment, a hot metal cube is dropped into an insulated container of water and the increase in the water temperature is used to determine the heat capacity of the metal.

Student Learning Objectives- Measure heat capacity with a calorimeter

- 1. Be able to explain the concept of heat capacity.
- 2. Be able to apply the concept of an adiabatic process.
- 3. Be able to apply the first law for a closed system.
- 4. Be aware of assumptions made and sources of error in using a static calorimeter.
- 5. Learn proper use and calibration of calorimeters.
- 6. Apply statistics to determine heat capacity from repeat experiments and determine standard deviation.

Equipment

A well-insulated calorimeter that contains 1000 mL of water and a stirrer. A thermometer to record the water temperature.



Questions to answer before starting experiment

In this experiment, 1000 mL of water is in an insulated container.

What is the advantage of using more water?

What is the disadvantage of using more water?

What	is an adv	vantage of using	more metal? What is a disadvantage?
	s an adv dvantage	•	ng the metal to a higher temperature? What is
	mptions		
_		eter is well insula	
• The	heat cap	pacity of the met	tal sample is independent of temperature.
Calibr	ate the	calorimeter	
_	n on the		
			ture of water
3. Rec	ord mas	s of water in cal	orimeter
			netal (Pt), record its mass and its op it into the calorimeter.
5. Rec	ord wate	er temperature a	as a function of time in the table below to temperature
	Time (s)	Temperature (°C)	
_			
-			

1	
1	

6. Calculate heat absorbed by the calorimeter to determine $m_{\it cal}\,C_{\it Pcal}$

$$m_{Pt}C_{P_{Pt}}(T_{Pt}-T_{final})=m_{W}C_{P_{W}}(T_{final}-T_{W})+m_{cal}C_{Pcal}(T_{final}-T_{W})$$

where $m_{cal} = \text{mass of Pt added to calorimeter}$

 $C_{P_{P_t}} = \mathcal{L}$ heat capacity of Pt = _____

 C_{P_w} = water heat capacity = _____

 T_{final} = final equilibrium temperature

 $m_{\rm w} = {\rm mass} \ {\rm of} \ {\rm water} \ {\rm in} \ {\rm calorimeter}$

 T_W = initial temperature of water in calorimeter

 $m_{cal}C_{Pcal}$ = mass of calorimeter (not including water) x heat capacity of calorimeter. This is unknown and is calculated from the above equation.

Value of $m_{cal}C_{Pcal}=$

Measure heat capacity of unknown sample

- 1. Select a sample (A, B, C, D, E) from the drop-down menu. Sample _____
- 2. Turn on stirrer.
- 3. Record mass of water in calorimeter m_w .
- 4. In Table 1 below, record starting temperature of water T_{w} .
- 5. Record the starting temperature of the solid sample T_{sample} .
- 6. Record mass of solid sample m_{sample} .

Table 1							
Exp	T_{W}	$T_{\it sample}$	m_{sample}	$T_{\it final}$	$C_{\it Psample}$		
1							
2							
3							
4							

- 7. Drop solid into water.
- 8. Record temperature as function of time in Table 2 on the next page.
- 9. Determine when temperature stabilizes and record the final temperature in Table 1.

Exp 1		Exp 2		Exp 3		Exp 4	
Time (s)	Temp (°C)	Time (s)	Temp (°C)	Time (s)	Temp (°C)	Time (s)	Temp (°C)

Calculate the heat capacity of sample.

Use this energy balance to calculate the heat capacity $C_{\textit{Psample}}$ of the sample: $m_{\textit{sample}}C_{\textit{Psample}}[T_{\textit{sample}}-T_{\textit{final}}] = m_{\textit{W}}C_{\textit{P_w}}[T_{\textit{final}}-T_{\textit{W}}] + m_{\textit{cal}}C_{\textit{Pcal}}[T_{\textit{final}}-T_{\textit{W}}]$

Record the calculated heat capacity in Table 1

Repeat the experiment at least 3 times for the same sample but for different starting conditions and record the data in Tables 1 and 2.

Calculate the average value of heat capacity (report units) and standard deviation.

$$C_{Psample} = \underline{\hspace{1cm}} +/- \underline{\hspace{1cm}}$$

What can cause errors in the value of heat capacity you measured?

- 1. Does the stirrer add energy to the water?
- 2. How might you determine how good the assumption is that the system is adiabatic?