1.6.17

Al25BTECH11002 - Ayush Sunil Labhade

September 4, 2025

Question:

Using vectors, find the value of k such that the points (k, -10, 3), $\mathbf{B}(1, -1, 3)$ and (3, 5, 3) are collinear.

Solution: Given:

| Point | Vector |
|-------|---|
| a | $\begin{pmatrix} k \\ -10 \\ 3 \end{pmatrix}$ |
| b | $\begin{pmatrix} 1 \\ -1 \\ 3 \end{pmatrix}$ |
| С | $\begin{pmatrix} 3 \\ 5 \\ 3 \end{pmatrix}$ |

Table: Given data

Since the points are collinear, we can use

$$rank (\mathbf{B} - \mathbf{A} \quad \mathbf{C} - \mathbf{B}) = 1 \tag{0.1}$$

Therefore,

$$(\mathbf{B} - \mathbf{A} \quad \mathbf{C} - \mathbf{B})^{T} = \begin{pmatrix} 1 - k & 3 - 1 \\ -1 - (-10) & 5 - (-1) \\ 3 - 3 & 3 - 3 \end{pmatrix}$$

$$\begin{pmatrix} 1 - k & 2 \\ 9 & 6 \\ 0 & 0 \end{pmatrix} \xrightarrow{R_{2} \leftrightarrow R_{1}} \begin{pmatrix} 9 & 6 \\ 1 - k & 2 \\ 0 & 0 \end{pmatrix}$$

 $\begin{pmatrix} 9 & 6 \\ 1-k & 2 \end{pmatrix} \xrightarrow{R_2=R_2-\frac{1/3}{R}} \begin{pmatrix} 9 & 6 \\ -k-2 & 0 \end{pmatrix}$

The rank of the matrix will be 1 when

$$-k - 2 = 0 (0.5)$$

(0.2)


(0.3)

(0.4)

$$\Rightarrow k = -2 \tag{0.6}$$

Graph:

Points A, B, C and the line passing through



Therefore, k = -2.