

# Software Requirements Specification for Software Engineering: subtitle describing software

**Team 13, Keystone**

Ayush Patel  
Ahmed Rashrash  
Andrew Habib  
Waqar Ul-Hassan

September 25, 2026

# Contents

|          |                                                  |           |
|----------|--------------------------------------------------|-----------|
| <b>1</b> | <b>Reference Material</b>                        | <b>iv</b> |
| 1.1      | Table of Units . . . . .                         | iv        |
| 1.2      | Table of Symbols . . . . .                       | iv        |
| 1.3      | Abbreviations and Acronyms . . . . .             | v         |
| 1.4      | Mathematical Notation . . . . .                  | v         |
| <b>2</b> | <b>Introduction</b>                              | <b>1</b>  |
| 2.1      | Purpose of Document . . . . .                    | 1         |
| 2.2      | Scope of Requirements . . . . .                  | 1         |
| 2.3      | Characteristics of Intended Reader . . . . .     | 1         |
| 2.4      | Organization of Document . . . . .               | 1         |
| <b>3</b> | <b>General System Description</b>                | <b>1</b>  |
| 3.1      | System Context . . . . .                         | 1         |
| 3.2      | User Characteristics . . . . .                   | 2         |
| 3.3      | System Constraints . . . . .                     | 2         |
| <b>4</b> | <b>Specific System Description</b>               | <b>2</b>  |
| 4.1      | Problem Description . . . . .                    | 2         |
| 4.1.1    | Terminology and Definitions . . . . .            | 2         |
| 4.1.2    | Physical System Description . . . . .            | 2         |
| 4.1.3    | Goal Statements . . . . .                        | 2         |
| 4.2      | Solution Characteristics Specification . . . . . | 3         |
| 4.2.1    | Types . . . . .                                  | 3         |
| 4.2.2    | Scope Decisions . . . . .                        | 3         |
| 4.2.3    | Modelling Decisions . . . . .                    | 3         |
| 4.2.4    | Assumptions . . . . .                            | 3         |
| 4.2.5    | Theoretical Models . . . . .                     | 3         |
| 4.2.6    | General Definitions . . . . .                    | 4         |
| 4.2.7    | Data Definitions . . . . .                       | 5         |
| 4.2.8    | Data Types . . . . .                             | 6         |
| 4.2.9    | Instance Models . . . . .                        | 6         |
| 4.2.10   | Input Data Constraints . . . . .                 | 7         |
| 4.2.11   | Properties of a Correct Solution . . . . .       | 8         |
| <b>5</b> | <b>Requirements</b>                              | <b>8</b>  |
| 5.1      | Functional Requirements . . . . .                | 8         |
| 5.2      | Nonfunctional Requirements . . . . .             | 9         |
| 5.3      | Rationale . . . . .                              | 9         |
| <b>6</b> | <b>Likely Changes</b>                            | <b>9</b>  |

|    |                                  |    |
|----|----------------------------------|----|
| 7  | Unlikely Changes                 | 9  |
| 8  | Traceability Matrices and Graphs | 9  |
| 9  | Development Plan                 | 12 |
| 10 | Values of Auxiliary Constants    | 12 |

## Revision History

| Date   | Version | Notes |
|--------|---------|-------|
| Date 1 | 1.0     | Notes |
| Date 2 | 1.1     | Notes |

# 1 Reference Material

This section records information for easy reference.

## 1.1 Table of Units

Throughout this document SI (Système International d'Unités) is employed as the unit system. In addition to the basic units, several derived units are used as described below. For each unit, the symbol is given followed by a description of the unit and the SI name.

| symbol | unit        | SI                      |
|--------|-------------|-------------------------|
| m      | length      | metre                   |
| kg     | mass        | kilogram                |
| s      | time        | second                  |
| °C     | temperature | centigrade              |
| J      | energy      | joule                   |
| W      | power       | watt ( $W = J s^{-1}$ ) |

## 1.2 Table of Symbols

The table that follows summarizes the symbols used in this document along with their units. The choice of symbols was made to be consistent with the heat transfer literature and with existing documentation for solar water heating systems. The symbols are listed in alphabetical order.

| symbol   | unit  | description                                    |
|----------|-------|------------------------------------------------|
| $A_C$    | $m^2$ | coil surface area                              |
| $A_{in}$ | $m^2$ | surface area over which heat is transferred in |

### 1.3 Abbreviations and Acronyms

---

| symbol               | description                         |
|----------------------|-------------------------------------|
| A                    | Assumption                          |
| DD                   | Data Definition                     |
| GD                   | General Definition                  |
| GS                   | Goal Statement                      |
| IM                   | Instance Model                      |
| LC                   | Likely Change                       |
| PS                   | Physical System Description         |
| R                    | Requirement                         |
| SRS                  | Software Requirements Specification |
| Software Engineering |                                     |
| TM                   | Theoretical Model                   |

---

### 1.4 Mathematical Notation

## 2 Introduction

### 2.1 Purpose of Document

### 2.2 Scope of Requirements

### 2.3 Characteristics of Intended Reader

### 2.4 Organization of Document

## 3 General System Description

This section provides general information about the system. It identifies the interfaces between the system and its environment, describes the user characteristics and lists the system constraints.

### 3.1 System Context




Figure 1: System Context

- User Responsibilities:
  -
- Software Engineering Responsibilities:
  - Detect data type mismatch, such as a string of characters instead of a floating point number
  -

### **3.2 User Characteristics**

### **3.3 System Constraints**

## **4 Specific System Description**

This section first presents the problem description, which gives a high-level view of the problem to be solved. This is followed by the solution characteristics specification, which presents the assumptions, theories, definitions and finally the instance models.

### **4.1 Problem Description**

Software Engineering is intended to solve ...

#### **4.1.1 Terminology and Definitions**

This subsection provides a list of terms that are used in the subsequent sections and their meaning, with the purpose of reducing ambiguity and making it easier to correctly understand the requirements:

- 

#### **4.1.2 Physical System Description**

The physical system of Software Engineering, as shown in Figure ?, includes the following elements:

PS1:


PS2: ...

#### **4.1.3 Goal Statements**

Given the , the goal statements are:

GS1:

## 4.2 Solution Characteristics Specification



The instance models that govern Software Engineering are presented in Subsection [4.2.9](#). The information to understand the meaning of the instance models and their derivation is also presented, so that the instance models can be verified.

### 4.2.1 Types

### 4.2.2 Scope Decisions

### 4.2.3 Modelling Decisions

### 4.2.4 Assumptions

This section simplifies the original problem and helps in developing the theoretical model by filling in the missing information for the physical system. The numbers given in the square brackets refer to the theoretical model [TM], general definition [GD], data definition [DD], instance model [IM], or likely change [LC], in which the respective assumption is used.

A1:

### 4.2.5 Theoretical Models

This section focuses on the general equations and laws that Software Engineering is based on.

---

**RefName:** TM:COE

**Label:** Conservation of thermal energy

---

**Equation:**  $-\nabla \cdot \mathbf{q} + g = \rho C \frac{\partial T}{\partial t}$

**Description:** The above equation gives the conservation of energy for transient heat transfer in a material of specific heat capacity  $C$  ( $\text{J kg}^{-1} \text{ }^\circ\text{C}^{-1}$ ) and density  $\rho$  ( $\text{kg m}^{-3}$ ), where  $\mathbf{q}$  is the thermal flux vector ( $\text{W m}^{-2}$ ),  $g$  is the volumetric heat generation ( $\text{W m}^{-3}$ ),  $T$  is the temperature ( $^\circ\text{C}$ ),  $t$  is time (s), and  $\nabla$  is the gradient operator. For this equation to apply, other forms of energy, such as mechanical energy, are assumed to be negligible in the system (A??). In general, the material properties ( $\rho$  and  $C$ ) depend on temperature.

**Notes:** None.

**Source:** [http://www.efunda.com/formulae/heat\\_transfer/conduction/overview\\_cond.cfm](http://www.efunda.com/formulae/heat_transfer/conduction/overview_cond.cfm)

**Ref. By:** GD??

**Preconditions for TM:COE:** None

**Derivation for TM:COE:** Not Applicable

---

#### 4.2.6 General Definitions

This section collects the laws and equations that will be used in building the instance models.

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Number      | GD1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Label       | <b>Newton's law of cooling</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| SI Units    | $\text{W m}^{-2}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Equation    | $q(t) = h\Delta T(t)$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Description | <p>Newton's law of cooling describes convective cooling from a surface. The law is stated as: the rate of heat loss from a body is proportional to the difference in temperatures between the body and its surroundings.</p> <p><math>q(t)</math> is the thermal flux (<math>\text{W m}^{-2}</math>).</p> <p><math>h</math> is the heat transfer coefficient, assumed independent of <math>T</math> (A??) (<math>\text{W m}^{-2} \text{ }^{\circ}\text{C}^{-1}</math>).</p> <p><math>\Delta T(t) = T(t) - T_{\text{env}}(t)</math> is the time-dependent thermal gradient between the environment and the object (<math>^{\circ}\text{C}</math>).</p> |
| Source      | Citation here                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Ref. By     | DD1, DD??                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

## Detailed derivation of simplified rate of change of temperature

### 4.2.7 Data Definitions

This section collects and defines all the data needed to build the instance models. The dimension of each quantity is also given.

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Number      | DD1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Label       | <b>Heat flux out of coil</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Symbol      | $q_C$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| SI Units    | $\text{W m}^{-2}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Equation    | $q_C(t) = h_C(T_C - T_W(t))$ , over area $A_C$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Description | $T_C$ is the temperature of the coil ( $^{\circ}\text{C}$ ). $T_W$ is the temperature of the water ( $^{\circ}\text{C}$ ). The heat flux out of the coil, $q_C$ ( $\text{W m}^{-2}$ ), is found by assuming that Newton's Law of Cooling applies (A??). This law (GD1) is used on the surface of the coil, which has area $A_C$ ( $\text{m}^2$ ) and heat transfer coefficient $h_C$ ( $\text{W m}^{-2} ^{\circ}\text{C}^{-1}$ ). This equation assumes that the temperature of the coil is constant over time (A??) and that it does not vary along the length of the coil (A??). |
| Sources     | Citation here                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Ref. By     | IM1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

#### 4.2.8 Data Types

This section collects and defines all the data types needed to document the models.

|             |                                                            |
|-------------|------------------------------------------------------------|
| Type Name   | Name for Type                                              |
| Type Def    | mathematical definition of the type                        |
| Description | description here                                           |
| Sources     | Citation here, if the type is borrowed from another source |

#### 4.2.9 Instance Models

This section transforms the problem defined in Section 4.1 into one which is expressed in mathematical terms. It uses concrete symbols defined in Section 4.2.7 to replace the abstract symbols in the models identified in Sections 4.2.5 and 4.2.6.

The goals are solved by .

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Number      | IM1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Label       | <b>Energy balance on water to find <math>T_W</math></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Input       | $m_W, C_W, h_C, A_C, h_P, A_P, t_{\text{final}}, T_C, T_{\text{init}}, T_P(t)$ from IM??<br>The input is constrained so that $T_{\text{init}} \leq T_C$ (A??)                                                                                                                                                                                                                                                                                                                                                                         |
| Output      | $T_W(t)$ , $0 \leq t \leq t_{\text{final}}$ , such that<br>$\frac{dT_W}{dt} = \frac{1}{\tau_W}[(T_C - T_W(t)) + \eta(T_P(t) - T_W(t))]$ ,<br>$T_W(0) = T_P(0) = T_{\text{init}}$ (A??) and $T_P(t)$ from IM??                                                                                                                                                                                                                                                                                                                         |
| Description | $T_W$ is the water temperature ( $^{\circ}\text{C}$ ).<br>$T_P$ is the PCM temperature ( $^{\circ}\text{C}$ ).<br>$T_C$ is the coil temperature ( $^{\circ}\text{C}$ ).<br>$\tau_W = \frac{m_W C_W}{h_C A_C}$ is a constant (s).<br>$\eta = \frac{h_P A_P}{h_C A_C}$ is a constant (dimensionless).<br>The above equation applies as long as the water is in liquid form, $0 < T_W < 100^{\circ}\text{C}$ , where $0^{\circ}\text{C}$ and $100^{\circ}\text{C}$ are the melting and boiling points of water, respectively (A??, A??). |
| Sources     | Citation here                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Ref. By     | IM??                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

**Derivation of ...**

#### 4.2.10 Input Data Constraints

Table 1 shows the data constraints on the input output variables. The column for physical constraints gives the physical limitations on the range of values that can be taken by the variable. The column for software constraints restricts the range of inputs to reasonable values. The software constraints will be helpful in the design stage for picking suitable algorithms. The constraints are conservative, to give the user of the model the flexibility to experiment with unusual situations. The column of typical values is intended to provide a feel for a common scenario. The uncertainty column provides an estimate of the confidence with which the physical quantities can be measured. This information would be part of the input if one were performing an uncertainty quantification exercise.

The specification parameters in Table 1 are listed in Table 2.

(\*)

Table 1: Input Variables

| Var | Physical Constraints | Software Constraints            | Typical Value | Uncertainty |
|-----|----------------------|---------------------------------|---------------|-------------|
| $L$ | $L > 0$              | $L_{\min} \leq L \leq L_{\max}$ | 1.5 m         | 10%         |

Table 2: Specification Parameter Values

| Var        | Value |
|------------|-------|
| $L_{\min}$ | 0.1 m |

#### 4.2.11 Properties of a Correct Solution

A correct solution must exhibit .

Table 3: Output Variables

| Var   | Physical Constraints                         |
|-------|----------------------------------------------|
| $T_W$ | $T_{\text{init}} \leq T_W \leq T_C$ (by A??) |

## 5 Requirements

This section provides the functional requirements, the business tasks that the software is expected to complete, and the nonfunctional requirements, the qualities that the software is expected to exhibit.

### 5.1 Functional Requirements

R1:

R2:

R3:

R4:

R5:

## 5.2 Nonfunctional Requirements

NFR1: **Accuracy**

NFR2: **Usability**

NFR3: **Maintainability**

NFR4: **Portability**

- Other NFRs that might be discussed include verifiability, understandability and reusability.

## 5.3 Rationale

# 6 Likely Changes

LC1:

# 7 Unlikely Changes

LC2:

# 8 Traceability Matrices and Graphs

The purpose of the traceability matrices is to provide easy references on what has to be additionally modified if a certain component is changed. Every time a component is changed, the items in the column of that component that are marked with an “X” may have to be modified as well. Table 4 shows the dependencies of theoretical models, general definitions, data definitions, and instance models with each other. Table 5 shows the dependencies of instance models, requirements, and data constraints on each other. Table 6 shows the dependencies of theoretical models, general definitions, data definitions, instance models, and likely changes on the assumptions.

The purpose of the traceability graphs is also to provide easy references on what has to be additionally modified if a certain component is changed. The arrows in the graphs represent dependencies. The component at the tail of an arrow is depended on by the component at the head of that arrow. Therefore, if a component is changed, the components that it points to should also be changed. Figure ?? shows the dependencies of theoretical models, general definitions, data definitions, instance models, likely changes, and assumptions on each other.

|      | TM?? | TM?? | TM?? | GD1 | GD?? | DD1 | DD?? | DD?? | DD?? | IM1 | IM?? | IM?? |
|------|------|------|------|-----|------|-----|------|------|------|-----|------|------|
| TM?? |      |      |      |     |      |     |      |      |      |     |      |      |
| TM?? |      |      | X    |     |      |     |      |      |      |     |      |      |
| TM?? |      |      |      |     |      |     |      |      |      |     |      |      |
| GD1  |      |      |      |     |      |     |      |      |      |     |      |      |
| GD?? | X    |      |      |     |      |     |      |      |      |     |      |      |
| DD1  |      |      |      | X   |      |     |      |      |      |     |      |      |
| DD?? |      |      |      | X   |      |     |      |      |      |     |      |      |
| DD?? |      |      |      |     |      |     |      |      |      |     |      |      |
| DD?? |      |      |      |     |      |     |      | X    |      |     |      |      |
| IM1  |      |      |      |     | X    | X   | X    |      |      |     | X    |      |
| IM?? |      |      |      |     | X    |     | X    |      | X    | X   |      |      |
| IM?? |      | X    |      |     |      |     |      |      |      |     |      |      |
| IM?? |      | X    | X    |     |      |     | X    | X    | X    |     | X    |      |

Table 4: Traceability Matrix Showing the Connections Between Items of Different Sections

|      | IM1 | IM?? | IM?? | IM?? | 4.2.10 | R?? | R?? |
|------|-----|------|------|------|--------|-----|-----|
| IM1  |     | X    |      |      |        | X   | X   |
| IM?? | X   |      |      | X    |        | X   | X   |
| IM?? |     |      |      |      |        | X   | X   |
| IM?? |     | X    |      |      |        | X   | X   |
| R??  |     |      |      |      |        |     |     |
| R??  |     |      |      |      |        | X   |     |
| R??  |     |      |      |      | X      |     |     |
| R2   | X   | X    |      |      |        | X   | X   |
| R??  | X   |      |      |      |        |     |     |
| R??  |     | X    |      |      |        |     |     |
| R??  |     |      | X    |      |        |     |     |
| R??  |     |      |      | X    |        |     |     |
| R4   |     |      | X    | X    |        |     |     |
| R??  |     | X    |      |      |        |     |     |
| R??  |     | X    |      |      |        |     |     |

Table 5: Traceability Matrix Showing the Connections Between Requirements and Instance Models

|                 | A?? | A?? | A?? | A?? | A?? | A?? | A?? | A?? | A?? | A?? | A?? | A?? | A?? | A?? | A?? | A?? | A?? | A?? | A?? |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| TM??            | X   |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| TM??            |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| TM??            |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| GD <sup>1</sup> |     | X   |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| GD??            |     |     | X   | X   | X   | X   |     |     |     |     |     |     |     |     |     |     |     |     |     |
| DD <sup>1</sup> |     |     |     |     |     |     | X   | X   | X   |     |     |     |     |     |     |     |     |     |     |
| DD??            |     |     | X   | X   |     |     |     |     |     | X   |     |     |     |     |     |     |     |     |     |
| DD??            |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| DD??            |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| IM <sup>1</sup> |     |     |     |     |     |     |     |     |     |     | X   | X   |     | X   | X   | X   |     |     | X   |
| IM??            |     |     |     |     |     |     |     |     |     |     |     | X   | X   |     |     | X   | X   | X   |     |
| IM??            |     |     |     |     |     |     |     |     |     |     |     |     |     | X   |     |     |     |     | X   |
| IM??            |     |     |     |     |     |     |     |     |     |     |     |     | X   |     |     |     |     | X   |     |
| LC??            |     |     |     | X   |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| LC??            |     |     |     |     |     |     |     | X   |     |     |     |     |     |     |     |     |     |     |     |
| LC??            |     |     |     |     |     |     |     |     | X   |     |     |     |     |     |     |     |     |     |     |
| LC??            |     |     |     |     |     |     |     |     |     |     | X   |     |     |     |     |     |     |     |     |
| LC??            |     |     |     |     |     |     |     |     |     |     |     | X   |     |     |     |     |     |     |     |
| LC??            |     |     |     |     |     |     |     |     |     |     |     |     |     |     | X   |     |     |     |     |

Table 6: Traceability Matrix Showing the Connections Between Assumptions and Other Items

Figure ?? shows the dependencies of instance models, requirements, and data constraints on each other.

## **9 Development Plan**

## **10 Values of Auxiliary Constants**

## Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Lifelong Learning.

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?
2. What pain points did you experience during this deliverable, and how did you resolve them?
3. How many of your requirements were inspired by speaking to your client(s) or their proxies (e.g. your peers, stakeholders, potential users)?
4. Which of the courses you have taken, or are currently taking, will help your team to be successful with your capstone project.
5. What knowledge and skills will the team collectively need to acquire to successfully complete this capstone project? Examples of possible knowledge to acquire include domain specific knowledge from the domain of your application, or software engineering knowledge, mechatronics knowledge or computer science knowledge. Skills may be related to technology, or writing, or presentation, or team management, etc. You should look to identify at least one item for each team member.
6. For each of the knowledge areas and skills identified in the previous question, what are at least two approaches to acquiring the knowledge or mastering the skill? Of the identified approaches, which will each team member pursue, and why did they make this choice?