

Cucumber Report

15 Jun 2023, 10:37:06 AM

Start : Jun 15, 10:34:37.761 AM

End : Jun 15, 10:37:00.800 AM

Duration : 2 m 23.039 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 15
FAILED - 1
SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	<u>Checking the functionalities of transaction</u>	1	0	1	0	2 m 23.039 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the functionalities of transaction</u>	<u>Checking Single Transfer (Main Debit) Intra Transaction - Deduct Charges from Credit Account - CIF Charges - *</u>	20	15	1	4	2 m 23.033 s


* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- Checking the functionalities of transaction




FAILED	DURATION - 2 m 23.039 s	Scenarios		Steps	
/ 10:34:37.761 AM // 10:37:00.800 AM /		Total - 1		Total - 20	
		Pass - 0		Pass - 15	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

(S)- Checking Single Transfer (Main Debit) Intra Transaction - Deduct Charges from Credit Account - CIF Charges - Specific Used - Cash



<div>FAILED</div> <div>DURATION - 2 m 23.033 s</div>		<div></div>	<div>Steps</div> <div>Total - 20</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 10:34:37.767 AM // 10:37:00.800 AM /</div>				
<div>Checking the functionalities of transaction</div>				
<div>@TRS_172</div>				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM application and login with valid credentials	PASSED	28.893 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.683 s
	screenshot 		
2	And user_612 update test data set id for TRS_172	PASSED	1.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.552 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	And User_612 Click on Date to Change the Current Date	PASSED	0.715 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		
			
4	And User_612 Enter the Date in User Running Date	PASSED	1.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
			
5	And User_612 Click on Use Button in Change Running Date Popup	PASSED	0.439 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	screenshot		
			
6	And User_612 Click Ok Button in Information PopUp menu	PASSED	0.402 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.408 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And User_612 Click on Close Button in Change Running Date Popup	PASSED	0.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		
			
8	And User_612 Click on Technical Details Icon	PASSED	0.328 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
			
9	And User_612 Click Clear Cache in Technical Details Icon	PASSED	0.394 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s
	screenshot		
			
10	And User_612 Click Ok Button Under Information PopUp Menu	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And User_612 Click on Transactions under CSM application	PASSED	0.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
			
12	And User_612 Click on Maintenance under Transactions	PASSED	0.761 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
	screenshot		
			
13	And User_612 Enter TRX Type in Maintenance Screen	PASSED	11.937 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		
			
14	And User_612 Click a mode of payment in under Transaction	PASSED	5.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And User_612 Enter a value currency in mode of payment	PASSED	1.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot 		
16	And User_612 Double the existing data in mode of payment	FAILED	1 m 0.058 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //td[text()='840']' (tried for 60 second(s) with 1 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:105)</p> <p>at stepdefinitions.</p> <p>CSM_TransactionsSteps_612.user_double_the_existing_data_in_mode_of_payment(CSM_TransactionsSteps_612.java:517)</p> <p>at ?.User_612 Double the existing data in mode of payment(file:///C:/Users/inindc00612/git/CSM1/CSM_RAZIA3/src/test/java/features/CSM_Transactions_612.feature:165)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[text()='840']"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [635183c4dbf7c089df6a72ee3c5813ef, findElement {using=xpath, value="//td[text()='840']"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:61750}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61750/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 635183c4dbf7c089df6a72ee3c5813ef</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor39.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:105) at stepdefinitions. CSM_TransactionsSteps_612.user_double_the_existing_data_in_mode_of_payment(CSM_TransactionsSteps_612.java:517) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.389 s
17	And User_612 Enter the Currency in Maintenance Screen	SKIPPED	0.000 s
18	And User_612 Enter the Amount in Maintenance Screen	SKIPPED	0.000 s
19	And user_612 check if the value is entered or not	SKIPPED	0.000 s
20	And User_612 Click Ok Button in Warning PopUp Menu	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash

(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash

(F) Checking the functionalities of
transaction

The screenshot shows the AZENTIO system interface. The top header includes the user name 'RAZIA', company 'RAJ', branch 'Head Office', and the date '15 June 2023'. The left sidebar contains a list of transaction types, with 'Transactions' highlighted. The main area is currently empty, showing only the header and footer information.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash


(F) Checking the functionalities of
transaction

The screenshot shows the AZENTIO system interface with the 'Transaction Management' form. The form includes fields for Transaction No, Transaction Date, Current Status, Mode of payment, Debit A/C, Account Name, Account Cy, Account Type, Account CIF, Currency, Exchange Rate, Inverse Exchange Rate, Amount, Value date, Request Date, and details for Sender Note and Beneficiary Note. The 'Mode of payment' is set to 'Cash'. The 'Debit A/C' is set to 'Cash'. The 'Account Name' is 'Cash'. The 'Account Cy' is 'Cash'. The 'Account Type' is 'Cash'. The 'Account CIF' is 'Cash'. The 'Currency' is 'USD'. The 'Exchange Rate' is '1.00'. The 'Inverse Exchange Rate' is '1.00'. The 'Amount' is '1000.00'. The 'Value date' is '15/06/2023'. The 'Request Date' is '15/06/2023'. The 'Sender Note' and 'Beneficiary Note' fields are empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash

(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Single Transfer (Main Debit)
Intra Transaction - Deduct Charges from
Credit Account - CIF Charges - Specific
Used - Cash

(F) Checking the functionalities of
transaction

