

Cucumber Report

16 Jun 2023, 5:58:41 PM

Start : Jun 16, 5:57:45.226 PM

End : Jun 16, 5:58:39.269 PM

Duration : 54.043 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 14
FAILED - 1
SKIPPED - 11







#	Feature Name	T	P	F	S	Duration
1	<u>Checking the functionalities of transaction</u>	1	0	1	0	54.043 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the functionalities of transaction</u>	<u>Checking Cash Withdrawal Transaction - Eco Sector</u> <u>Withdrawal Limit Defined - Warn User if Limit Exceeds *</u>	26	14	1	11	54.037 s


* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- Checking the functionalities of transaction




FAILED	DURATION - 54.043 s	Scenarios		Steps	
/ 5:57:45.226 PM // 5:58:39.269 PM /		Total - 1		Total - 26	
		Pass - 0		Pass - 14	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

(S)- Checking Cash Withdrawal Transaction - Eco Sector Withdrawal Limit Defined - Warn User if Limit Exceeds Checked Amount < Limit


<div>FAILED</div> <div>DURATION - 54.037 s</div>		<div></div>	<div>Steps</div> <div>Total - 26</div> <div>Pass - 14</div> <div>Fail - 1</div> <div>Skip - 11</div>	<div></div>
<div>/ 5:57:45.232 PM // 5:58:39.269 PM /</div>				
<div>Checking the functionalities of transaction</div>				
<div>@TRS_116_01</div>				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSMparam application and login with valid credentials	PASSED	23.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
			
2	And user update test data set id for TRS_116	PASSED	0.013 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click the parameters menu	PASSED	0.322 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		
			
4	And user click the system parameters submenu	PASSED	0.452 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
			
5	And user click the User screen in system parameters	PASSED	0.794 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
			
6	And user click the update after approve screen	PASSED	0.605 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click and send the values in user id under update after approve screen	PASSED	6.727 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		
			
8	And user double click the user id	PASSED	0.494 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
			
9	Then user click Eco sector button	PASSED	1.440 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
			
10	And User click the Eco sector Delete All	PASSED	0.571 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.446 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user click the confirm ok	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot		
			
12	And user click add icon under Eco sector limit	PASSED	0.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
	screenshot		
			
13	And user enter eco sector value	PASSED	0.536 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
			
14	And user enter transaction value under Eco sector	PASSED	0.590 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
15	<p>And user enter withdraw limit value under Eco sector</p> <pre>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ef779571f2964330b8f0dac2fefe99ed, actions {actions=[org.openqa.selenium.interactions.Sequence@59043741]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57575}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57575/devtoo..., se.cdpVersion: 114.0.5735.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ef779571f2964330b8f0dac2fefe99ed at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</pre>	FAILED	0.632 s

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.CSM_TransactionsSteps.user_enter_withdraw_limit_value_under_eco_sector(CSM_TransactionsSteps.java:1425) at ?.user enter withdraw limit value under Eco sector(file:///C:/Users/inindc00612/git/CSM1/CSM_RAZIA3/src/test/java/features/CSM_transactions.feature:797)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invoke(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.CSM_TransactionsSteps.user_enter_withdraw_limit_value_under_eco_sector(CSM_TransactionsSteps.java:1425) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at Runner.CucumberRunTime.lambda\$7(CucumberRunTime.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at Runner.CucumberRunTime.lambda\$6(CucumberRunTime.java:116) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at Runner.CucumberRunTime\$SameThreadExecutorService.execute(CucumberRunTime.java:238) at java.base/java.util.concurrent.AbstractExecutorService.submit(AbstractExecutorService.java:123) at Runner.CucumberRunTime.lambda\$3(CucumberRunTime.java:87) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.stream.SliceOps\$1\$1.accept(SliceOps.java:200) at java.base/java.util.ArrayList\$ArrayListSpliterator.tryAdvance(ArrayList.java:1602) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at Runner.CucumberRunTime.run(CucumberRunTime.java:88) at Runner.CucumberRunner.run3(CucumberRunner.java:185) at Runner.CucumberRunner.run3(CucumberRunner.java:116) at Runner.MultipleTagsRun.excelTestArea(MultipleTagsRun.java:37) at Runner.MultipleTagsRun.test(MultipleTagsRun.java:76) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p>		

#	Step / Hook Details	Status	Duration
	<p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.CSM_TransactionsSteps.user_enter_withdraw_limit_value_under_eco_sector(CSM_TransactionsSteps.java:1425) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at Runner.CucumberRunTime.lambda\$7(CucumberRunTime.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at Runner.CucumberRunTime.lambda\$6(CucumberRunTime.java:116) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at Runner.CucumberRunTime\$SameThreadExecutorService.execute(CucumberRunTime.java:238) at java.base/java.util.concurrent.AbstractExecutorService.submit(AbstractExecutorService.java:123) at Runner.CucumberRunTime.lambda\$3(CucumberRunTime.java:87) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.stream.SliceOps\$1\$1.accept(SliceOps.java:200) at java.base/java.util.ArrayList\$ArrayListSpliterator.tryAdvance(ArrayList.java:1602) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at Runner.CucumberRunTime.run(CucumberRunTime.java:88) at Runner.CucumberRunner.run3(CucumberRunner.java:185) at Runner.CucumberRunner.run3(CucumberRunner.java:116) at Runner.MultipleTagsRun.excelTestArea(MultipleTagsRun.java:37) at Runner.MultipleTagsRun.test(MultipleTagsRun.java:76) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[@tdlabel='W/D Limit']/input"} (Session info: chrome=114.0.5735.111) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ef779571f2964330b8f0dac2fefe99ed, findElement {using=xpath, value=//td[@tdlabel='W/D Limit']/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\NINDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:57575}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57575/devtoo..., se.cdpVersion: 114.0.5735.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss</p>		


#	Step / Hook Details	Status	Duration
	<p>and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ef779571f2964330b8f0dac2fefe99ed</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor39.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy41.getWrappedElement(Unknown Source)</p> <p>at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:269)</p> <p>at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:218)</p> <p>at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73)</p> <p>at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> <p>+</p> 	PASSED	0.259 s
16	Then user verify the warn user if limit exceed flag checked under Eco sector	SKIPPED	0.000 s
17	And user click the ok button under limit	SKIPPED	0.001 s
18	And user click the update after approve button	SKIPPED	0.000 s
19	And user click the confirm ok	SKIPPED	0.000 s
20	And user click the sucesss ok	SKIPPED	0.000 s
21	And user click the approve in user screen	SKIPPED	0.000 s
22	And user click and send the values in user id under Approve screen	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
23	And user double click the user id in approve screen	SKIPPED	0.000 s
24	And user click the Approvebtn	SKIPPED	0.000 s
25	And user click the confirm ok	SKIPPED	0.001 s
26	And user click the sucesss ok	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit

(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit

(F) Checking the functionalities of
transaction

The screenshot shows the AZENTIO system interface. The sidebar menu is open, showing options like Parameters, Accounts Parameters, System Parameters, and User. The main area displays a table with columns: User Code, User Id, User Type, Privilege Level, Division Code, Department, Role, Brief Name, Long Name, الاسم المختصر, and long_name_arab.ke. The table shows data for users like MODEL BANK, USERA Branch Manager, and Ferd Mohamed Masmouli. A 'Loading...' button is visible in the table.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit

(F) Checking the functionalities of
transaction

The screenshot shows the AZENTIO system interface. The sidebar menu is open, showing options like Parameters, Accounts Parameters, System Parameters, and User. The main area displays a table with columns: User Code, User Id, User Type, Privilege Level, Division Code, Department, Role, Brief Name, Long Name, الاسم المختصر, and long_name_arab.ke. The table shows data for users like RAZIA and SULTANA. A loading spinner is visible in the center of the screen.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit

(F) Checking the functionalities of
transaction

The screenshot shows the AZENTIO system interface. The left sidebar contains a 'Menu Options' list with categories like Parameters, Accounts Parameters, System Parameters, and User. The main area displays the 'Update after Approve' form for a User Code 009514. The form includes fields for User Code, Brief Name, Long Name, User Type, Division Code, Role, Privilege Level, and various limits. A 'CONFIRM' dialog box is overlaid on the form, asking 'Delete All Rows?' with 'OK' and 'Cancel' buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit


(F) Checking the functionalities of
transaction

The screenshot shows the AZENTIO system interface. The left sidebar contains a 'Menu Options' list with categories like Parameters, Accounts Parameters, System Parameters, and User. The main area displays the 'Eco Sector' table with columns for Eco Sector, Brief Name, Transaction, acc_desc_key, W/D Limit, and Deposit Limit. A 'CONFIRM' dialog box is overlaid on the table, asking 'Delete All Rows?' with 'OK' and 'Cancel' buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit


(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit

(F) Checking the functionalities of
transaction



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Withdrawal
Transaction - Eco Sector Withdrawal Limit
Defined - Warn User if Limit Exceeds
Checked Amount < Limit

(F) Checking the functionalities of
transaction

