

# Cucumber Report

18-May-2023, 4:15:27 pm

Start : May 18, 4:14:30.046 pm

End : May 18, 4:15:25.678 pm

Duration : 55.632 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 13  
FAILED - 1  
SKIPPED - 11







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	1	0	1	0	55.632 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	<u>Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating</u>	25	13	1	11	55.626 s

**(F)- To verify the functionality of transaction on staff account**

<b>FAILED</b>	<b>DURATION - 55.632 s</b>	Scenarios		Steps	
/ 4:14:30.046 pm // 4:15:25.678 pm /		Total - 1		Total - 25	
		Pass - 0		Pass - 13	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

**(S)- Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating**

<div>FAILED</div> <div>DURATION - 55.626 s</div>			Steps		
/ 4:14:30.052 pm // 4:15:25.678 pm /			Total - 25		
To verify the functionality of transaction on staff account			Pass - 13		
@TSA_016			Fail - 1		
			Skip - 11		

#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	30.024 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.427 s
	screenshot		
			
2	And user click parameters menu	PASSED	0.861 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.441 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	And user click system parameters submenu	PASSED	0.893 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.455 s
	screenshot		
			
4	And user click user submenu	PASSED	0.753 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s
	screenshot		
			
5	And user click populate user submenu	PASSED	0.491 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
6	And user click maintenance under populate user submenu	PASSED	0.487 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click and enter the value in code under maintenance screen	PASSED	8.618 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
8	And user click and enter the value in brief description field under maintenance screen	PASSED	0.370 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot		
			
9	And user click and enter the value in long description field under maintenance screen	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
			
10	And user click and enter the value in brief description arabic field under maintenance screen	PASSED	0.367 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user click and enter the value in long description arabic field under maintenance screen	PASSED	0.344 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		
			
12	And user click and enter the value in user code field	PASSED	0.342 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
			
13	And user click add icon in destination branches	PASSED	0.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
14	And user click and enter the value in branch code field	FAILED	1.502 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input role="livesearch" type="text" id="new_1684406723278_ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE_lookuptxt_tab2_GridTbl_Id_E000POMT" class="liveSearchText liveSearchCompSize ui-widget-content liveSearchInputCorner" name="lookupTxt_ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE" prevvalue="" value="" dependency="branchesvo.BRANCH_CODE:ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE_lookuptxt,branchesvo.BRIEF_DESC_ENG:hiddenBranch,BRANCH_STATUS:B_STATUS" dependencysrc="/imal_csm_params_imal145_qc_o18/path/param/populateTeller/PopulateTellerDependencyAction_dependencyForCtstellerPopulate4" params="USER_ID:hiddenUserId,destinationBranchCode:ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE_lookuptxt,criteria.		

#	Step / Hook Details	Status	Duration
	<p>branchCode:ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE_lookuptxt" afterdepevent="" leadzeros="" mode="number" nbformat="#" colmodel="[object Object]" maxlength="4" gridid="tab2_GridTbl_Id_E000POMT" editrowid="new_1684406723278" required="required"&gt; is not clickable at point (368, 433). Other element would receive the click: &lt;div class="progBarContent" style="left: 0px;"&gt;...&lt;/div&gt; (Session info: chrome=113.0.5672.126) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [97ba56eeefbc41fd136d65890eae087a, clickElement {id=5DC74E445D839B02BDA0677178655469_element_297}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:58255}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58255/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (97ba56eeefbc41fd136d65890eae087a)] -&gt; xpath: //input[@name='lookupTxt_ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE']] Session ID: 97ba56eeefbc41fd136d65890eae087a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:578)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source)  at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22)  at stepdefinitions.CSM_TransactionOnStaffAccount_Steps.  user_click_and_enter_the_value_in_branch_code_field(CSM_TransactionOnStaffAccount_Steps.java:137)  at ?.user click and enter the value in branch code field(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Transaction_On_Staff_Account.feature:17)  * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		




#	Step / Hook Details	Status	Duration
			
15	And user click and enter the value in new user template field	SKIPPED	0.000 s
16	And user click save button under populate user	SKIPPED	0.000 s
17	And user click confirm message ok button	SKIPPED	0.000 s
18	And user click success message ok button	SKIPPED	0.001 s
19	And user click approve screen under populate user	SKIPPED	0.000 s
20	And user click and enter the value in cheque code under approve screen	SKIPPED	0.000 s
21	And user click approve button	SKIPPED	0.000 s
22	And user click populate screen	SKIPPED	0.000 s
23	And user click and enter the value in cheque code under populate screen	SKIPPED	0.000 s
24	And user click populate button	SKIPPED	0.000 s
25	And user logout from the csm params application	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

The screenshot shows the AZENTIO web application interface. The top navigation bar includes the user profile (GOWRI, Company: BAJ, Branch: Head Office) and the date (01 December 2022). The left sidebar contains a 'Menu Options' tree with categories like Parameters, System Parameters, User, and Maintenance. The 'Maintenance' category is expanded, and the 'Populate User' option is selected. The main content area displays the 'EODPOHMT' form with fields for Code, Status, Brief Description, Long Description, User Code, User ID, and a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns for Branch Code, Branch Name, and New User Template. The table is currently empty, showing 'No records to view'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

This screenshot is similar to the one above, showing the AZENTIO web application interface. The 'Maintenance' category is expanded, and the 'Populate User' option is selected. In this instance, the 'Brief Description' field in the 'EODPOHMT' form is populated with the text 'test123'. The 'Destination Branches' table remains empty, showing 'No records to view'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with categories like Parameters, User, and Maintenance. The main area displays the 'Populate User' form for user '157'. The form includes fields for Code, Status, Brief Description, Long Description, User Code, User ID, and a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns for Branch Code, Branch Name, and New User Template. The table is currently empty, showing 'No records to view'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

This screenshot is identical to the one above, showing the AZENTIO user management interface. The 'Populate User' form for user '157' is displayed. The 'User Code' field is now populated with the value '226963'. The 'Destination Branches' table remains empty, showing 'No records to view'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with categories like Parameters, System Parameters, User, and Maintenance. The 'User' category is selected, and the 'Populate User' option is highlighted. The main area displays the 'Populate User' form with fields for Code (157), Status, Brief Description (test157), Long Description (test), User Code (20561), User ID (320561), and a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns for Branch Code, Branch Name, and New User Template. The table contains one row with a branch code of 1. The bottom of the interface shows the copyright notice 'Copyright ©2023 Azentio All Rights Reserved' and the version 'Intel Parametization 14.7.0.0 Build 198'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

This screenshot is identical to the one above, showing the AZENTIO user management interface. The 'Populate User' form and 'Destination Branches' table are visible. In this instance, a loading spinner is present in the 'New User Template' column of the table, indicating that the system is processing the data. The bottom of the interface shows the copyright notice 'Copyright ©2023 Azentio All Rights Reserved' and the version 'Intel Parametization 14.7.0.0 Build 198'.