


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To destory the ChequeBook Record	1	0	1	0	43.397 s

SCENARIOS SUMMARY -- 3 --




#	# Feature Name	Scenario Name	T	P	F	S	Duration
1	To destory the ChequeBook Record	destory the ChequeBook Record	7	1	1	5	43.388 s

DETAILED SECTION

(F)- To destory the ChequeBook Record

FAILED	DURATION - 43.397 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 1:37:17.646 PN	M // 1:38:01.043 PM /	Pass - 0	1	Pass - 1	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- destory the ChequeBook Record



#	Step / Hook Details	Status	Duration
1	Given navigate to CSM application and login with valid credentials	PASSED	24.921 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.602 s
	screenshot		
2	And Click the ChequeBook request under CSM application	FAILED	0.061 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[text()='Chequebook Request']"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [acf170517e9543332ffa6aba8a1ad1d8, findElement {using=xpath, value=//td[text()='Chequebook Request']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:49394}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49394/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

#	Step / Hook Details	Status	Duration
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	acf170517e9543332ffa6aba8a1ad1d8		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source)		
	at stepdefinitions.CSM_CB_DestroytheRecord_steps.		
	click_the_chequebook_request_under_csm_application(CSM_CB_DestroytheRecord_steps.java:34)		
	at ?.Click the ChequeBook request under CSM application(file:///C:/Users/inindc00605/eclipse-workspace/Azentio_CSM_Gowtham/src/test/		
	java/features/CSM_CB_DestroytheRecord.feature:7)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.434 s
	screenshot		
3	Then Click the to be destory button under ChequeBook request	SKIPPED	0.000 s
4	And Click on search existing checkbook record	SKIPPED	0.000 s
5	And search a existing checkbook record	SKIPPED	0.000 s
6	Then double click the approve option	SKIPPED	0.000 s
7	And click the todestory button	SKIPPED	0.000 s
	And the total putton	JINII FLD	0.000 3

EXPANDED SECTION -- 6 --

