

# Cucumber Report

28 Jun 2023, 12:51:27 PM

Start : Jun 28, 12:49:47.048 PM

End : Jun 28, 12:51:22.083 PM

Duration : 1 m 35.035 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 14  
FAILED - 1  
SKIPPED - 18







#	Feature Name	T	P	F	S	Duration
1	<u>Checking functionality of transaction</u>	1	0	1	0	1 m 35.035 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking functionality of transaction</u>	<u>Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment A/C</u>	33	14	1	18	1 m 35.029 s

**(F)- Checking functionality of transaction**

<b>FAILED</b>	<b>DURATION - 1 m 35.035 s</b>	Scenarios		Steps	
/ 12:49:47.048 PM // 12:51:22.083 PM /		Total - 1		Total - 33	
		Pass - 0		Pass - 14	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 18	

**(S)- Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment A/C**


<div>FAILED</div> <div>DURATION - 1 m 35.029 s</div>		<div></div>	<div>Steps</div> <div>Total - 33</div> <div>Pass - 14</div> <div>Fail - 1</div> <div>Skip - 18</div>	<div></div>
<div>/ 12:49:47.054 PM // 12:51:22.083 PM /</div>				
<div>Checking functionality of transaction</div>				
<div>@TRS_393</div>				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM application and login with valid credentials	PASSED	39.956 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.861 s
	screenshot		
			
2	And user update test data set id for TRS_393	PASSED	5.530 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.564 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
3	And user click on Date to Change the Current Date in the CSM core application	PASSED	0.580 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.642 s
	screenshot		
	 +		
4	And user Enters the Date in user Running Date in the CSM core application	PASSED	1.371 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.734 s
	screenshot		
	 +		
5	And user click on Use Button in Change Running Date Popup in the CSM core application	PASSED	1.505 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.904 s
	screenshot		
	 +		
6	And User Click Ok Button for confirmation PopUp for Company Holiday	PASSED	2.574 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.599 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
7	And user click Ok Button in Information PopUp menu in the CSM core application	PASSED	0.658 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.702 s
	screenshot		
	 +		
8	And user click on Close Button in Change Running Date Popup in the CSM core application	PASSED	0.564 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.437 s
	screenshot		
	 +		
9	And user click on Technical Details Icon in the CSM core application	PASSED	1.045 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.584 s
	screenshot		
	 +		
10	And user click Clear Cache in Technical Details Icon in the CSM core application	PASSED	0.497 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.651 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
11	And user click Ok Button Under Information PopUp Menu in the CSM core application	PASSED	0.483 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.534 s
	screenshot		
	 +		
12	And user click on Transactions under CSM application in the CSM core application	PASSED	0.484 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.641 s
	screenshot		
	 +		
13	And user click on Maintenance under Transactions in the CSM core application	PASSED	0.789 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.774 s
	screenshot		
	 +		
14	And user enters the transaction type	PASSED	10.263 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.595 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	<p><b>And user change the mode of payment to Account</b></p> <pre>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [888a445e62bf8785e9ff4b314510c47a, actions {actions=[org.openqa.selenium.interactions.Sequence@b8142f4]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chrome-win-1024x768\chrome-win-1024x768\chrome.exe}, goog:chromeOptions: {debuggerAddress: localhost:53099}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53099/devtools, se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 888a445e62bf8785e9ff4b314510c47a     at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362)     at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)     at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)     at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)     at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)     at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)     at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)     at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)     at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)     at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)     at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)     at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)     at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)     at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)     at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)     at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)     at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)     at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)     at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)     at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)     at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)     at org.openqa.selenium.json.Json.toJson(Json.java:42)     at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)     at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</pre>	FAILED	0.333 s




#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611)  at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567)  at org.openqa.selenium.interactions.Actions.perform(Actions.java:536)  at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)  at stepdefinitions.CSM_Transactions_Steps.user_change_the_mode_of_payment_to_account(CSM_Transactions_Steps.java:992)  at ?.user change the mode of payment to Account(file:///C:/Users/inindc00606/git/AZENTIO-CSM/CSM_Azentio/src/test/java/features/CSM_TranactionFEATURE.feature:871)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invoke(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.CSM_Transactions_Steps.user_change_the_mode_of_payment_to_account(CSM_Transactions_Steps.java:992) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.</p>		

#	Step / Hook Details	Status	Duration
	<p>SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)  at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)  at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)  at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)  at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)  at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)  at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)  at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)  at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)  at org.openqa.selenium.json.Json.toJson(Json.java:42)  at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)  at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611)  at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567)  at org.openqa.selenium.interactions.Actions.perform(Actions.java:536)  at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)  at stepdefinitions.CSM_Transactions_Steps.user_change_the_mode_of_payment_to_account(CSM_Transactions_Steps.java:992)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//select[@id='trsfr_method_D001MT']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [888a445e62bf8785e9ff4b314510c47a, findElement {using=xpath, value=//select[@id='trsfr_method_D001MT']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome\chrome.crx}, goog:chromeOptions: {debuggerAddress: localhost:53099}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53099/devtools, se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 888a445e62bf8785e9ff4b314510c47a</p> <pre> at java.lang.reflect.GeneratedConstructorAccessor39.newInstance(Unknown Source) at java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:269) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:218) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82) </pre> <p>* Not displayable characters are replaced by '?'. *</p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.666 s

#	Step / Hook Details	Status	Duration
			
16	And user Enter the Branch Code for AC1 in Maintenance Screen	SKIPPED	0.000 s
17	And user click random click	SKIPPED	0.001 s
18	And user Enter Currency Code for AC1 in Maintenance Screen	SKIPPED	0.000 s
19	And user click random click	SKIPPED	0.000 s
20	And user Enter GL Code for AC1 in Maintenance Screen	SKIPPED	0.001 s
21	And user click random click	SKIPPED	0.001 s
22	And user Enter CIF Code for AC1 in Maintenance Screen	SKIPPED	0.010 s
23	And user click random click	SKIPPED	0.000 s
24	And user Enter Serial for AC1 in Maintenance Screen	SKIPPED	0.001 s
25	And user click random click	SKIPPED	0.000 s
26	And user click Ok Button in Warning PopUp Menu	SKIPPED	0.000 s
27	And user Enter the Currency in Maintenance Screen	SKIPPED	0.000 s
28	And user Enter the Amount in Maintenance Screen	SKIPPED	0.000 s
29	And user click the AccountDetails button under maintenance screen	SKIPPED	0.000 s
30	And user click the Add button on AccountDetails button	SKIPPED	0.000 s
31	And user Enter the GL on AccountDetails button	SKIPPED	0.000 s
32	And user Enter the Cif on AccountDetails button	SKIPPED	0.000 s
33	And user Enter the SerialNo on AccountDetails button	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C


(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C


(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C


(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C


(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C


(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C

(F) Checking functionality of transaction






(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C


(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C


(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C


(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C


(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C


(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C


(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C


(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C

(F) Checking functionality of transaction



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the system accept multiple  
CIF whenever creating Transfer Trx -  
Local - Multi Transfer - Mode of Payment  
A/C

(F) Checking functionality of transaction

