

Cucumber Report

19-May-2023, 4:04:29 pm

Start : May 19, 4:03:48.858 pm

End : May 19, 4:04:27.975 pm

Duration : 39.117 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 13
FAILED - 1
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	1	0	1	0	39.117 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	<u>Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating</u>	30	13	1	16	39.110 s

(F)- To verify the functionality of transaction on staff account

FAILED	DURATION - 39.117 s	Scenarios		Steps	
/ 4:03:48.858 pm // 4:04:27.975 pm /		Total - 1		Total - 30	
		Pass - 0		Pass - 13	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	




(S)- Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating


<div>FAILED</div> <div>DURATION - 39.110 s</div>			Steps		
/ 4:03:48.865 pm // 4:04:27.975 pm /			Total - 30		
To verify the functionality of transaction on staff account			Pass - 13		
@TSA_016			Fail - 1		
		Skip - 16			

#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	15.792 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		
			
2	And user click parameters menu	PASSED	0.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click system parameters submenu	PASSED	0.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
4	And user click user submenu	PASSED	2.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
	screenshot		
			
5	And user click populate user submenu	PASSED	1.887 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.419 s
	screenshot		
			
6	And user click maintenance under populate user submenu	PASSED	1.901 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click and enter the value in code under maintenance screen	PASSED	5.474 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
			
8	And user click and enter the value in brief description field under maintenance screen	PASSED	0.443 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
			
9	And user click and enter the value in long description field under maintenance screen	PASSED	0.412 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		
			
10	And user click and enter the value in brief description arabic field under maintenance screen	PASSED	0.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user click and enter the value in long description arabic field under maintenance screen	PASSED	0.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
			
12	And user click and enter the value in user code field	PASSED	0.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
			
13	And user click add icon in destination branches	PASSED	0.300 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
			
14	And user randomly click in destination branches	FAILED	1.354 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (319, 378). Other element would receive the click: <div class="ui-widget-shadow progBarBackGound"></div> (Session info: chrome=113.0.5672.126) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [da844a1a25e0ca7095886555c3b90392, clickElement {id=34E636E916AEB2031D93B5D20042D21A_element_255}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\NINDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55149},		


#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55149/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (da844a1a25e0ca7095886555c3b90392)] -> xpath: //a[@id='populateTeller_tab_1_E000POMT']] Session ID: da844a1a25e0ca7095886555c3b90392</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22) at stepdefinitions.CSM_TransactionOnStaffAccount_Steps. user_randomly_click_in_destination_branches(CSM_TransactionOnStaffAccount_Steps.java:138) at ?.user randomly click in destination branches(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/ AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Transaction_On_Staff_Account.feature:17) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.269 s
15	And user click and enter the value in branch field	SKIPPED	0.001 s
16	And user click and enter the value in new user template field	SKIPPED	0.000 s
17	And user click save button under populate user	SKIPPED	0.000 s
18	And user click confirm message ok button	SKIPPED	0.000 s
19	And user click success message ok button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
20	And user click approve screen under populate user	SKIPPED	0.000 s
21	And user click and enter the value in cheque code under approve screen	SKIPPED	0.000 s
22	And user click approve button	SKIPPED	0.001 s
23	And user click confirm message ok button	SKIPPED	0.000 s
24	And user click success message ok button	SKIPPED	0.000 s
25	And user click populate screen	SKIPPED	0.000 s
26	And user click and enter the value in cheque code under populate screen	SKIPPED	0.000 s
27	And user click populate button	SKIPPED	0.000 s
28	And user click confirm message ok button	SKIPPED	0.000 s
29	And user click success message ok button	SKIPPED	0.001 s
30	And user logout from the csm params application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO web application interface. The top navigation bar includes the user profile (GOWRI, Company: BAJ, Branch: Head Office) and the date (01 December 2022). The left sidebar contains a 'Menu Options' tree with categories like Parameters, System Parameters, User, and Maintenance. The 'Maintenance' category is expanded, showing options like 'Populate User', 'Approve', 'Update after Approve', 'Suspend', 'Reactivate', 'List', 'Teller AYS LIST', and 'Maintenance'. The 'Populate User' option is selected. The main content area displays the 'Populate User' form with fields for 'Code' (150), 'Status', 'Brief Description', 'Long Description', 'User Code' (10), 'User ID', and 'Brief Description'. There is a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns 'Branch Code', 'Branch Name', and 'New User Template'. The table is currently empty, showing 'No records to view'. The bottom of the page contains copyright information: 'Copyright ©2023 Azentio @All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

This screenshot is identical to the one above, showing the AZENTIO web application interface. The 'Populate User' form is visible with the same fields and values. The 'Destination Branches' table remains empty. The interface elements, including the top navigation bar, left sidebar, and bottom footer, are consistent with the previous screenshot.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, showing 'System Parameters' and 'User'. The 'User' section is selected, and the 'Populate User' option is highlighted. The main form is for user '157' with a 'Brief Description' of 'test157' and a 'Long Description' of 'test'. The 'Destination Branches' table is empty, showing 'No records to view'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, showing 'System Parameters' and 'User'. The 'User' section is selected, and the 'Populate User' option is highlighted. The main form is for user '157' with a 'Brief Description' of 'test157' and a 'Long Description' of 'test'. The 'Destination Branches' table is empty, showing 'No records to view'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, showing 'System Parameters' and 'User'. The 'User' section is selected, and the 'Populate User' option is highlighted. The main form displays the 'E000P0MT' user profile with the following fields: Code (157), Status, Brief Description (test157), Long Description (test), User Code (longArabic), and User ID. The 'Destination Branches' table is empty, showing 'No records to view'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, showing 'System Parameters' and 'User'. The 'User' section is selected, and the 'Populate User' option is highlighted. The main form displays the 'E000P0MT' user profile with the following fields: Code (157), Status, Brief Description (test157), Long Description (test), User Code (longArabic), and User ID. The 'Destination Branches' table is empty, showing 'No records to view'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with categories like Parameters, System Parameters, User, and Maintenance. The 'User' category is selected, and the 'Populate User' option is highlighted. The main area displays the 'E000P0MT' form for user management. Fields include Code (157), Status, Brief Description (test157), Long Description (test), User Code (20561), and User ID (320561). A 'Destination Branches' table is visible with columns for Branch Code, Branch Name, and New User Template. The table contains one entry with Branch Code 1. The interface is in Arabic, with labels like 'الاسم العربي' (Arabic Name) and 'الاسم الكامل' (Full Name). The footer shows 'Copyright ©2023 Azentio All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

This screenshot is identical to the one above, showing the AZENTIO user management interface. The 'Populate User' option is selected in the sidebar. The main form displays the same fields as the previous screenshot. The 'Destination Branches' table is visible, and a loading spinner is present in the table area, indicating that the system is processing the population of users. The footer shows 'Copyright ©2023 Azentio All Rights Reserved' and 'Powered By'.