

Cucumber Report

31-May-2023, 7:16:02 pm

Start : May 31, 7:14:24.603 pm

End : May 31, 7:15:52.705 pm

Duration : 1 m 28.102 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0


PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 18
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Transaction on staff account in CSM Application	1	1	0	0	1 m 28.102 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Testing the functionalities of Transaction on staff account in CSM *</u>	<u>Checking Cash Deposit Transaction - Interbranch - Prerequisites (Allow Back dated Value Date flag and Allow *</u>	18	18	0	0	1 m 28.096 s


* The feature name and/or scenario name has been cropped to fit in the available space.





(F)- Testing the functionalities of Transaction on staff account in CSM Application



PASSED	DURATION - 1 m 28.102 s	Scenarios		Steps	
/ 7:14:24.603 pm // 7:15:52.705 pm /		Total - 1		Total - 18	
		Pass - 1		Pass - 18	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Checking Cash Deposit Transaction - Interbranch - Prerequisites (Allow Back dated Value Date flag and Allow Post dated Value Date flag - Check)

<div>PASSED</div> <div>DURATION - 1 m 28.096 s</div>		<div>Steps</div> <div>Total - 18</div> <div>Pass - 18</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 7:14:24.609 pm // 7:15:52.705 pm /</div>			
<div>Testing the functionalities of Transaction on staff account in CSM Application</div>			
<div>@TRS_053_01</div>			

#	Step / Hook Details	Status	Duration
1	Given User Navigate to CSMPParam application and login with valid credentials	PASSED	20.712 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.601 s
	screenshot		
			
2	And User Click on Parameters under CSMPParam Application	PASSED	1.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.448 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And User Click on System Parameters under Parameters Main Menu	PASSED	0.895 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.456 s
	screenshot		
			
4	And User Click on Transaction Type under System Parameters Sub Menu	PASSED	0.786 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		
			
5	And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu	PASSED	0.628 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
	screenshot		
			
6	And User Enter the Trx Type in Code under Update After Approve Screen	PASSED	6.957 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And Use Double Click on the Searched Code in Update After Approve Screen	PASSED	0.418 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.495 s
	screenshot		
			
8	And User Check the Allow Back dated Value Date flag in Update After Approve Screen	PASSED	4.750 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		
			
9	And User Check the Allow Post dated Value Date flag in Update After Approve Screen	PASSED	0.327 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
			
10	And User Click on Update After Approve button in Update After Approve Screen	PASSED	0.533 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And User Click Ok Button in Confirm PopUp Menu in Update After Approve Screen	PASSED	0.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.386 s
	screenshot		
			
12	And User Click Ok Button in Success PopUp Menu in Update After Approve Screen	PASSED	4.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		
			
13	And User Click on Approve under Transaction Type	PASSED	0.365 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
			
14	And User Enter the Trx Type in Code under Approve Screen	PASSED	1.465 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.533 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
15	And User Double Click on the Searched Code in Approve Screen	PASSED	0.437 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
			
16	And User Click on Approve Button in Approve Screen under System Parameters	PASSED	4.705 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot		
			
17	And User Click on Ok Button in Confirm PopUp under Approve Screen	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
			
18	And User Click on Ok Button in Success PopUp under Approve Screen	PASSED	4.397 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot		

#	Step / Hook Details	Status	Duration
	<div>A screenshot of a software interface, possibly a code editor or a configuration tool. It shows a list of items on the left and a main area with a search bar and some text. A red plus icon is overlaid on the top right of the screenshot.</div>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)


(F) Testing the functionalities of
Transaction on staff account in CSM
Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)


(F) Testing the functionalities of
Transaction on staff account in CSM
Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)


(F) Testing the functionalities of
Transaction on staff account in CSM
Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)

(F) Testing the functionalities of
Transaction on staff account in CSM
Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)

(F) Testing the functionalities of
Transaction on staff account in CSM
Application

The screenshot shows the AZENTIO application interface. The top header includes the user 'CHRISAG', company 'BAJ', and branch 'Head Office' as of '01 December 2022'. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, and 'Update After Approve' selected under 'Transaction Type'. The main area is titled 'Parameters / System Parameters / Transaction Type / Update After Approve' and is currently blank with a loading spinner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)

(F) Testing the functionalities of
Transaction on staff account in CSM
Application

The screenshot shows the AZENTIO application interface with a table of transaction parameters. The table is titled 'Parameters / System Parameters / Transaction Type / Update After Approve'. The table has columns for Code, Short Description, Long Description, Type, Status, Reference, and names in Arabic. The table is filtered for 'type 468'. The table contains 5 rows of data.

Code	Short Description	Long Description	Type	Status	Reference	الاسم المختصر	الاسم الكامل
468	type 468	type 46854444	T	Approved	78787	type 46888	type 46888
9	Bal Enquiry	Balance Enquiry	W	Approved		استفسار عن الحساب	استفسار عن الحساب
10	NSF Fees	NSF Fees	W	Approved		عمولة رصيد غير مدفوع	عمولة رصيد غير مدفوع
18	Int Call	International Calls	W	Approved		أرصدة خارجية	أرصدة خارجية
221	AR TRF2	AR TRF2	T	Approved		AR TRF	AR TRF

The table is filtered for 'type 468'. The table contains 5 rows of data. The table is filtered for 'type 468'. The table contains 5 rows of data.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)

(F) Testing the functionalities of
Transaction on staff account in CSM
Application

The screenshot shows the AZENTIO application interface. On the left, a 'Menu Options' sidebar lists various categories like Parameters, Transaction Type, and Maintenance. The 'Update After Approve' option is highlighted under the 'Transaction Type' category. The main area displays a table with columns: Code, Short Description, Long Description, Type, Status, Reference, الاسم المختصر, and الاسم الكامل. The table contains one row with the following data: Code: 377, Short Description: AR DEP, Long Description: AR DEP, Type: D, Status: Approved, Reference: AR DEP, الاسم المختصر: AR DEP, and الاسم الكامل: AR DEP. The interface also includes a search bar, a 'Toggle' button, and a page indicator showing 'Page 1 of 1'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)

(F) Testing the functionalities of
Transaction on staff account in CSM
Application

The screenshot shows the AZENTIO application interface with the 'Update After Approve' option highlighted in the sidebar. The main area displays a detailed transaction form for 'AR DEP'. The form includes fields for 'Code' (377), 'Status' (Approved), 'Brief Name', and 'Long Name'. It also features a 'Type' dropdown set to 'Deposit / Credit' and a 'Main Details' section with checkboxes for 'Allow Back-dated Value Date' and 'Allow Post-dated Value Date'. The 'Allow Back-dated Value Date' checkbox is checked, and the 'VDate based on' dropdown is set to 'Transaction Type Days'. The 'Allow Post-dated Value Date' checkbox is also checked, and the 'HOF Trx Type' dropdown is set to 'HOF Reason'. The form includes a 'Generate Charges Entries on VD' checkbox and a 'Main Details' section with a 'VDate based on' dropdown and a 'Value Date Days' field. The interface also includes a search bar, a 'Toggle' button, and a page indicator showing 'Page 1 of 1'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)

(F) Testing the functionalities of
Transaction on staff account in CSM
Application

The screenshot displays the AZENTIO system interface. On the left, a 'Menu Options' sidebar lists various parameters, with 'Update After Approve' selected under the 'Transaction Type' section. The main window shows the configuration for transaction type 'PQ2494'. The 'Main Details' section includes fields for 'Code' (377), 'Brief Name' (AR DEP), and 'Long Name' (AR DEP). The 'Type' is set to 'Deposit / Credit'. The 'Allow Back-dated Value Date' and 'Allow Post-dated Value Date' checkboxes are both checked. The 'VDate based on' is set to 'Transaction Type Days'. The 'HOF Trx Type' and 'HOF Reason' are also configured. The 'Generate Charges Entries on VD' checkbox is unchecked. The right sidebar lists various charges and fees, including 'Account Charges', 'CIF Charges', 'CIF Types Charges', 'GI Charges', 'CIF Priority Charges', 'Sc Charges Excep', 'Memo Charges Excep', 'Transaction Status', 'Closing Time', and 'Alert Activation'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)


(F) Testing the functionalities of
Transaction on staff account in CSM
Application

The screenshot displays the AZENTIO system interface, showing the 'Update After Approve' configuration for a transaction type. A 'CONFIRM' dialog box is overlaid on the screen, asking for confirmation to 'Save Process'. The dialog box contains fields for 'Currency', 'Periodicity', and 'Check on the Document Allowed'. The main window shows the configuration for transaction type 'PQ2494'. The 'Main Details' section includes fields for 'Code' (377), 'Brief Name' (AR DEP), and 'Long Name' (AR DEP). The 'Type' is set to 'Deposit / Credit'. The 'Allow Back-dated Value Date' and 'Allow Post-dated Value Date' checkboxes are both checked. The 'VDate based on' is set to 'Transaction Type Days'. The 'HOF Trx Type' and 'HOF Reason' are also configured. The 'Generate Charges Entries on VD' checkbox is unchecked. The right sidebar lists various charges and fees, including 'Account Charges', 'CIF Charges', 'CIF Types Charges', 'GI Charges', 'CIF Priority Charges', 'Sc Charges Excep', 'Memo Charges Excep', 'Transaction Status', 'Closing Time', and 'Alert Activation'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)


(F) Testing the functionalities of
Transaction on staff account in CSM
Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)


(F) Testing the functionalities of
Transaction on staff account in CSM
Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)


(F) Testing the functionalities of
Transaction on staff account in CSM
Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)

(F) Testing the functionalities of
Transaction on staff account in CSM
Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)

(F) Testing the functionalities of
Transaction on staff account in CSM
Application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)

(F) Testing the functionalities of
Transaction on staff account in CSM
Application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)

(F) Testing the functionalities of
Transaction on staff account in CSM
Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites (Allow Back
dated Value Date flag and Allow Post
dated Value Date flag - Check)

(F) Testing the functionalities of
Transaction on staff account in CSM
Application

