

# Cucumber Report

15 May 2023, 1:03:34 PM

**Start : May 15, 1:01:19.093 PM**

**End : May 15, 1:03:29.882 PM**

**Duration : 2 m 10.789 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 15**


**FAILED - 1**

**SKIPPED - 11**







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of Chequebook request module</u>	1	0	1	0	2 m 10.789 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Chequebook request module	Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to *	27	15	1	11	2 m 10.782 s


\* The feature name and/or scenario name has been cropped to fit in the available space.

**(F)- To verify the functionality of Chequebook request module**


<b>FAILED</b>	<b>DURATION - 2 m 10.789 s</b>	Scenarios		Steps	
/ 1:01:19.093 PM // 1:03:29.882 PM /		Total - 1		Total - 27	
		Pass - 0		Pass - 15	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

**(S)- Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch**



<div>FAILED</div> <div>DURATION - 2 m 10.782 s</div>			Steps	<div>Total - 27</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 11</div> <div></div>
/ 1:01:19.100 PM // 1:03:29.882 PM /				
To verify the functionality of Chequebook request module				
@CHB_186				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	28.313 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.482 s
	screenshot		
			
2	And user click the parameters menu	PASSED	1.461 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.463 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click the system parameters submenu	PASSED	0.599 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.484 s
	screenshot		
			
4	And user click the User screen in system parameters	PASSED	2.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.445 s
	screenshot		
			
5	And user click the update after approve screen	PASSED	0.858 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	5.311 s
	screenshot		
			
6	And user update test data set id for CHB_186	PASSED	0.006 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.345 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	And user click and send the values in user id under update after approve screen	PASSED	0.787 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
			
8	And user double click the user id	PASSED	0.699 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
	screenshot		
			
9	And user select the logged in branch	PASSED	2.369 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.342 s
	screenshot		
			
10	And user click the update after approve button	PASSED	0.478 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user click the save ok button	PASSED	0.480 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.393 s
	screenshot		
			
12	And user click the ok	PASSED	1.773 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
	screenshot		
			
13	And user click the approve in user screen	PASSED	0.481 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s
	screenshot		
			
14	And user update test data set id for CHB_186	PASSED	0.006 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.400 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And user click and send the values in user id under Approve screen	PASSED	0.788 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		
			
16	And user double click the user id	FAILED	1 m 0.115 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: td_tellerParamList_GridTbl_Id_E000MA_1_ctstellerVO.USER_ID' (tried for 60 second(s) with 1 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103)</p> <p>at stepdefinitions.CSM_Chequebookrequest_step.user_double_click_the_user_id(CSM_Chequebookrequest_step.java:93)</p> <p>at ?.user double click the user id(file:///C:/Users/inindc00606/git/Karthik_CSM/CSM_Karthi/src/test/java/features/CSM_feature_Chequebook_Request.feature:24)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#td_tellerParamList_GridTbl_Id_E000MA_1_ctstellerVO.USER_ID"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [610eeecae8b3ce5a698a3742f2de5b49, findElement {using=id, value=td_tellerParamList_GridTbl_Id_E000MA_1_ctstellerVO.USER_ID}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58966}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58966/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 610eeecae8b3ce5a698a3742f2de5b49</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103) at stepdefinitions.CSM_Chequebookrequest_step.user_double_click_the_user_id(CSM_Chequebookrequest_step.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.596 s
17	And user click the approve box	SKIPPED	0.003 s
18	And user click the save ok button	SKIPPED	0.004 s
19	And user click the ok	SKIPPED	0.003 s
20	Given navigate to CSM application and login with valid credentials	SKIPPED	0.003 s
21	And user click the chequebook request in csmcore	SKIPPED	0.002 s
22	And user click the send to receive from provider	SKIPPED	0.002 s
23	And user click the send to provider screen	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
24	And user click the retrieve button in send to provider	SKIPPED	0.000 s
25	And user update test data set id for CHB_186_D3	SKIPPED	0.001 s
26	And user click the receive from provider screen	SKIPPED	0.000 s
27	And user update test data set id for CHB_186_D3	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch


(F) To verify the functionality of  
Chequebook request module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch


(F) To verify the functionality of  
Chequebook request module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch


(F) To verify the functionality of  
Chequebook request module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch


(F) To verify the functionality of  
Chequebook request module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch


(F) To verify the functionality of  
Chequebook request module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch

(F) To verify the functionality of  
Chequebook request module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch

(F) To verify the functionality of  
Chequebook request module

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch

(F) To verify the functionality of  
Chequebook request module

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch

(F) To verify the functionality of  
Chequebook request module

The screenshot shows the Azenzio system configuration page for 'User' settings. The left sidebar shows a menu with 'User' selected. The main area contains various checkboxes and dropdowns for user permissions. A 'CONFIRM' dialog box is overlaid on the right side of the page.

Menu Options:

- Parameters
  - Parameters
  - Accounts Parameters
  - System Parameters
  - Backlist Source
  - ADD Parameters
  - Control Record
  - Statement Control Record
  - ATH Services
  - ATH Service Type
  - User Type
  - User Level
  - Transaction Hunting
  - Passbook Type
  - User Template
- User
  - Maintenance
  - Approve
  - Update after Approve
  - Suspend
  - Reactivate
  - List
  - TELLER AXIS LIST
  - Populate User
  - ADD Categories
  - Status
  - Vault
  - Charges
  - Transaction Type
  - Lost Documents
  - Cards
  - Evaluation Recommendation
  - Cards Status Reason
  - Template Entries
  - Cleaning House
  - Bill Type
  - Reasons
  - Hemo
  - Request Type
  - Safebox Parameters
  - Backlist Type
  - HOCR
  - Report Arguments
  - Specific Points

Configuration Options:

- Create CIF as approved ☒ Show All Trx Exchange Rate: 2.000
- Front Office Management Param:
  - Allow to Create CIF without Civil ID ☒
  - Allow to create CIF without Account ☒
  - Get CIF No From Reserved List ☒
  - Allow Modify PEP Manually on Creation ☐
  - Allow to Create CIF with Minimum Info ☐
- Apply CIF Type Restriction on Account Opening ☒ Bypass Special Condition ☐
- Allow To Modify Markets By User Under Accounts ☐ Hide Internal Accounts on Trx Query screen ☐
- Allow user to delete special condition for deceased CIF ☐ Mask Trx Amount on Approval ☐
- Allow to bypass Account Creation Restriction ☐ Allow Batch Files Import/Process by Same User ☒
- Login after Final Sign Off: Allow ☒ Allow User to access ATH Cash Box ☐
- Populate User ☐ Allow to Modify CRP Risk Rating ☐
- Hide signature of dormant accounts and CIF ☐ Allow To Modify Cap Limit ☐
- Allow user to waive charges on approval of products ☒
- Restriction of "Submitted Date" in PMA:
  - Deny Modifying PMA Submitted Date ☐
- Dormant A/C: Proceed on Dormant A/C and view Signature ☐
- Suspend A/C: Don't Proceed on Suspended A/C ☐
- Teller Balance/Cash Short Over: Show Both ☐
- Forbid Void House Chq after Value date: Cheque Scanner Device ☐
- Forbid amendment of active transaction ☐ Generate Advice Serial No ☒
- Show Send To/Receive From Chequebooks in: Logged-in branch ☐

CONFIRM dialog box: Confirm Save Process. OK Cancel

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch

(F) To verify the functionality of  
Chequebook request module

The screenshot shows the Azenzio system configuration page for 'User' settings. The left sidebar shows a menu with 'User' selected. The main area contains various checkboxes and dropdowns for user permissions. A 'CONFIRM' dialog box is overlaid on the right side of the page.

Menu Options:

- Parameters
  - Parameters
  - Accounts Parameters
  - System Parameters
  - Backlist Source
  - ADD Parameters
  - Control Record
  - Statement Control Record
  - ATH Services
  - ATH Service Type
  - User Type
  - User Level
  - Transaction Hunting
  - Passbook Type
  - User Template
- User
  - Maintenance
  - Approve
  - Update after Approve
  - Suspend
  - Reactivate
  - List
  - TELLER AXIS LIST
  - Populate User
  - ADD Categories
  - Status
  - Vault
  - Charges
  - Transaction Type
  - Lost Documents
  - Cards
  - Evaluation Recommendation
  - Cards Status Reason
  - Template Entries
  - Cleaning House
  - Bill Type
  - Reasons
  - Hemo
  - Request Type
  - Safebox Parameters
  - Backlist Type
  - HOCR
  - Report Arguments
  - Specific Points

Configuration Options:

- Create CIF as approved ☒ Show All Trx Exchange Rate: 2.000
- Front Office Management Param:
  - Allow to Create CIF without Civil ID ☒
  - Allow to create CIF without Account ☒
  - Get CIF No From Reserved List ☒
  - Allow Modify PEP Manually on Creation ☐
  - Allow to Create CIF with Minimum Info ☐
- Apply CIF Type Restriction on Account Opening ☒ Bypass Special Condition ☐
- Allow To Modify Markets By User Under Accounts ☐ Hide Internal Accounts on Trx Query screen ☐
- Allow user to delete special condition for deceased CIF ☐ Mask Trx Amount on Approval ☐
- Allow to bypass Account Creation Restriction ☐ Allow Batch Files Import/Process by Same User ☒
- Login after Final Sign Off: Allow ☒ Allow User to access ATH Cash Box ☐
- Populate User ☐ Allow to Modify CRP Risk Rating ☐
- Hide signature of dormant accounts and CIF ☐ Allow To Modify Cap Limit ☐
- Allow user to waive charges on approval of products ☒
- Restriction of "Submitted Date" in PMA:
  - Deny Modifying PMA Submitted Date ☐
- Dormant A/C: Proceed on Dormant A/C and view Signature ☐
- Suspend A/C: Don't Proceed on Suspended A/C ☐
- Teller Balance/Cash Short Over: Show Both ☐
- Forbid Void House Chq after Value date: Cheque Scanner Device ☐
- Forbid amendment of active transaction ☐ Generate Advice Serial No ☒
- Show Send To/Receive From Chequebooks in: Logged-in branch ☐


CONFIRM dialog box: Confirm Save Process. OK Cancel



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch


(F) To verify the functionality of  
Chequebook request module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch


(F) To verify the functionality of  
Chequebook request module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch


(F) To verify the functionality of  
Chequebook request module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch

(F) To verify the functionality of  
Chequebook request module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch

(F) To verify the functionality of  
Chequebook request module

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Functional testing -Testing  
"Chequebook Request - Send To/Receive  
From Provider" Screen If the DDL is set to  
logged-in branch

(F) To verify the functionality of  
Chequebook request module