

# Cucumber Report

22-Apr-2023, 4:21:33 pm

**Start : Apr 22, 4:19:42.308 pm**

**End : Apr 22, 4:21:31.676 pm**

**Duration : 1 m 49.368 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 10**


**FAILED - 1**

**SKIPPED - 3**







#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	1	0	1	0	1 m 49.368 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	checking if the user is abel to reverse a chequebook - short process	14	10	1	3	1 m 49.359 s


**(F)- To verify the functionality of chequebook under receive from provider**





<b>FAILED</b>	<b>DURATION - 1 m 49.368 s</b>	Scenarios		Steps	
/ 4:19:42.308 pm // 4:21:31.676 pm /		Total - 1		Total - 14	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

**(S)- checking if the user is able to reverse a chequebook - short process**

<div>FAILED</div> <div>DURATION - 1 m 49.359 s</div>			Steps	
/ 4:19:42.317 pm // 4:21:31.676 pm /			Total - 14	
To verify the functionality of chequebook under receive from provider			Pass - 10	
@CHB_009			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given user login as csm core application	PASSED	17.516 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
			
2	And user click the chequebook request button	PASSED	0.821 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	And user click the to be reversed chequebook screen	PASSED	1.646 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		
			
4	And user click the checkbook code in to be reversed chequebook screen	PASSED	7.421 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		
			
5	And user enter the value in chequebook code	PASSED	0.460 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
			
6	And user click the to be reversed button	PASSED	3.491 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			
7	Then user click the ok button to validate the confiern message popup	PASSED	1.758 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
8	And user click the reverse chequebook screen	PASSED	6.622 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		
	 +		
9	And user click the chequebook code in reverse chequebook screen	PASSED	1.875 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
	 +		
10	And user enter the value in chequebook code under reverse chequebook screen	PASSED	0.413 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
	 +		
11	And user click the reverse button under reverse chequebook screen	FAILED	1 m 0.035 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: chequeBookDefFormId_Q000RV_reverse_key' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSM_ChequeBookRequest_Screen.		

#	Step / Hook Details	Status	Duration
	<p>user_click_the_reverse_button_under_reverse_chequebook_screen(CSM_ChequeBookRequest_Screen.java:321)</p> <p>at ?.user click the reverse button under reverse chequebook screen(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:53)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#chequeBookDefFormId_Q000RV_reverse_key"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [073f4a9687178eeeb3494a14f6752da2, findElement {using=id, value=chequeBookDefFormId_Q000RV_reverse_key}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:55941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55941/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 073f4a9687178eeeb3494a14f6752da2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.CSM_ChequeBookRequest_Screen.</p> <p>user_click_the_reverse_button_under_reverse_chequebook_screen(CSM_ChequeBookRequest_Screen.java:321)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:578)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s




#	Step / Hook Details	Status	Duration
	screenshot		
			
12	And user click the maintenance screen under chequebook request	SKIPPED	0.001 s
13	And user enter the cheque code for reverse chequebook	SKIPPED	0.000 s
14	Then user validate the status record present in the maintenance screen for reverse chequebook	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process


(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process


(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

Code	Cheque Code	Branch Code	Currency	GL	CIF	SL	Acc Add Ref	IBAN ACC No	From Number	To Number	Status
878	105	1	840	435123	0	37	52090030898023037				Approved
875	105	1	840	435123	0	37	52090030898023037				Approved
587	960	1	840	210202	1158	0	8402102020001158000		0	0	Approved
583	101	1	840	6002	1306	0	840060020001306000				Approved
582	200	1	840	210210	1158	1	8402102100001158001				Approved
488	1	1	840	11784	1117	0	8400117840001117000		7151	7800	Approved
487	1	1	840	11784	1117	0	8400117840001117000		6501	7150	Approved

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot shows the AZENTIO interface with a sidebar menu on the left and a main content area. The sidebar menu includes options like '360 Degrees view', 'Card Integration', 'Customer Segmentation', 'Accounts', 'ADD Management', 'Front Office Management', 'Profiling', 'Black List Management', 'Links Management', 'Safe Box', 'Transfer Accounts', 'Beneficiary Cooling Exceptions', 'Accounts Rates', 'Standing Order', 'Action Transaction Report', and 'Chequebook Request'. The 'Chequebook Request' menu item is highlighted. The main content area displays a table titled 'Chequebook Request / To Be Reversed Chequebook'. The table has columns: Code, Cheque Code, Branch Code, Currency, GL, CIF, SL, Acc Add Ref, IBAN ACC No, From Number, To Number, and Status. The table contains several rows of data, including a row with Code 482, Cheque Code 105, Branch Code 1, Currency 840, GL 435123, CIF 0, SL 37, Acc Add Ref 520900309898023037, IBAN ACC No, From Number, To Number, and Status Approved. A 'Loading...' button is visible over the table data.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot shows the AZENTIO interface with a sidebar menu on the left and a main content area. The sidebar menu is the same as in the previous screenshot. The main content area displays the 'Chequebook Request / To Be Reversed Chequebook' form. The form includes fields for Request Number (878), Number of Chequebooks (1), Status (Approved), Cheque Code (105), Design (1), Leaves (15), Types (20), Account Number (520900309898023037), A/C No. (1), Account Name (GL - FC cash-USD), Account Cy (USD), Account Type (FF CASH ACCOUNT), Account CIF, Serial Number (0), Number of Papers (601), From Number, To Number, Normal/Urgent (Normal), Destination Branch (Head Office), Date Submitted, Printing Location (By Provider), Name to be Printed, Deduct Charges, Charge A/C (520900309898023037), and Remarks. The form also includes a 'Cheques' section with fields for Cheque Code, Design, Leaves, and Types, and a 'Deduct Charges' section with fields for Deduct Charges and Charge A/C.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot displays the Azentio Customer Service Management (CSM) interface. The top navigation bar includes the Azentio logo, user information (User: CHRISAG, Company: BAJ, Branch: Head Office), date (01 January 2020), and customer details (Customer ID, Customer Name). The main menu on the left lists various system functions, with 'Reverse Chequebook' highlighted under the 'Chequebook Request' section. The main content area shows a table for 'Chequebook Request / Reverse Chequebook' with columns: Code, Cheque Code, Branch Code, Currency, GL, CIF, SL, Acc Add Ref, IBAN ACC No, From Number, To Number, and Status. The table is currently empty, displaying 'No records to view'. The bottom of the interface shows copyright information (Copyright ©2023 Azentio) and the version (v14.7.0.0 Build 269).