

Cucumber Report

18-Apr-2023, 7:00:36 pm

Start : Apr 18, 6:59:03.546 pm

End : Apr 18, 7:00:35.249 pm

Duration : 1 m 31.703 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	1	0	1	0	1 m 31.703 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of <u>chequebook under receive from provider</u>	<u>checking if the created chequebook is reflected under receive from provider screen</u>	11	6	1	4	1 m 31.696 s





(F)- To verify the functionality of chequebook under receive from provider

FAILED	DURATION - 1 m 31.703 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 6 Fail - 1 Skip - 4	
/ 6:59:03.546 pm // 7:00:35.249 pm /					

(S)- checking if the created chequebook is reflected under receive from provider screen


<div>FAILED</div> <div>DURATION - 1 m 31.696 s</div>	<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 6:59:03.553 pm // 7:00:35.249 pm /</div>			
<div>To verify the functionality of chequebook under receive from provider</div>			
<div>@CHB_013</div>			

#	Step / Hook Details	Status	Duration
1	Given user login as csm core application	PASSED	16.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
			
2	And user click the chequebook request button	PASSED	0.785 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click the send to/receive from provider button	PASSED	1.803 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.393 s
	screenshot		
			
4	And user click the receive from provider	PASSED	1.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
	screenshot		
			
5	And user select the batch no under receive from provider	PASSED	4.536 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
			
6	And user click the check box under receive from provider	PASSED	0.894 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
			
7	Then user click the proceed button under receive from provider	FAILED	1 m 0.045 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//a[@id='anchor_390456665'])' (tried for 60 second(s) with 5 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSM_ChequeBook_ReceiveFromProvider. user_click_the_proceed_button_under_receive_from_provider(CSM_ChequeBook_ReceiveFromProvider.java:38) at ?.user click the proceed button under receive from provider(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/ AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_ReceivedFromProvider.feature:10) Caused by: org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression (//a[@id='anchor_390456665']) because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '(//a[@id='anchor_390456665'])' is not a valid XPath expression. (Session info: chrome=112.0.5615.87) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4e124758a5d55ca4d860aa1a73e8d9d0, findElement {using=xpath, value=(//a[@id='anchor_390456665'])}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome\chromeOptions: {debuggerAddress: localhost:55842}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55842/devtools, se.cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4e124758a5d55ca4d860aa1a73e8d9d0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSM_ChequeBook_ReceiveFromProvider. user_click_the_proceed_button_under_receive_from_provider(CSM_ChequeBook_ReceiveFromProvider.java:38) </pre>		


#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.279 s
8	And user click the maintenance screen under chequebook request	SKIPPED	0.000 s
9	And user click search icon under maintenance	SKIPPED	0.000 s
10	And user enter the cheque code under maintenance screen	SKIPPED	0.000 s
11	Then user validate the status record present in the maintenance screen under chequebook request	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the created chequebook is
reflected under receive from provider
screen


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the created chequebook is
reflected under receive from provider
screen


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the created chequebook is
reflected under receive from provider
screen


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the created chequebook is
reflected under receive from provider
screen

(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the created chequebook is
reflected under receive from provider
screen

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the AZENTIO system interface. The top navigation bar includes the user 'CHRISAG', company 'BAJ', and branch 'Head Office'. The main menu on the left lists various options, with 'Receive From Provider' selected. The main content area displays a table with the following data:

Chequebook Code	Branch	Status	Branch Code	Currency	GL	CIF	SL	Brief Description	الوصف المختصر	From Num
801		1 Sent to Provider	1	BHD	150150	993437	0	CHARLES SHOIB	CHARLES SHOIB	

The bottom of the screen shows the page number 'Page 0 of 0' and 'View 1 - 1 of 1'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the created chequebook is
reflected under receive from provider
screen

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the AZENTIO system interface. The top navigation bar includes the user 'CHRISAG', company 'BAJ', and branch 'Head Office'. The main menu on the left lists various options, with 'Receive From Provider' selected. The main content area displays a table with the following data:

Chequebook Code	Branch	Status	Branch Code	Currency	GL	CIF	SL	Brief Description	الوصف المختصر	From Num
629		1 Sent to Provider	1	BHD	181	1625	0	LOVETAT		
638		1 Sent to Provider	1	BHD	181	1624	0	ASDASDASD		
637		1 Sent to Provider	1	BHD	181	1623	0	TESTRAK		
625		1 Sent to Provider	1	BHD	181	10079	0	PAK033	PAK033	

The bottom of the screen shows the page number 'Page 0 of 0' and 'View 1 - 4 of 4'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the created chequebook is
reflected under receive from provider
screen

(F) To verify the functionality of
chequebook under receive from provider

AZENTIO User: CHRISAG 01 January 2020 Company: BAJ Branch: Head Office Customer ID: Customer Name: New Session Full Screen Options Advanced Options Switch View Home Log Out Help Language

Chequebook Request / Send To/Receive From Provider / Receive From Provider

Q000RP

Batch No: 2020-01-01

Proceed

Chequebook Code	Branch	Status	A/C No.					Brief Description	الوصف المختصر	From Num
			Branch Code	Currency	GL	CIF	SL			
<input type="checkbox"/>	628	1 Sent to Provider	1	840	181	1625	0 LOVETAT			
<input type="checkbox"/>	638	1 Sent to Provider	1	840	181	1624	0 ASSADASD			
<input checked="" type="checkbox"/>	627	1 Sent to Provider	1	840	181	1623	0 TESTRAK			
<input type="checkbox"/>	626	1 Sent to Provider	1	840	181	10079	0 PAOK33	PAOK33		

Toggle Clear Page 0 of 0 20 View 1 - 4 of 4

Copyright ©2023 Azentio All Rights Reserved. InqCustomer Service Management 14.7.0.0 Build 268 Powered By