

Cucumber Report

10 May 2023, 1:34:55 PM

Start : May 10, 1:34:01.702 PM

End : May 10, 1:34:53.217 PM

Duration : 51.515 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	<u>To check the functionality of chequebook Request</u>	1	0	1	0	51.515 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To check the functionality of chequebook Request</u>	<u>Checking if the user is able to select any row and click "Destroy" under Approve/Reject Destroy</u>	10	5	1	4	51.506 s





(F)- To check the functionality of chequebook Request

FAILED	DURATION - 51.515 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 5 Fail - 1 Skip - 4	
/ 1:34:01.702 PM // 1:34:53.217 PM /					

(S)- Checking if the user is able to select any row and click "Destroy" under Approve/Reject Destroy

<div>FAILED</div>	<div>DURATION - 51.506 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 1:34:01.711 PM // 1:34:53.217 PM /</div>				
<div>To check the functionality of chequebook Request</div>				
<div>@CHB_161</div>				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM application and login with valid credentials	PASSED	20.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.438 s
	screenshot		
			
2	And Click the Chequebook Request flag	PASSED	0.286 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	And Click the Bulk Destroy under Chequebook Request	PASSED	0.765 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.342 s
	screenshot		
			
4	Then Click the retrieve button under Bulk Destroy	PASSED	5.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
			
5	And Choose the existing record under Bulk Destroy	PASSED	12.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
			
6	Then Destroy the record by clicking To Destroy button under Bulk Destroy	FAILED	0.002 s
	Step undefined	PASSED	0.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	screenshot		
			
7	And Navigate to Approve/Reject Bulk Destroy	SKIPPED	0.000 s
8	Then Click the retrieve button under Approve/Reject Bulk Destroy	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
9	And Click the search icon under Approve/Reject Bulk Destroy	SKIPPED	0.001 s
10	Then Click the Search Box under Approve/Reject Bulk Destroy	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if the user is able to select
any row and click "Destroy" under
Approve/Reject Destroy


(F) To check the functionality of
chequebook Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if the user is able to select
any row and click "Destroy" under
Approve/Reject Destroy


(F) To check the functionality of
chequebook Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if the user is able to select
any row and click "Destroy" under
Approve/Reject Destroy


(F) To check the functionality of
chequebook Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if the user is able to select
any row and click "Destroy" under
Approve/Reject Destroy

(F) To check the functionality of
chequebook Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if the user is able to select
any row and click "Destroy" under
Approve/Reject Destroy

(F) To check the functionality of
chequebook Request

The screenshot shows the Azenzio Customer Service Management interface. The top navigation bar includes the user name 'ANANDH', company 'BIAJ', branch 'Head Office', and date '01 January 2020'. The left sidebar menu has 'Chequebook Request' expanded, with 'Bulk Destroy' selected. The main content area displays a table titled 'Select the chequebook(s) to be destroyed' with columns: Code, Cheque Code, Branch Code, Currency, GL, CIF, SL, Acc Add Ref, IBAN ACC No, From Number, To Number, and Status. The table lists several entries, with the first row (Code 1038) selected. Below the table, there are 'Remarks', 'To Destroy', and 'Retrieve' buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if the user is able to select
any row and click "Destroy" under
Approve/Reject Destroy

(F) To check the functionality of
chequebook Request

This screenshot is identical to the one above, showing the Azenzio Customer Service Management interface with the 'Bulk Destroy' option selected in the menu. The table 'Select the chequebook(s) to be destroyed' is visible, and the first row is selected. The interface includes the same navigation bar, sidebar, and main content area.