

Cucumber Report

22-Apr-2023, 3:48:58 pm

Start : Apr 22, 3:47:24.822 pm

End : Apr 22, 3:48:57.205 pm

Duration : 1 m 32.383 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	1	0	1	0	1 m 32.383 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	checking if the user is abel to reverse a chequebook - short process	14	5	1	8	1 m 32.376 s




(F)- To verify the functionality of chequebook under receive from provider

FAILED	DURATION - 1 m 32.383 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 5 Fail - 1 Skip - 8	
/ 3:47:24.822 pm // 3:48:57.205 pm /					


(S)- checking if the user is able to reverse a chequebook - short process

<div>FAILED</div> <div>DURATION - 1 m 32.376 s</div>		<div>Steps</div> <div>Total - 14</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 8</div> <div></div>
<div>/ 3:47:24.829 pm // 3:48:57.205 pm /</div>		
<div>To verify the functionality of chequebook under receive from provider</div>		
<div>@CHB_009</div>		

#	Step / Hook Details	Status	Duration
1	Given user login as csm core application	PASSED	16.775 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
			
2	And user click the chequebook request button	PASSED	0.721 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click the to be reversed chequebook screen	PASSED	1.699 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot		
	 +		
4	And user click the checkbook code in to be reversed chequebook screen	PASSED	6.648 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
	 +		
5	And user enter the value in chequebook code	PASSED	0.615 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
	 +		
6	And user click the to be reversed button	FAILED	1 m 0.024 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //label[text()='To Be Reversed ']' (tried for 60 second(s) with 5 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.CSM_ChequeBookRequest_Screen.user_click_the_to_be_reversed_button(CSM_ChequeBookRequest_Screen.java:275)</p> <p>at ?user click the to be reversed button(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:48)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//label[text()='To Be Reversed ']} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0370bc600e145fde3b56401dd9919791, findElement {using=xpath, value=//label[text()='To Be Reversed ']} Capabilities {acceptInsecureCerts:</p>		

#	Step / Hook Details	Status	Duration
	<p>false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:54952}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54952/devtools, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0370bc600e145fde3b56401dd9919791</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.CSM_ChequeBookRequest_Screen.user_click_the_to_be_reversed_button(CSM_ChequeBookRequest_Screen.java:275)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:578)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.281 s
7	Then user click the ok button to validate the confiem message popup	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	And user click the reverse chequebook screen	SKIPPED	0.000 s
9	And user click the chequebook code in reverse chequebook screen	SKIPPED	0.000 s
10	And user enter the value in chequebook code under reverse chequebook screen	SKIPPED	0.000 s
11	And user click the reverse button under reverse chequebook screen	SKIPPED	0.000 s
12	And user click the maintenance screen under chequebook request	SKIPPED	0.001 s
13	And user enter the cheque code for reverse chequebook	SKIPPED	0.000 s
14	Then user validate the status record present in the maintenance screen for reverse chequebook	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process

(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process

(F) To verify the functionality of
chequebook under receive from provider

Code	Cheque Code	Branch Code	Currency	GL	CIF	SL	Acc Add Ref	IBAN ACC No	From Number	To Number	Status
887	150	1	840	435123	0		34 520900308998029901				Approved
878	105	1	840	435123	0		37 520900308998023037				Approved
875	105	1	840	435123	0		37 520900308998023037				Approved
600	1	1	840	210210	1281		0 84021021000001281000		3251	3900	Approved
587	960	1	840	210202	1158		0 84021020200001158000		0	0	Approved
583	101	1	840	6002	1306		0 8400600200001306000				Approved
582	200	1	840	210210	1158		1 84021021000001158001				Approved

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process

(F) To verify the functionality of
chequebook under receive from provider

The screenshot displays the AZENTIO system interface. The top header shows the user 'CHRISAG' and the date '01 January 2020'. The sidebar on the left contains a navigation menu with options like '360 Degrees view', 'Card Integration', 'Customer Segmentation', 'Accounts', 'ADD Management', 'Front Office Management', 'Profiling', 'Black List Management', 'Links Management', 'Safe Box', 'Transfer Accounts', 'Beneficiary Cooling Exceptions', 'Accounts Rates', 'Standing Order', 'Action Transaction Report', 'Chequebook Request', 'Maintenance', 'Approve', 'Amend Submitted', 'Apply to Submit', 'To Cancel', 'Batch Approval', 'Submit', 'Suspend', 'Approve Cancel', 'Reactivate', 'Print', 'List', 'Approve / Reject Bulk Destroy', 'To Be Destroyed', 'Bulk Destroy', 'Approve Destroyed', 'Send To Branch', 'In Branch', 'Send To/Receive From Provider', 'Reject Destroy', 'Received by branch', 'Chequebook Query', 'Reverse Chequebook', and 'To Be Reversed Chequebook'. The main table, titled 'Chequebook Request / To Be Reversed Chequebook', has columns: Code, Cheque Code, Branch Code, Currency, GL, CIF, SL, Acc Add Ref, IBAN ACC No, From Number, To Number, and Status. The table contains several rows of data, with a 'Loading...' status in the SL column for one entry. The bottom of the interface shows 'Page 1 of 10' and 'View 1 - 20 of 199'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process

(F) To verify the functionality of
chequebook under receive from provider

The screenshot displays the AZENTIO system interface, similar to the first one. The top header shows the user 'CHRISAG' and the date '01 January 2020'. The sidebar on the left contains the same navigation menu. The main table, titled 'Chequebook Request / To Be Reversed Chequebook', has columns: Code, Cheque Code, Branch Code, Currency, GL, CIF, SL, Acc Add Ref, IBAN ACC No, From Number, To Number, and Status. The table now shows only one row of data with a status of 'Approved'. The bottom of the interface shows 'Page 1 of 1' and 'View 1 - 1 of 1'.