


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Transaction on staff account in CSM Application	1	0	1	0	2 m 36.288 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the functionalities of	Checking Cash Deposit Transaction - Interbranch -	18	10	1	7	2 m 36.282 s
	Transaction on staff account in CSM *	Prerequisites (Enable Multi Branch flag - Check)					

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

(F)- Testing the functionalities of Transaction on staff account in CSM Application

FAILED	DURATION - 2 m 36.288 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 9:25:14.848	am // 9:27:51.136 am /	Pass - 0	1	Pass - 10	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)

FAILED DURATION - 2 m 36.282 s		Steps
/ 9:25:14.854 am // 9:27:51.136 am /	40	Total - 18
Testing the functionalities of Transaction on staff account in CSM Application	20 -	Pass - 10
		Skip - 7
@TRS_052_01	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	

#	Step / Hook Details	Status	Duration
1	Given User Navigate to CSMParam application and login with valid credentials	PASSED	24.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.782 s
	screenshot		
2	And User Click on Parameters under CSMParam Application	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 4 And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And Use Double Click on the Searched Code in Update After Approve Screen PASSED 0.511 s 0.322 s 0.349 s 0.353 a 0.553 s 0.55	#	Step / Hook Details	Status	Duration
And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.322 s 0.329 s 0.331 s	3	And User Click on System Parameters under Parameters Main Menu	PASSED	1.119 s
4 And User Click on Transaction Type under System Parameters Sub Menu PASSED 0.322 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu PASSED 0.553 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AAND User Duble Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.427 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.427 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.427 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.511 s
4 And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.311 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.241 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.241 s	4	And User Click on Transaction Type under System Parameters Sub Menu	PASSED	0.322 s
screenshot And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 7.241 s PASSED 0.318 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.427 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.336 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.427 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.336 s			7	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.311 s		Table Tabl		
screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.427 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.336 s	5	And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu	PASSED	0.553 s
And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.427 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.336 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.318 s 0.318 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.318 s 0.318 s				
7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.427 s PASSED 0.336 s	6	And User Enter the Trx Type in Code under Update After Approve Screen	PASSED	7.241 s
7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.427 s 0.336 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.427 s 0.336 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.336 s				
	7	And Use Double Click on the Searched Code in Update After Approve Screen	PASSED	0.427 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
8	And User Check the Enable Multi Branch flag in Update After Approve Screen	PASSED	5.719 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.362 s
9	And User Click on Update After Approve button in Update After Approve Screen	PASSED	0.783 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.597 s
10	And User Click Ok Button in information PopUp menu in Update After Approve Screen	PASSED	0.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.564 s
	screenshot		
11	And User Click Ok Button in Confirm PopUp Menu in Update After Approve Screen	FAILED	1 m 10.588 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: _popup_path_sol_confirm_ok' (tried for 70 second(s) with 800 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:93) at stepdefinitions.CSM_TransactionSA.		


#	Step / Hook Details	Status	Duration
	user_click_ok_button_in_confirm_popup_menu_in_update_after_approve_screen(CSM_TransactionSA.java:1365)		
	at ?.User Click Ok Button in Confirm PopUp Menu in Update After Approve Screen(file:///C:/Users/inindc00605/git/CSM/		
	AzentioAutomationFramework_CSM_Kiruthiga2/src/test/java/features/CSM_TransactionSA.feature:389)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css		
	selector", "selector": "#_popup_path_sol_confirm_ok" (Session info: chrome=112.0.5615.140) For documentation on this error, please visit:		
	https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.		
	arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c90150efd392c5e85f1675761307d25d, findElement {using=id, value= popup path sol confirm ok}] Capabilities {acceptInsecureCerts: false,		
	browserName: chrome, browserVersion: 112.0.5615.140, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir:		
	C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:61714}, networkConnectionEnabled: false,		
	pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61714/devtoo, se:cdpVersion: 112.0.5615.140,		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c90150efd392c5e85f1675761307d25d		
	at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:93)		
	at stepdefinitions.CSM_TransactionSA.		
	user_click_ok_button_in_confirm_popup_menu_in_update_after_approve_screen(CSM_TransactionSA.java:1365)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		


#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		

DETAILED SECTION -- 9 --


#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s
	screenshot		
	Single-special sections of the section of the secti		
12	And User Click Ok Button in Success PopUp Menu in Update After Approve Screen	SKIPPED	0.003 s
13	And User Click on Approve under Transaction Type	SKIPPED	0.003 s
14	And User Enter the Trx Type in Code under Approve Screen	SKIPPED	0.003 s
15	And User Double Click on the Searched Code in Approve Screen	SKIPPED	0.003 s
16	And User Click on Approve Button in Approve Screen under System Parameters	SKIPPED	0.007 s
17	And User Click on Ok Button in Confirm PopUp under Approve Screen	SKIPPED	0.003 s
18	And User Click on Ok Button in Success PopUp under Approve Screen	SKIPPED	0.003 s

EXPANDED SECTION -- 10 --






EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)


(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)

(F) Testing the functionalities of Transaction on staff account in CSM Application



EXPANDED SECTION -- 15 --

