


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To destory the ChequeBook Record	1	0	1	0	41.907 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To destory the ChequeBook Record	destory the ChequeBook Record	7	3	1	3	41.867 s

(F)- To destory the ChequeBook Record

FAILED	DURATION - 41.907 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 1:47:21.841 pn	n // 1:48:03.748 pm /	Pass - 0	1	Pass - 3	7
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 3	

(S)- destory the ChequeBook Record




#	Step / Hook Details	Status	Duration
1	Given navigate to CSM application and login with valid credentials	PASSED	18.548 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.534 s
	screenshot		
2	And Click the ChequeBook request under CSM application	PASSED	3.288 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.513 s
	screenshot		
		1	

#	Step / Hook Details	Status	Duration
3	Then Click the to be destory button under ChequeBook request	PASSED	0.507 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.488 s
	screenshot	1	
4	And Click on search existing checkbook record	FAILED	0.280 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/imput[@name=CODET]"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: "48.1", revision: "8bccae989" System info: os.name: Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [Iff70fdeba655856317e78e4dfa1685, findElement {using=xpath, value=[injut[@name=CODET]]} Capabilities {acceptinsecureCerts: false, prowserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: CXUsersININDC=1AppDataL), goog:chromeOptions: {debuggerAddress: localhost:52097/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformMame: WINDOWS, proxy: Proxy(), secdp: ws://localhost:52097/devtoo, secptOversion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad' 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:rtrue, webauthn:virtualAuthenticators: true). Session ID: ff70fddeba6582655a17e78e4dfa1685 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:23) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:142)		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	features/CSM_CB_DestroytheRecord.feature:9) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.992 s
	screenshot		
5	And search a existing checkbook record	SKIPPED	0.000 s
6	Then double click the approve option	SKIPPED	0.000 s
7	And click the todestory button	SKIPPED	0.001 s

EXPANDED SECTION -- 7



EXPANDED SECTION -- 8 --

